

KENYA - NUHDSS-Fertility Preferences - 2012-2016

African Population and Health Research Center - APHRC

Report generated on: February 27, 2018

Visit our data catalog at: <http://aphrc.org/catalog/microdata/index.php>

Overview

Identification

ID NUMBER
APHRC-NUHDSS-FERTILITY-PREFERENCES-1.0

Version

VERSION DESCRIPTION

PRODUCTION DATE
2017-05-23

Overview

ABSTRACT

Under the NUHDSS the households are visited in two informal settlements in Nairobi every four months to collect information on health and other related issues so that we can understand the health and well-being of members of these communities. Specifically, we would like to know about the fertility preference of women aged from 15 years to 49 years.

UNITS OF ANALYSIS

All DSS female members aged 15-49 years.

Scope

NOTES

This includes the background, woman's particulars, marriage reproductive and sexual activity, contraception and fertility preferences.

Coverage

GEOGRAPHIC COVERAGE

Two informal settlements (slums) in Nairobi county, Kenya (specifically, Korogocho and Viwandani slums).

UNIVERSE

All DSS female members aged 15-49 years.

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation
African Population and Health Research Center	APHRC

OTHER PRODUCER(S)

Name	Affiliation	Role
African Population and Health Research Center		Data Collection, Processing, and Documentation

FUNDING

Name	Abbreviation	Role
Rockefeller Foundation (USA)		Funder
Wellcome Trust (UK)		Funder
William and Flora Hewlett Foundation (USA)		Funder
Comic Relief (UK)		Funder
Swedish International Development Cooperation	SIDA	Funder
The Bill and Melinda Gates Foundation (USA)		Funder

OTHER ACKNOWLEDGEMENTS

Name	Affiliation	Role
Residents of Korogocho and Viwandani Slums		Study Subjects
Community leaders - chiefs and village elders		Support to field teams

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
African Population and Health Research Center	APHRC		Metadata Producer

DATE OF METADATA PRODUCTION

2017-05-23

DDI DOCUMENT VERSION

Version 1.0, May 2017.

DDI DOCUMENT ID

APHRC-NUHDSS-FERTILITY-PREFERENCES-1.0

Sampling

Sampling Procedure

The information was collected for all DSS female members aged 15-49 years.

Questionnaires

Overview

1. FERTILITY PREFERENCE QUESTIONNAIRE - WOMEN AGED 15-49 YEARS

Data Collection

Data Collection Dates

Start	End	Cycle
2012-01-01	2016-04-29	Rounds 28 to Round 39

Data Collection Mode

Face-to-face [f2f]

Questionnaires

1. FERTILITY PREFERENCE QUESTIONNAIRE - WOMEN AGED 15-49 YEARS

Supervision

Interviewing teams in the two sites of study comprised of:

- Korogocho: 1 field supervisor, 2 editing team leaders, 1 data quality control team leader, 1 deaths' monitoring team leader, 2 data quality control officers, 12 interviewers
- Viwandani: 1 field supervisor, 2 editing team leaders, 1 data quality control team leader, 1 deaths' monitoring team leader, 3 data quality control officers, 17 interviewers

The roles of the various members of the interviewing teams were:

- Interviewer: Conducting face-to-face paper-based interviews(Round 0- Round 38) and using Netbooks (Round 39 onwards) in assigned zone within the study site
- Data Quality Control Officer: Performing random spot-checks on 10% of the questionnaires and reporting inconsistencies to the Data Quality Control Team Leader for harmonization within the study community
- Data Quality Control Team Leader: Harmonizing inconsistencies within questionnaires and performing a random spot-check on 10% of the 10% questionnaires that have already undergone spot-checking
- Editing Team Leader: Editing 100% of questionnaires from randomly selected field workers and documenting issues emerging during data collection
- Field supervisor: Responsible for overseeing general operations, resolving issues that cannot be harmonized by data quality control and ensuring that field work progressed on schedule. They also conducted sit-in interviews along with Data Quality Control Team Leader

The Field Co-ordinator, Research Officer and/or Project Managers visited the field and field teams regularly to monitor and review progress and support field operations.

Data Processing

Data Editing

Data editing took place at a number of stages throughout the processing, including:

1. Quality control through back-checks on 10 percent of completed questionnaires and editing of all completed questionnaires by supervisors and project management staff.
2. A quality control officer performed internal consistency checks for all questionnaires and edited all paper questionnaires coming from the field before their submission for data entry with return of incorrectly filled questionnaires to the field for error-resolution.
3. During data entry, any questionnaires that were found to be inconsistent were returned to the field for resolution.
4. Data cleaning and editing was carried out using STATA Version 13 software.

Detailed documentation of the editing of data can be found in the "Standard Procedures Manual" document provided as an external resource.

Some corrections are made automatically by the program (80%) and the rest by visual control of the questionnaire (20%).

Where changes are made by the program, a cold deck imputation is preferred; where incorrect values are imputed using existing data from another dataset. If cold deck is found to be insufficient, hot deck imputation is used. In this case, a missing value is imputed from a randomly selected similar record in the same dataset.

Other Processing

Data were entered as follows:

1. Typed based on paper questionnaires at APHRC's headquarters on desktop computers. Double data entry was carried out on 10% of the questionnaires (Round 0- Round 38).
2. Using Netbooks (Round 39 onwards).

In both cases, data were captured using in-house software developed with a Visual Basic. Net front-end and a Microsoft Structured Query Language (SQL) Server back-end.

Data Appraisal

No content available

File Description

Variable List

NUHDSS - Fertility Preferences 2012-2016

Content	The file contains data related to the background, woman's particulars, marriage reproductive and sexual activity, contraception and fertility preferences.
Cases	4960
Variable(s)	151
Structure	Type: Keys: ()
Version	V1.0
Producer	African Population & Health Research Center (APHRC).
Missing Data	Data are coded as follows: ·Missing Data: No data or a missing data code provided where data should have been collected. All missing values are coded as 999995 "missing:impute". ·Other-specify: A data code of 6/96/996, etcetera "other" is assigned to any variable that is a filter leading to another variable where the respondent can provide more specific details about the filter variable ·Refused: A data code of 7/97/997, etcetera "refused" is assigned to any variable where the respondent refused to answer or participate ·Don't Know: A data code of 8/98/998, etcetera "don't know" is assigned to any variables where the respondent did not know the answer ·Skipped Questions: A data code of 9/99/999, etcetera "NIU (not in universe)" is assigned to any variable where the unit (in this case, household) is not in the universe/are not eligible to answer the question

Variables

ID	Name	Label	Type	Format	Question
V21	fpr_individualid_anon	NUHDSS individual (anonymizer all rounds)	discrete	character	WOMAN'S ID
V35	fpr_hhid_anon	NUHDSS socialgroup (anonymizer all rounds)	discrete	character	HOUSEHOLD ID
V25	fpr_datebirth	date of birth of NUHDSS individual (%td format)	discrete	character	WOMAN'S DATE OF BIRTH
V26	fpr_agelastbday_years	age at last birthday (completed)	discrete	numeric	WOMAN'S AGE AT LAST BIRTH DAY
V27	fpr_hasiga	individual has had an income-generating activity in past 30 days	discrete	numeric	na
V28	fpr_typeofiga	type of income-generating activity	discrete	numeric	na
V29	fpr_parentsalive	biological parents alive	discrete	numeric	na
V30	fpr_parentsstayinhhd	biological parents stay in the same household	discrete	numeric	na
V31	fpr_everschool	has ever attended school	discrete	numeric	na
V32	fpr_everschool_level	highest level of school ever attended	discrete	numeric	na
V33	fpr_everschool_class	highest completed class at highest level of school ever attended	discrete	numeric	na
V34	fpr_religionstatus	current religion	discrete	numeric	na
V24	fpr_slumarea	slum area in NUHDSS	discrete	numeric	na
V36	fpr_hhh_individualid_anon	NUHDSS individual (anonymizer all rounds)	discrete	character	na
V37	fpr_hhh_datebirth	date of birth of NUHDSS household head (%td format)	discrete	character	na

ID	Name	Label	Type	Format	Question
V38	fpr_hhh_ageyears	age of NUHDSS household head	discrete	numeric	na
V39	fpr_hhh_gender	gender of NUHDSS household head	discrete	numeric	na
V40	fpr_hhh_ethnicity	ethnicity of NUHDSS household head	discrete	numeric	na
V22	fpr_round_intvw	round of interview (created from OBSERVATIONID)	discrete	numeric	na
V41	fpr_intvwdate	date of interview (%td format)	discrete	character	DATE OF INTERVIEW
V42	fpr_intvwyear	year of interview	discrete	numeric	na
V43	fpr_intvwresult	result of fertility preferences interview	contin	numeric	RESULT OF INTERVIEW
V44	fpr_q1_1	currently married	discrete	numeric	Are you currently married or living together with a man as if married?
V45	fpr_q1_2	has sexual partner	discrete	numeric	Do you currently have a regular sexual partner, an occasional sexual partner or no sexual partner?
V46	fpr_q1_2a	ever married	discrete	numeric	Have you ever been married or lived together with a man as if married?
V47	fpr_q1_3	widowed/divorced/separated	discrete	numeric	What is your marital status now: are you widowed, divorced, or separated?
V48	fpr_currmarsexstat	current marital and sexual status	discrete	numeric	na
V49	fpr_q1_4	spouse/partner lives with woman	discrete	numeric	Is your husband/partner living with you now or is he staying elsewhere?
V50	fpr_q1_5	ever had sex	discrete	numeric	Have you ever had sexual intercourse?
V51	fpr_q1_5a	age at first sex	discrete	numeric	How old were you when you had sexual intercourse for the very first time?
V52	fpr_q1_6	ever given birth	discrete	numeric	Have you ever given birth in your life time?
V53	fpr_q1_7	has children that live with her	discrete	numeric	Do you have your biological children (boys and girls) who are living with you?
V54	fpr_q1_8_01	# of children that live with her:sons	discrete	numeric	How many boys live with you?
V55	fpr_q1_8_02	# of children that live with her:daughters	discrete	numeric	How many girls live with you?
V56	fpr_q1_9	has children that live elsewhere	discrete	numeric	Do you have your biological children who do not live with you?
V57	fpr_q1_10_01	# of children that live elsewhere:sons	discrete	numeric	How many boys live elsewhere?
V58	fpr_q1_10_02	# of children that live elsewhere:daughters	discrete	numeric	How many girls live elsewhere?

ID	Name	Label	Type	Format	Question
V59	fpr_q1_11	has children that are deceased	discrete	numeric	Sometimes we give birth to children and later they die. It is usually difficult to talk about this, because it brings painful memories one would rather forget. You will forgive me to ask this so as to get the exact information. Have you ever given birth to a boy or a girl who died later? IF NO, PROBE: Any child who showed signs of life but died later?
V60	fpr_q1_12_01	# of children that are deceased:sons	discrete	numeric	How many boys have died?
V61	fpr_q1_12_02	# of children that are deceased:daughters	discrete	numeric	How many girls have died?
V62	fpr_q1_13	total children ever born	discrete	numeric	SUM ANSWERS TO 08, 10, AND 12, AND ENTER TOTAL
V63	fpr_q1_15	currently pregnant	discrete	numeric	Are you currently pregnant?
V64	fpr_q1_15a	pregnancy duration (months)	discrete	numeric	How many months pregnant?
V65	fpr_q2_1_01	has heard of:female sterilization	discrete	numeric	Which ways or methods have you heard about? (FEMALE STERILIZATION Women can have an operation to avoid having any more children.)
V66	fpr_q2_2_01	woman/partner has ever used:female sterilization	discrete	numeric	Have you or your partner ever used (METHOD)? Have you ever had an operation to avoid having any more children?
V67	fpr_q2_3_01	age when first used:female sterilization	discrete	numeric	How old were you when you first used (METHOD)?
V68	fpr_q2_4_01	# of children when first used:female sterilization	discrete	numeric	How many children did you have when you first USED (method)?
V69	fpr_q2_1_02	has heard of:male sterilization	discrete	numeric	Which ways or methods have you heard about? MALE STERILIZATION Men can have an operation to avoid having any more children.
V70	fpr_q2_2_02	woman/partner has ever used:male sterilization	discrete	numeric	Have you or your partner ever used (METHOD)? Have you ever had a partner who had an operation to avoid having any more children?
V71	fpr_q2_3_02	age when first used:male sterilization	discrete	numeric	How old were you when you first used (METHOD)?
V72	fpr_q2_4_02	# of children when first used:male sterilization	discrete	numeric	How many children did you have when you first USED (method)?
V73	fpr_q2_1_03	has heard of:pill	discrete	numeric	Which ways or methods have you heard about? (PILL Women can take a pill every day to avoid becoming pregnant.)

ID	Name	Label	Type	Format	Question
V74	fpr_q2_2_03	woman/partner has ever used:pill	discrete	numeric	Have you or your partner ever used (METHOD)?
V75	fpr_q2_3_03	age when first used:pill	discrete	numeric	How old were you when you first used (METHOD)?
V76	fpr_q2_4_03	# of children when first used:pill	discrete	numeric	How many children did you have when you first USED (method)?
V77	fpr_q2_1_04	has heard of:intrauterine device	discrete	numeric	Which ways or methods have you heard about? (IUD Women can have a loop or coil placed inside them by a doctor or a nurse.)
V78	fpr_q2_2_04	woman/partner has ever used:intrauterine device	discrete	numeric	Have you or your partner ever used (METHOD)?
V79	fpr_q2_3_04	age when first used:intrauterine device	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V80	fpr_q2_4_04	# of children when first used:intrauterine device	discrete	numeric	How many children did you have when you first USED (method)?
V81	fpr_q2_1_05	has heard of:injectables	discrete	numeric	Which ways or methods have you heard about? INJECTABLES Women can have an injection by a health provider that stops them from becoming pregnant for one or more months.
V82	fpr_q2_2_05	woman/partner has ever used:injectables	discrete	numeric	Have you or your partner ever used (METHOD)?
V83	fpr_q2_3_05	age when first used:injectables	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V84	fpr_q2_4_05	# of children when first used:injectables	discrete	numeric	How many children did you have when you first USED (method)?
V85	fpr_q2_1_06	has heard of:implants	discrete	numeric	Which ways or methods have you heard about? IMPLANTS Women can have several small rods placed in their upper arm by a doctor or nurse which can prevent pregnancy for one or more years.
V86	fpr_q2_2_06	woman/partner has ever used:implants	discrete	numeric	Have you or your partner ever used (METHOD)?
V87	fpr_q2_3_06	age when first used:implants	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V88	fpr_q2_4_06	# of children when first used:implants	discrete	numeric	How many children did you have when you first USED (method)?

ID	Name	Label	Type	Format	Question
V89	fpr_q2_1_07	has heard of:male condom	discrete	numeric	Which ways or methods have you heard about? CONDOM Men can put a rubber sheath on their penis before sexual intercourse.
V90	fpr_q2_2_07	woman/partner has ever used:male condom	discrete	numeric	Have you or your partner ever used (METHOD)?
V91	fpr_q2_3_07	age when first used:male condom	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V92	fpr_q2_4_07	# of children when first used:male condom	discrete	numeric	How many children did you have when you first USED (method)?
V93	fpr_q2_1_08	has heard of:female condom	discrete	numeric	Which ways or methods have you heard about? FEMALE CONDOM Women can place a sheath in their vagina before sexual intercourse.
V94	fpr_q2_2_08	woman/partner has ever used:female condom	discrete	numeric	Have you or your partner ever used (METHOD)?
V95	fpr_q2_3_08	age when first used:female condom	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V96	fpr_q2_4_08	# of children when first used:female condom	discrete	numeric	How many children did you have when you first USED (method)?
V97	fpr_q2_1_09	has heard of:lactational amenorrhea	discrete	numeric	Which ways or methods have you heard about? LACTATIONAL AMENORRHEA METHOD (LAM)
V98	fpr_q2_2_09	woman/partner has ever used:lactational amenorrhea	discrete	numeric	Have you or your partner ever used (METHOD)?
V99	fpr_q2_3_09	age when first used:lactational amenorrhea	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V100	fpr_q2_4_09	# of children when first used:lactational amenorrhea	discrete	numeric	How many children did you have when you first USED (method)?
V101	fpr_q2_1_10	has heard of:rhythm method	discrete	numeric	Which ways or methods have you heard about? RHYTHM METHOD Every month that a woman is sexually active she can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant.
V102	fpr_q2_2_10	woman/partner has ever used:rhythm method	discrete	numeric	Have you or your partner ever used (METHOD)?
V103	fpr_q2_3_10	age when first used:rhythm method	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V104	fpr_q2_4_10	# of children when first used:rhythm method	discrete	numeric	How many children did you have when you first USED (method)?

ID	Name	Label	Type	Format	Question
V105	fpr_q2_1_11	has heard of:withdrawal	discrete	numeric	Which ways or methods have you heard about? WITHDRAWAL Men can be careful and pull out before climax.
V106	fpr_q2_2_11	woman/partner has ever used:withdrawal	discrete	numeric	Have you or your partner ever used (METHOD)?
V107	fpr_q2_3_11	age when first used:withdrawal	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V108	fpr_q2_4_11	# of children when first used:withdrawal	discrete	numeric	How many children did you have when you first USED (method)?
V109	fpr_q2_1_12	has heard of:emergency contracepion	discrete	numeric	Which ways or methods have you heard about? EMERGENCY CONTRACEPTION As an emergency measure after unprotected sexual intercourse, women can take special pills at any time within five days to prevent pregnancy.
V110	fpr_q2_2_12	woman/partner has ever used:emergency contracepion	discrete	numeric	Have you or your partner ever used (METHOD)?
V111	fpr_q2_3_12	age when first used:emergency contracepion	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V112	fpr_q2_4_12	# of children when first used:emergency contracepion	discrete	numeric	How many children did you have when you first USED (method)?
V113	fpr_q2_1_13	has heard of:other method 1	discrete	numeric	Which ways or methods have you heard about? Have you heard of any other ways or methods that women or men can use to avoid pregnancy?
V114	fpr_q2_2_13	woman/partner has ever used:other method 1	discrete	numeric	Have you or your partner ever used (METHOD)?
V115	fpr_q2_3_13	age when first used:other method 1	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98
V116	fpr_q2_4_13	# of children when first used:other method 1	discrete	numeric	How many children did you have when you first USED (method)?
V117	fpr_q2_1_14	has heard of:other method 2	discrete	numeric	Which ways or methods have you heard about? Have you heard of any other ways or methods that women or men can use to avoid pregnancy?
V118	fpr_q2_2_14	woman/partner has ever used:other method 2	discrete	numeric	Have you or your partner ever used (METHOD)?
V119	fpr_q2_3_14	age when first used:other method 2	discrete	numeric	How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

ID	Name	Label	Type	Format	Question
V120	fpr_q2_4_14	# of children when first used:other method 2	discrete	numeric	How many children did you have when you first USED (method)?
V121	fpr_q2_5	decision maker about contraceptive use	discrete	numeric	Would you say that using contraception is mainly your decision, your husband's/partner's decision or was it a joint decision between both of you?
V122	fpr_q2_6	currently using a contraceptive	discrete	numeric	Are you currently using any method of contraception?
V123	fpr_q2_6a_01	currently using:female sterilization	discrete	numeric	Which method are you currently using?female sterilization
V124	fpr_q2_6a_02	currently using:male sterilization	discrete	numeric	Which method are you currently using?male sterilization
V125	fpr_q2_6a_03	currently using:iud/coil	discrete	numeric	Which method are you currently using?iud/coil
V126	fpr_q2_6a_04	currently using:implants/norplant	discrete	numeric	Which method are you currently using?implants/norplant
V127	fpr_q2_6a_05	currently using:pill	discrete	numeric	Which method are you currently using?pill
V128	fpr_q2_6a_06	currently using:male condom	discrete	numeric	Which method are you currently using?male condom
V129	fpr_q2_6a_07	currently using:female condom	discrete	numeric	Which method are you currently using?female condom
V130	fpr_q2_6a_08	currently using:diaphragm	discrete	numeric	Which method are you currently using?diaphragm
V131	fpr_q2_6a_09	currently using:foam/jelly	discrete	numeric	Which method are you currently using? foam/jelly
V132	fpr_q2_6a_10	currently using:lactational amenorrhea	discrete	numeric	Which method are you currently using? lactational amenorrhea
V133	fpr_q2_6a_11	currently using:rhythm method	discrete	numeric	Which method are you currently using? rhythm method
V134	fpr_q2_6a_12	currently using:withdrawal	discrete	numeric	Which method are you currently using? withdrawal
V135	fpr_q2_6a_13	currently using:injectables	discrete	numeric	Which method are you currently using? injectables
V136	fpr_q2_6a_14	currently using:other method	discrete	numeric	Which method are you currently using?other method
V137	fpr_q2_6_highest	currently using:highest method	discrete	numeric	na

ID	Name	Label	Type	Format	Question
V138	fpr_q3_2	would like another child	discrete	numeric	NOT PREGNANT OR UNSURE Now I have some questions about the future.Would you like to have (a/another) child, or would you prefer not to have any (more) children? PREGNANT Now I have some questions about the future.After the child you are expecting now, would you like to have another child, or would you prefer not to have any more children?
V139	fpr_q3_3	reason for not wanting a/another child	discrete	numeric	What is the main reason why you do not want to have a/another child?
V140	fpr_q3_4	desired gender of next child	discrete	numeric	Would you want your next child to be a boy or a girl or it does not matter?
V141	fpr_q3_5	how long would wait (months) before having the next child	discrete	numeric	NOT PREGNANT OR UNSURE How long would you like to wait from now before the birth of (a/another) child? PREGNANT After the birth of the child you are expecting now, how long would you like to wait before the birth of another child?
V142	fpr_q3_6_10	reason for not using:not married	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V143	fpr_q3_6_11	reason for not using:not having sex	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

ID	Name	Label	Type	Format	Question
V144	fpr_q3_6_12	reason for not using:infrequent sex	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V145	fpr_q3_6_13	reason for not using:menopause/hysterectomy	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V146	fpr_q3_6_14	reason for not using:subfecund/infecund	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V147	fpr_q3_6_15	reason for not using:postpartum amenorrhea	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

ID	Name	Label	Type	Format	Question
V148	fpr_q3_6_16	reason for not using:breastfeeding	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V149	fpr_q3_6_17	reason for not using:fatalistic	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V150	fpr_q3_6_21	reason for not using:respondent opposed	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V151	fpr_q3_6_22	reason for not using:spouse/partner opposed	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

ID	Name	Label	Type	Format	Question
V152	fpr_q3_6_23	reason for not using:others opposed	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V153	fpr_q3_6_24	reason for not using:religious prohibition	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V154	fpr_q3_6_31	reason for not using:knows no method	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V155	fpr_q3_6_32	reason for not using:knows no source	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

ID	Name	Label	Type	Format	Question
V156	fpr_q3_6_41	reason for not using:health concerns	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V157	fpr_q3_6_42	reason for not using:fear of side effects	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V158	fpr_q3_6_43	reason for not using:lack of access/too far	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V159	fpr_q3_6_44	reason for not using:costs to much	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

ID	Name	Label	Type	Format	Question
V160	fpr_q3_6_45	reason for not using:inconvenient to use	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V161	fpr_q3_6_46	reason for not using:interferes with body's normal processes	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V162	fpr_q3_6_96	reason for not using:other reason	discrete	numeric	WANTS TO HAVE A/ANOTHER CHILD You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason? WANTS NO MORE/NONE You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?
V163	fpr_q3_7	will use contraceptives in the future	discrete	numeric	Do you think you will use a contraceptive method to delay or avoid pregnancy at any time in the future?
V164	fpr_q3_8	desired number of children	discrete	numeric	HAS LIVING CHILDREN If you could go back to the time you did not have any children and could choose exactly the number of children to have in your whole life, how many would that be? NO LIVING CHILDREN If you could choose exactly the number of children to have in your whole life, how many would that be?
V165	fpr_q3_9_01	desired number of children by gender:boys	discrete	numeric	How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?

ID	Name	Label	Type	Format	Question
V166	fpr_q3_9_02	desired number of children by gender:girls	discrete	numeric	How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?
V167	fpr_q3_9_03	desired number of children by gender:either gender	discrete	numeric	How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?
V168	fpr_q3_10	husband/spouse knows woman is using contraceptives	discrete	numeric	Does your husband/partner know that you are using a method of family planning?
V169	fpr_q3_11	has discussed ideal number of children with husband/spouse	discrete	numeric	Have you and your husband/partner ever discussed the number of children you would like to have?
V170	fpr_q3_12	has discussed ideal number of children with husband/spouse	discrete	numeric	Do you think that your husband/partner wants the same number of children as you, or more or fewer than you?
V171	fpr_q3_13	has discussed contraceptive use with husband/spouse	discrete	numeric	Have you and your husband/partner ever discussed using a method to delay or avoid pregnancy?
V172	fpr_q3_14	husband/spouse approves contraceptive use within marriage	discrete	numeric	Now I want to ask you about your husband's/partner's views on family planning. Do you think that your husband/partner approves or disapproves of couples using a method to avoid pregnancy?

NUHDSS individual (anonymizer all rounds) (fpr_individualid_anon) File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: character	Invalid: 0
Width: 36	

Description

The NUHDSS woman's id.

Universe

All the DSS female members aged 15-49 years.

Source of information

The interviewer.

Pre question

na

Literal question

WOMAN'S ID

Post question

na

Interviewer instructions

na

NUHDSS socialgroup (anonymizer all rounds) (fpr_hhid_anon) File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: character	Invalid: 0
Width: 36	

Description

The NUHDSS household id.

Universe

All the DSS female members aged 15-49 years.

Source of information

The interviewer.

Pre question

na

Literal question

HOUSEHOLD ID

Post question

na

Interviewer instructions

na

date of birth of NUHDSS individual (%td format) (fpr_datebirth) File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: character	Minimum: NaN
Width: 11	Maximum: NaN

Description

date of birth of NUHDSS individual (%td format) (fpr_datebirth)

File: NUHDSS - Fertility Preferences 2012-2016

The date of birth of the woman.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

WOMAN'S DATE OF BIRTH

Post question

na

Interviewer instructions

na

age at last birthday (completed) (fpr_agelastbday_years)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The age at last birthday in completed years.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

WOMAN'S AGE AT LAST BIRTH DAY

Post question

na

Interviewer instructions

na

individual has had an income-generating activity in past 30 days
(fpr_hasiga)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

individual has had an income-generating activity in past 30 days
(fpr_hasiga)

File: NUHDSS - Fertility Preferences 2012-2016

Whether the individual has/had an income-generating activity in past 30 days.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

type of income-generating activity (fpr_typeofiga)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 26
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The type of income-generating activity.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

biological parents alive (fpr_parentsalive)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

biological parents alive (fpr_parentsalive)

File: NUHDSS - Fertility Preferences 2012-2016

Whether the biological parents are alive.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

biological parents stay in the same household (fpr_parentsstayinhhd)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether biological parents stay in the same household.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

has ever attended school (fpr_everschool)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman has ever attended school.

has ever attended school (fpr_everschool)
File: NUHDSS - Fertility Preferences 2012-2016

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

highest level of school ever attended (fpr_everschool_level)
File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The highest level of school she ever attended.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

highest completed class at highest level of school ever attended
(fpr_everschool_class)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 25
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The highest completed class at highest level of school she ever attended.

highest completed class at highest level of school ever attended
(fpr_everschool_class)

File: NUHDSS - Fertility Preferences 2012-2016

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

current religion (fpr_religionstatus)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 25
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The woman's current religion.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

slum area in NUHDSS (fpr_slumarea)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 14
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

The slum area in NUHDSS.

slum area in NUHDSS (fpr_slumarea)
File: NUHDSS - Fertility Preferences 2012-2016

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

NUHDSS individual (anonymizer all rounds)
(fpr_hhh_individualid_anon)
File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Format: character

Width: 36

Valid cases: 4879

Invalid: 0

Description

The NUHDSS household head id.

Universe

All the DSS female members aged 15-49 years.

Source of information

The interviewer.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

date of birth of NUHDSS household head (%td format)
(fpr_hhh_datebirth)
File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Format: character

Width: 11

Valid cases: 4879

Minimum: NaN

Maximum: NaN

Description

The date of birth of NUHDSS household head.

Universe

All the DSS female members aged 15-49 years.

date of birth of NUHDSS household head (%td format)
(fpr_hhh_datebirth)

File: NUHDSS - Fertility Preferences 2012-2016

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

age of NUHDSS household head (fpr_hhh_ageyears)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The age of the NUHDSS household head.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

gender of NUHDSS household head (fpr_hhh_gender)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

The gender of NUHDSS household head.

Universe

All the DSS female members aged 15-49 years.

gender of NUHDSS household head (fpr_hhh_gender)

File: NUHDSS - Fertility Preferences 2012-2016

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

ethnicity of NUHDSS household head (fpr_hhh_ethnicity)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 26
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

The ethnicity of NUHDSS household head.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

round of interview (created from OBSERVATIONID) (fpr_round_intvw)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 28-38

Valid cases: 4960
 Invalid: 0

Description

The round the interview was conducted which is created from the observation id.

Universe

All the DSS female members aged 15-49 years.

Source of information

round of interview (created from OBSERVATIONID) (fpr_round_intvw)
File: NUHDSS - Fertility Preferences 2012-2016

The interviewer.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

date of interview (%td format) (fpr_intvwdate)
File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Valid cases: 4960

Format: character

Minimum: NaN

Width: 11

Maximum: NaN

Description

The date the interview was conducted.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

DATE OF INTERVIEW

Post question

na

Interviewer instructions

na

year of interview (fpr_intvwyear)
File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Valid cases: 4960

Format: numeric

Invalid: 0

Width: 21

Decimals: 0

Range: 2012-9999995

Description

The year the interview was conducted.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

year of interview (fpr_intvwyear)

File: NUHDSS - Fertility Preferences 2012-2016

Literal question

na

Post question

na

Interviewer instructions

na

result of fertility preferences interview (fpr_intvwresult)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Continuous	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 12	Minimum: 1
Decimals: 0	Maximum: 9999995
Range: 1-9999995	Mean: 10082.3
	Standard deviation: 317372

Description

The result of fertility preferences interview.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

RESULT OF INTERVIEW

Post question

na

Interviewer instructions

na

currently married (fpr_q1_1)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Whether the woman is currently married.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

currently married (fpr_q1_1)

File: NUHDSS - Fertility Preferences 2012-2016

Are you currently married or living together with a man as if married?

Post question

na

Interviewer instructions

na

has sexual partner (fpr_q1_2)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 22
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman has a sexual partner.

Universe

All the DSS members female aged 15-49 years and not in union.

Source of information

The woman.

Pre question

na

Literal question

Do you currently have a regular sexual partner, an occasional sexual partner or no sexual partner?

Post question

na

Interviewer instructions

na

ever married (fpr_q1_2a)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman has ever been married.

Universe

All the DSS members female aged 15-49 years and not in union.

Source of information

The woman.

Pre question

na

Literal question

Have you ever been married or lived together with a man as if married?

ever married (fpr_q1_2a)

File: NUHDSS - Fertility Preferences 2012-2016

Post question

na

Interviewer instructions

na

widowed/divorced/separated (fpr_q1_3)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

The current marital status of the woman whether widowed/divorced/separated.

Universe

All the DSS members female aged 15-49 years and not in union.

Source of information

The woman.

Pre question

na

Literal question

What is your marital status now: are you widowed, divorced, or separated?

Post question

na

Interviewer instructions

na

current marital and sexual status (fpr_currmarsexstat)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 36
Decimals: 0
Range: 11-9999995

Valid cases: 4960
Invalid: 0

Description

The current marital and sexual status of the woman.

Universe

All the DSS members female aged 15-49 years and not in union.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

current marital and sexual status (fpr_currmarsexstat)

File: NUHDSS - Fertility Preferences 2012-2016

na

Interviewer instructions

na

spouse/partner lives with woman (fpr_q1_4)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the spouse/partner lives with the woman.

Universe

All the DSS members female aged 15-49 years and not in union.

Source of information

The woman.

Pre question

na

Literal question

Is your husband/partner living with you now or is he staying elsewhere?

Post question

na

Interviewer instructions

na

ever had sex (fpr_q1_5)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever had sex.

Universe

All the DSS members female aged 15-49 years and not in union.

Source of information

The woman.

Pre question

na

Literal question

Have you ever had sexual intercourse?

Post question

na

ever had sex (fpr_q1_5)

File: NUHDSS - Fertility Preferences 2012-2016

Interviewer instructions

na

age at first sex (fpr_q1_5a)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 23
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The age at which the woman had the first sex.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How old were you when you had sexual intercourse for the very first time?

Post question

na

Interviewer instructions

na

ever given birth (fpr_q1_6)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman has ever given birth.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Have you ever given birth in your life time?

Post question

na

Interviewer instructions

ever given birth (fpr_q1_6)

File: NUHDSS - Fertility Preferences 2012-2016

na

has children that live with her (fpr_q1_7)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman has children that live with her.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Do you have your biological children (boys and girls) who are living with you?

Post question

na

Interviewer instructions

na

of children that live with her:sons (fpr_q1_8_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The number of the sons that live with the woman.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many boys live with you?

Post question

IF NONE, RECORD '00'

Interviewer instructions

na

of children that live with her:daughters (fpr_q1_8_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of the daughters that live with the woman.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many girls live with you?

Post question

IF NONE, RECORD '00'

Interviewer instructions

na

has children that live elsewhere (fpr_q1_9)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has children that live elsewhere.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Do you have your biological children who do not live with you?

Post question

na

Interviewer instructions

na

of children that live elsewhere:sons (fpr_q1_10_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

of children that live elsewhere:sons (fpr_q1_10_01)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of the sons that live elsewhere.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many boys live elsewhere?

Post question

na

Interviewer instructions

na

of children that live elsewhere:daughters (fpr_q1_10_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of the daughters that live elsewhere.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many girls live elsewhere?

Post question

na

Interviewer instructions

na

has children that are deceased (fpr_q1_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

has children that are deceased (fpr_q1_11)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has children that are deceased.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Sometimes we give birth to children and later they die. It is usually difficult to talk about this, because it brings painful memories one would rather forget. You will forgive me to ask this so as to get the exact information. Have you ever given birth to a boy or a girl who died later?

IF NO, PROBE: Any child who showed signs of life but died later?

Post question

na

Interviewer instructions

na

of children that are deceased:sons (fpr_q1_12_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of the sons that are deceased.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many boys have died?

Post question

na

Interviewer instructions

na

of children that are deceased:daughters (fpr_q1_12_02)

File: NUHDSS - Fertility Preferences 2012-2016

of children that are deceased:daughters (fpr_q1_12_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of daughters that are deceased.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many girls have died?

Post question

na

Interviewer instructions

na

total children ever born (fpr_q1_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

The total number of the children the woman has ever given birth to.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

SUM ANSWERS TO 08, 10, AND 12, AND ENTER TOTAL

Post question

IF NONE, RECORD '00'

Interviewer instructions

na

currently pregnant (fpr_q1_15)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently pregnant (fpr_q1_15)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently pregnant.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Are you currently pregnant?

Post question

na

Interviewer instructions

na

pregnancy duration (months) (fpr_q1_15a)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 0-9999995

Valid cases: 4960
Invalid: 0

Description

The pregnancy duration in months.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many months pregnant?

Post question

na

Interviewer instructions

na

has heard of:female sterilization (fpr_q2_1_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

has heard of:female sterilization (fpr_q2_1_01)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of female sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

(FEMALE STERILIZATION Women can have an operation to avoid having any more children.)

Post question

na

Interviewer instructions

na

woman/partner has ever used:female sterilization (fpr_q2_2_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used of female sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Have you ever had an operation to avoid having any more children?

Post question

na

Interviewer instructions

na

age when first used:female sterilization (fpr_q2_3_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman first used female sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?

Post question

na

Interviewer instructions

na

of children when first used:female sterilization (fpr_q2_4_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when first used female sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:male sterilization (fpr_q2_1_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of male sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about? MALE STERILIZATION Men can have an operation to avoid having any more children.

Post question

na

Interviewer instructions

na

woman/partner has ever used:male sterilization (fpr_q2_2_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the partner has ever used male sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Have you ever had a partner who had an operation to avoid having any more children?

Post question

na

Interviewer instructions

na

age when first used:male sterilization (fpr_q2_3_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the partner first used male sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?

Post question

na

Interviewer instructions

na

of children when first used:male sterilization (fpr_q2_4_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children she had when the partner first used male sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of: pill (fpr_q2_1_03)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of pill.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

(PILL Women can take a pill every day to avoid becoming pregnant.)

Post question

na

Interviewer instructions

na

woman/partner has ever used: pill (fpr_q2_2_03)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used pill.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:pill (fpr_q2_3_03)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman first used pill.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?

Post question

na

Interviewer instructions

na

of children when first used:pill (fpr_q2_4_03)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used pill.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:intrauterine device (fpr_q2_1_04)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of intrauterine device.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

(IUD Women can have a loop or coil placed inside them by a doctor or a nurse.)

Post question

na

Interviewer instructions

na

woman/partner has ever used:intrauterine device (fpr_q2_2_04)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used intrauterine device.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:intrauterine device (fpr_q2_3_04)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman first used intrauterine device.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:intrauterine device (fpr_q2_4_04)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used intrauterine device.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:injectables (fpr_q2_1_05)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of injectables.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

INJECTABLES Women can have an injection by a health provider that stops them from becoming pregnant for one or more months.

Post question

na

Interviewer instructions

na

woman/partner has ever used:injectables (fpr_q2_2_05)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used injectables.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:injectables (fpr_q2_3_05)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman first used injectables.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:injectables (fpr_q2_4_05)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used injectables.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:implants (fpr_q2_1_06)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of implants.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

IMPLANTS Women can have several small rods placed in their upper arm by a doctor or nurse which can prevent pregnancy for one or more years.

Post question

na

Interviewer instructions

na

woman/partner has ever used:implants (fpr_q2_2_06)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used implants.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:implants (fpr_q2_3_06)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The age at which the woman first use implants.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:implants (fpr_q2_4_06)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of children the woman had when she first used implants.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of: male condom (fpr_q2_1_07)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman has heard of male condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

CONDOM Men can put a rubber sheath on their penis before sexual intercourse.

Post question

na

Interviewer instructions

na

woman/partner has ever used: male condom (fpr_q2_2_07)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the partner has ever used male condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:male condom (fpr_q2_3_07)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The age at which the woman first used male condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)? IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:male condom (fpr_q2_4_07)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of children the woman had when she first used male condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY. CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:female condom (fpr_q2_1_08)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of female condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

FEMALE CONDOM Women can place a sheath in their vagina before sexual intercourse.

Post question

na

Interviewer instructions

na

woman/partner has ever used:female condom (fpr_q2_2_08)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used female condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:female condom (fpr_q2_3_08)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The age at which the woman first used female condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:female condom (fpr_q2_4_08)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of children the woman had when she first used female condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:lactational amenorrhea (fpr_q2_1_09)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of lactational amenorrhea.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about? LACTATIONAL AMENORRHEA METHOD (LAM)

Post question

na

Interviewer instructions

na

woman/partner has ever used:lactational amenorrhea (fpr_q2_2_09)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has ever used lactational amenorrhea.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:lactational amenorrhea (fpr_q2_3_09)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman was when she first used lactational amenorrhea.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:lactational amenorrhea (fpr_q2_4_09)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used lactational amenorrhea.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:rhythm method (fpr_q2_1_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of rhythm method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

RHYTHM METHOD Every month that a woman is sexually active she can avoid pregnancy by not having sexual intercourse on the days of the month she is most likely to get pregnant.

Post question

na

Interviewer instructions

na

woman/partner has ever used:rhythm method (fpr_q2_2_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman/partner has ever used rhythm method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:rhythm method (fpr_q2_3_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman was when she first used rhythm method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:rhythm method (fpr_q2_4_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used rhythm method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:withdrawal (fpr_q2_1_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of withdrawal.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

WITHDRAWAL Men can be careful and pull out before climax.

Post question

na

Interviewer instructions

na

woman/partner has ever used:withdrawal (fpr_q2_2_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the partner has ever used withdrawal method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:withdrawal (fpr_q2_3_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The age at which the woman was when she first used withdrawal method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:withdrawal (fpr_q2_4_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The number of children the woman had when she first used withdrawal method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:emergency contracepion (fpr_q2_1_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Whether the woman has heard of emergency contracepion.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

EMERGENCY CONTRACEPTION As an emergency measure after unprotected sexual intercourse, women can take special pills at any time within five days to prevent pregnancy.

Post question

na

Interviewer instructions

na

woman/partner has ever used:emergency contracepion (fpr_q2_2_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Whether the woman has ever used emergency contracepion.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:emergency contracepion (fpr_q2_3_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman was when she first used emergency contracepion.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:emergency contracepion (fpr_q2_4_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used emergency contracepion.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:other method 1 (fpr_q2_1_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of other method 1.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

Have you heard of any other ways or methods that women or men can use to avoid pregnancy?

Post question

na

Interviewer instructions

na

woman/partner has ever used:other method 1 (fpr_q2_2_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman/partner has ever used other method 1.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:other method 1 (fpr_q2_3_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman was when she first used other method 1.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:other method 1 (fpr_q2_4_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used other method 1.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

has heard of:other method 2 (fpr_q2_1_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has heard of other method 2.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Which ways or methods have you heard about?

Have you heard of any other ways or methods that women or men can use to avoid pregnancy?

Post question

na

Interviewer instructions

na

woman/partner has ever used:other method 2 (fpr_q2_2_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman/partner has ever used other method 2.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

Have you or your partner ever used (METHOD)?

Post question

na

Interviewer instructions

na

age when first used:other method 2 (fpr_q2_3_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The age at which the woman was when she first used other method 2.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

Literal question

How old were you when you first used (METHOD)?IF AGE IS NOT KNOWN CODE 98

Post question

na

Interviewer instructions

na

of children when first used:other method 2 (fpr_q2_4_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The number of children the woman had when she first used other method 2.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CIRCLE CODE 1 IN 16 FOR EACH METHOD MENTIONED SPONTANEOUSLY. THEN PROCEED DOWN COLUMN 16, READING THE NAME AND DESCRIPTION OF EACH METHOD NOT MENTIONED SPONTANEOUSLY.CIRCLE CODE 1 IF METHOD IS RECOGNIZED, AND CODE 2 IF NOT RECOGNIZED. THEN, FOR EACH METHOD WITH CODE 1 CIRCLED IN 16, ASK 17-19.

CHECK Q07: IF YES, ASK:

Literal question

How many children did you have when you first USED (method)?

Post question

na

Interviewer instructions

na

decision maker about contraceptive use (fpr_q2_5)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 22
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

The main decision maker about contraceptive use.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Would you say that using contraception is mainly your decision, your husband's/partner's decision or was it a joint decision between both of you?

Post question

na

Interviewer instructions

na

currently using a contraceptive (fpr_q2_6)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman is currently using a contraceptive.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Are you currently using any method of contraception?

Post question

na

Interviewer instructions

na

currently using:female sterilization (fpr_q2_6a_01)

File: NUHDSS - Fertility Preferences 2012-2016

currently using:female sterilization (fpr_q2_6a_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using female sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?female sterilization

Post question

na

Interviewer instructions

na

currently using:male sterilization (fpr_q2_6a_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the partner is currently using male sterilization.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?male sterilization

Post question

na

Interviewer instructions

na

currently using:iud/coil (fpr_q2_6a_03)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:iud/coil (fpr_q2_6a_03)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using iud/coil.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?iud/coil

Post question

na

Interviewer instructions

na

currently using:implants/norplant (fpr_q2_6a_04)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using implants/norplant.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?implants/norplant

Post question

na

Interviewer instructions

na

currently using:pill (fpr_q2_6a_05)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:pill (fpr_q2_6a_05)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman is currently using pill.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?pill

Post question

na

Interviewer instructions

na

currently using:male condom (fpr_q2_6a_06)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the partner is currently using male condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?male condom

Post question

na

Interviewer instructions

na

currently using:female condom (fpr_q2_6a_07)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:female condom (fpr_q2_6a_07)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using female condom.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?female condom

Post question

na

Interviewer instructions

na

currently using:diaphragm (fpr_q2_6a_08)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using diaphragm.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?diaphragm

Post question

na

Interviewer instructions

na

currently using:foam/jelly (fpr_q2_6a_09)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:foam/jelly (fpr_q2_6a_09)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using foam/jelly.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using? foam/jelly

Post question

na

Interviewer instructions

na

currently using:lactational amenorrhea (fpr_q2_6a_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using lactational amenorrhea.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using? lactational amenorrhea

Post question

na

Interviewer instructions

na

currently using:rhythm method (fpr_q2_6a_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:rhythm method (fpr_q2_6a_11)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using rhythm method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using? rhythm method

Post question

na

Interviewer instructions

na

currently using:withdrawal (fpr_q2_6a_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using withdrawal.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using? withdrawal

Post question

na

Interviewer instructions

na

currently using:injectables (fpr_q2_6a_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:injectables (fpr_q2_6a_13)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using injectables.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using? injectables

Post question

na

Interviewer instructions

na

currently using:other method (fpr_q2_6a_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman is currently using other method.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Which method are you currently using?other method

Post question

na

Interviewer instructions

na

currently using:highest method (fpr_q2_6_highest)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

currently using:highest method (fpr_q2_6_highest)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

The highest method the woman is currently using.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

na

Post question

na

Interviewer instructions

na

would like another child (fpr_q3_2)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 42
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman would like another child.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 15:

Literal question

NOT PREGNANT OR UNSURE

Now I have some questions about the future.Would you like to have (a/another) child, or would you prefer not to have any (more) children?

PREGNANT

Now I have some questions about the future.After the child you are expecting now, would you like to have another child, or would you prefer not to have any more children?

Post question

na

Interviewer instructions

na

reason for not wanting a/another child (fpr_q3_3)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 25
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

The reason for not wanting a/another child.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

What is the main reason why you do not want to have a/another child?

Post question

na

Interviewer instructions

na

desired gender of next child (fpr_q3_4)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

The desired gender of next the child.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 23: IF NO MORE/NONE DO NOT ASK

Literal question

Would you want your next child to be a boy or a girl or it does not matter?

Post question

na

Interviewer instructions

na

how long would wait (months) before having the next child (fpr_q3_5)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

how long would wait (months) before having the next child (fpr_q3_5)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 32
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

For how long would the woman wait in months before having the next child.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 15:

Literal question

NOT PREGNANT OR UNSURE

How long would you like to wait from now before the birth of (a/another) child?

PREGNANT

After the birth of the child you are expecting now, how long would you like to wait before the birth of another child?

Post question

na

Interviewer instructions

na

reason for not using: not married (fpr_q3_6_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Not married being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26: HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method? Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method? Any other reason?

Post question

na

reason for not using:not married (fpr_q3_6_10)

File: NUHDSS - Fertility Preferences 2012-2016

Interviewer instructions

na

reason for not using:not having sex (fpr_q3_6_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Not having sex being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:infrequent sex (fpr_q3_6_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Infrequent sex being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

reason for not using:infrequent sex (fpr_q3_6_12)

File: NUHDSS - Fertility Preferences 2012-2016

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:menopause/hysterectomy (fpr_q3_6_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Menopause/hysterectomy being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:subfecund/infecund (fpr_q3_6_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

reason for not using:subfecund/infecund (fpr_q3_6_14)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Subfecund/infecund being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:postpartum amenorrhea (fpr_q3_6_15)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Postpartum amenorrhea being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

reason for not using:postpartum amenorrhea (fpr_q3_6_15)

File: NUHDSS - Fertility Preferences 2012-2016

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:breastfeeding (fpr_q3_6_16)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Breastfeeding being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:fatalistic (fpr_q3_6_17)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

reason for not using:fatalistic (fpr_q3_6_17)

File: NUHDSS - Fertility Preferences 2012-2016

Description

Fatalistic being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:respondent opposed (fpr_q3_6_21)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Valid cases: 4960

Format: numeric

Invalid: 0

Width: 21

Decimals: 0

Range: 1-9999995

Description

Respondent opposed being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

reason for not using:respondent opposed (fpr_q3_6_21)

File: NUHDSS - Fertility Preferences 2012-2016

na

reason for not using:spouse/partner opposed (fpr_q3_6_22)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Spouse/partner opposing being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:others opposed (fpr_q3_6_23)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Others opposes being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

reason for not using:others opposed (fpr_q3_6_23)

File: NUHDSS - Fertility Preferences 2012-2016

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:religious prohibition (fpr_q3_6_24)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Valid cases: 4960

Format: numeric

Invalid: 0

Width: 21

Decimals: 0

Range: 1-9999995

Description

Religious prohibition being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:knows no method (fpr_q3_6_31)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

reason for not using:knows no method (fpr_q3_6_31)

File: NUHDSS - Fertility Preferences 2012-2016

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Knows no method being a reason for the not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:knows no source (fpr_q3_6_32)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Knows no source being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

reason for not using:knows no source (fpr_q3_6_32)

File: NUHDSS - Fertility Preferences 2012-2016

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:health concerns (fpr_q3_6_41)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Health concerns being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:fear of side effects (fpr_q3_6_42)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

reason for not using:fear of side effects (fpr_q3_6_42)

File: NUHDSS - Fertility Preferences 2012-2016

Description

Fear of side effects being a reason for the not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:lack of access/too far (fpr_q3_6_43)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Valid cases: 4960

Format: numeric

Invalid: 0

Width: 21

Decimals: 0

Range: 1-9999995

Description

Not married being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

reason for not using:lack of access/too far (fpr_q3_6_43)

File: NUHDSS - Fertility Preferences 2012-2016

na

reason for not using:costs to much (fpr_q3_6_44)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Costs to much being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:inconvenient to use (fpr_q3_6_45)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Inconvenient to use being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

reason for not using:inconvenient to use (fpr_q3_6_45)

File: NUHDSS - Fertility Preferences 2012-2016

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:interferes with body's normal processes

(fpr_q3_6_46)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete

Format: numeric

Width: 21

Decimals: 0

Range: 1-9999995

Valid cases: 4960

Invalid: 0

Description

Interferes with body's normal processes being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

reason for not using:other reason (fpr_q3_6_96)

File: NUHDSS - Fertility Preferences 2012-2016

reason for not using:other reason (fpr_q3_6_96)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Any other reason being a reason for not using any method to avoid pregnancy.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 26:HOW LONG SHE WOULD LIKE TO WAIT BEFORE GETTING A/ANOTHER CHILD

CHECK 23:

Literal question

WANTS TO HAVE A/ANOTHER CHILD

You have said that you want (a/another) child but you are not using any method to avoid pregnancy. Can you tell me why you are not using a method?Any other reason?

WANTS NO MORE/NONE

You have said that you do not want any (more) children, but you are not using any method to avoid pregnancy.Can you tell me why you are not using a method? Any other reason?

Post question

na

Interviewer instructions

na

will use contraceptives in the future (fpr_q3_7)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the woman will use contraceptives in the future.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 21A: USING A CONTRACEPTIVE METHOD?

Literal question

Do you think you will use a contraceptive method to delay or avoid pregnancy at any time in the future?

Post question

na

Interviewer instructions

na

desired number of children (fpr_q3_8)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 32
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

The woman's desired number of children.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 15:

Literal question

HAS LIVING CHILDREN

If you could go back to the time you did not have any children and could choose exactly the number of children to have in your whole life, how many would that be?

NO LIVING CHILDREN

If you could choose exactly the number of children to have in your whole life, how many would that be?

Post question

na

Interviewer instructions

na

desired number of children by gender:boys (fpr_q3_9_01)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 0-9999995

Valid cases: 4960
 Invalid: 0

Description

The woman's desired number of boys.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?

Post question

na

Interviewer instructions

na

desired number of children by gender:girls (fpr_q3_9_02)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The woman's desired number of girls.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?

Post question

na

Interviewer instructions

na

desired number of children by gender:either gender (fpr_q3_9_03)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 0-9999995	

Description

The woman's desired number of either gender.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

How many of these children would you like to be boys, how many would you like to be girls and for how many would the sex not matter?

Post question

na

Interviewer instructions

na

husband/spouse knows woman is using contraceptives (fpr_q3_10)

File: NUHDSS - Fertility Preferences 2012-2016

husband/spouse knows woman is using contraceptives (fpr_q3_10)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the husband/spouse knows woman is using contraceptives.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

CHECK 2:

CHECK 21A:IF B, G, M OR NONE SKIP TO 32

Literal question

Does your husband/partner know that you are using a method of family planning?

Post question

na

Interviewer instructions

na

has discussed ideal number of children with husband/spouse (fpr_q3_11)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
 Format: numeric
 Width: 21
 Decimals: 0
 Range: 1-9999995

Valid cases: 4960
 Invalid: 0

Description

Whether the woman has discussed ideal number of children with husband/spouse.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Have you and your husband/partner ever discussed the number of children you would like to have?

Post question

na

Interviewer instructions

na

has discussed ideal number of children with husband/spouse (fpr_q3_12)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Whether the husband/partner wants the same,more or fewer number of children.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Do you think that your husband/partner wants the same number of children as you, or more or fewer than you?

Post question

na

Interviewer instructions

na

has discussed contraceptive use with husband/spouse (fpr_q3_13)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete	Valid cases: 4960
Format: numeric	Invalid: 0
Width: 21	
Decimals: 0	
Range: 1-9999995	

Description

Whethe the woman has discussed the contraceptive use with husband/spouse.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Have you and your husband/partner ever discussed using a method to delay or avoid pregnancy?

Post question

na

Interviewer instructions

na

husband/spouse approves contraceptive use within marriage (fpr_q3_14)

File: NUHDSS - Fertility Preferences 2012-2016

Overview

Type: Discrete
Format: numeric
Width: 21
Decimals: 0
Range: 1-9999995

Valid cases: 4960
Invalid: 0

Description

Whether the husband/spouse approves contraceptive use within marriage.

Universe

All the DSS female members aged 15-49 years.

Source of information

The woman.

Pre question

na

Literal question

Now I want to ask you about your husband's/partner's views on family planning. Do you think that your husband/partner approves or disapproves of couples using a method to avoid pregnancy?

Post question

na

Interviewer instructions

na

