

Liberia - Measuring Abortion Incidence, Cost, and Quality of Post-Abortion Care in Liberia, Health facility Survey - Liberia

Kenneth Juma, Boniface Ushie,

Report generated on: November 7, 2025

Visit our data catalog at: <https://microdataportal.aphrc.org/index.php>

Overview

Identification

ID NUMBER

DDI-LIB-APHRC-LAS-HFS-2021-v1.0

Version

VERSION DESCRIPTION**PRODUCTION DATE**

2025-01-03

NOTES

N/A

Overview

ABSTRACT

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

Objectives: The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

Methodology: A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

UNITS OF ANALYSIS

knowledgeable healthcare providers

Scope

NOTES

INTERVIEW DETAILS:

GENERAL FACILITY QUESTIONS:

AVAILABILITY OF PAC SERVICES

AVAILABILITY OF LEGAL TERMINATION OF PREGNANCY SERVICES:

ABORTION COMPLICATION CASELOADS:

CONTRACEPTIVE COUNSELING AND PROVISION:

SERVICES FOR SPECIFIC POPULATIONS:

KNOWLEDGE AND ATTITUDES TOWARDS ABORTION:

AVAILABILITY OF EQUIPMENT:

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

senior health providers, who are knowledgeable about the provision of PAC

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation
Kenneth Juma	African Population and Health Research Center - Kenya
Boniface Ushie	African Population and Health Research Center - Kenya

OTHER PRODUCER(S)

Name	Affiliation	Role
Bentoe Z. Tehoungue	Ministry of Health - Liberia	Director of Family Health Division
Margaret Giorgio	Guttmacher Institute	Co-Investigator and a Senior Research Scientist
Jesse Philbin	Guttmacher Institute	Senior Research Associate
Hellen Akinyi	APHRC	Data Documentarist
Dr. Moses Massaquoi	Clinton Health Access Initiative	Co-Investigator
Nelson K. Dunbar	Ministry of Health, Liberia	Co-Investigator
Vekeh Donzo	Clinton Health Access Initiative	Co-Investigator
Lily Lu,	Clinton Health Access Initiative	Co-Investigator
Matthew Nviiri	Clinton Health Access Initiative	Co-Investigator
Ramatou Ouedraogo	APHRC	Co-Investigator
Esther Mutuku	APHRC	Co-Investigator
Stephanie Kung	Guttmacher Institute	Co-Investigator

Akin Bankole	Guttmacher Institute	Co-Investigator
--------------	----------------------	-----------------

FUNDING

Name	Abbreviation	Role
Swedish International Development Cooperation Agency	Sida	

OTHER ACKNOWLEDGEMENTS

Name	Affiliation	Role
Clinton Health Access Initiative	CHAI	

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
African Population and Health Research Center	APHRC		Documentation of the DDI

DATE OF METADATA PRODUCTION

2025-01-03

DDI DOCUMENT VERSION

Version 1.0(JANUARY 2025)

DDI DOCUMENT ID

DDI-LIB-APHRC-LAS-HFS-2021-v1.0

Sampling

Sampling Procedure

The sample frame for the health facility survey included all public clinics, health centers, and hospitals based on the assumption that all public facilities can provide some level of PAC as per the current Liberia National Guidelines for Comprehensive Abortion Care (2019). The sample size for public facilities was drawn from the MOH Master Facility Listing (updated October 8, 2020). According to the most updated Master Facility Listing, there are 467 functional public facilities. After eliminating specialized facilities (e.g., specific infectious disease facilities, rehabilitation centers, etc.) and military/paramilitary facilities (barrack, prisons, etc.), a sample frame of 436 functional public facilities across the 15 counties in Liberia was generated. These 436 facilities include 21 hospitals (5%), 37 health centers (8%), and 378 clinics (87%). All of the public hospitals (i.e., 100%) were included in the survey because of the high PAC patient load and service volume, 70% of health centers, and 10% of clinics were also randomly sampled for the HFS (considerations being PAC service volume and staffing of clinicians at those levels).

The study sample was distributed amongst the 15 counties by determining what proportion of the total eligible facilities in the country was situated in a county disaggregated by levels. We multiplied the percentage of facilities at each level in the county by the sample size to determine county allocation of the sample size. To select the actual facility for inclusion in the sample and study, we isolated the facilities by region and level. For each level and region, we ordered the list of facilities in alphabetical order and following that order, attach serial numbers to the facilities. Using the Stata program, we generated random numbers of the ordered facilities. Any facility so randomly selected was included in the sample and study.

As for private facilities, there were no standard formula for estimating the sample to include in the HFS. Facilities were purposely selected based on consideration of the level of care, the number of facilities available in each level of care, facility catchment population, number of PAC cases (reported in DHIS-2 for 2020), and logistical considerations. Twenty private facilities (11 hospitals, 3 health centers, 6 clinics) were purposely selected because of the volume of PAC consultations at those facilities.

Deviations from Sample Design

Health facility survey (HFS): One hundred and thirty-two (132) health facilities were sampled, but only 128 health facilities responded.

Response Rate

97.0%

Weighting

Sample weights were calculated for each of the Study Region focusing on the level of facility per region

Questionnaires

Overview

The questionnaire was written in English with a primary purpose of the HFS is to estimate the number of women who receive treatment in facilities for abortion-related complications.

The HFS will be a statistically representative survey of all health facilities in Kenya classified as having the capacity to provide PAC services. In each selected health facility, a senior health provider, who is knowledgeable about the provision of PAC, is interviewed.

Data Collection

Data Collection Dates

Start	End	Cycle
2021-09-03	2021-11-28	N/A

Data Collection Mode

Face-to-face [f2f]

Questionnaires

The questionnaire was written in english with a primary purpose of the HFS is to estimate the number of women who receive treatment in facilities for abortion-related complications.

The HFS will be a statistically representative survey of all health facilities in Kenya classified as having the capacity to provide PAC services. In each selected health facility, a senior health provider, who is knowledgeable about the provision of PAC, is interviewed.

Supervision

The Interview was conducted by a team of field interviewers. Each team included 6 interviewers, in addition to 1 team lead.

The supervisor's role was to coordinate field data collection and manage teams. They also assigned tasks to interviewers, spot-checked work, maintained control documents, and sent completed questionnaires and progress reports to the central data portal.

Frequent Field visits were made after every two weeks for period of data collection by the Study members

Data Processing

Data Editing

the software used was survey CTO for data collection, the data was later downloaded in STATA format.

Other Processing

N/A

Data Appraisal

Estimates of Sampling Error

N/A

File Description

Variable List

HFS LIBERIA_RECAST

Content	
Cases	128
Variable(s)	378
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

Variables

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2	submissiondate	Date/time submitted	contin	numeric	N/A
V3	region	G3. Region	discrete	numeric	Region
V4	county	G4. County	discrete	numeric	County
V5	district	G5. District	discrete	numeric	District
V6	facid	Facility ID	contin	numeric	N/A
V8	factype	G7. Level of facility	discrete	numeric	Level of facility
V9	facown	G8. Type of facility	discrete	numeric	Type of facility Manging authority
V10	geographicalarea	G9. Geographic area	discrete	numeric	Geographic area
V18	g11	G11. What is you cadre?	discrete	numeric	What is you cadre?
V19	cadre_sp	If other, specify cadre	discrete	character	If other, specify cadre
V20	g12	G12. How many years have you work in your profession?	contin	numeric	How many years have you work in your profession?
V21	g13	G13. What is your qualification?	discrete	numeric	What is your qualification?
V22	qualification_sp	If other, specify qualification	discrete	character	If other, specify qualification
V23	g14	G14. What is your position as of today?	discrete	numeric	What is your position as of today?
V24	position_sp	If other, specific position	discrete	character	If other, specific position
V26	g26	G26. How many beds does this facility have in total?	contin	numeric	How many beds does this facility have in total?
V27	g27	G27. How many of those beds are in the martenity ward (i.e. are inpatient matern	contin	numeric	How many of those beds are in the martenity ward (i.e. are inpatient maternity beds)?
V28	g28	G28. On average, about how many deliveries take place at your facility each mont	contin	numeric	On average, about how many deliveries take place at your facility each month?

V29	g30	G30. Does this facility have any of the below-listed UNIT/DEPARTMENT?	discrete	numeric	Does this facility have any of the below-listed UNIT/DEPARTMENT?
V30	g30_1	Operating theatre	discrete	numeric	Operating theatre
V31	g30_2	Outpatient department (OPD)	discrete	numeric	Outpatient department (OPD)
V32	g30_3	Recovery room	discrete	numeric	Recovery room
V33	g30_4	Pharmacy	discrete	numeric	Pharmacy
V34	g30_5	Laboratory	discrete	numeric	Laboratory
V35	g30_6	Central sterile services department (CSSD)	discrete	numeric	Central sterile services department (CSSD)
V36	g30_7	Blood bank	discrete	numeric	Blood bank
V37	staff_fulltime_doctorgen	Doctors (general)	contin	numeric	Doctors (general)
V38	staff_fulltime_doctorsp	Doctors (specialist, including OBGYN)	discrete	numeric	Doctors (specialist, including OBGYN)
V39	staff_fulltime_nurse	Nurses	contin	numeric	Nurses
V40	staff_fulltime_midwife	Midwives	contin	numeric	Midwives
V41	staff_fulltime_pa	Physician assistant	discrete	numeric	Physician assistant
V42	staff_fulltime_sum		discrete	character	N/A
V43	staff_parttime_doctorgen	Doctors (general)	discrete	numeric	Doctors (general)
V44	staff_parttime_doctorsp	Doctors (specialist, including OBGYN)	discrete	numeric	Doctors (specialist, including OBGYN)
V45	staff_parttime_nurse	Nurses	contin	numeric	Nurses
V46	staff_parttime_midwife	Midwives	discrete	numeric	Midwives
V47	staff_parttime_pa	Physician assistant	discrete	numeric	Physician assistant
V48	staff_parttime_vol	Volunteers	discrete	numeric	Volunteers
V49	staff_parttime_sum		discrete	character	N/A
V50	fulltime_pactrain_clinical_md	Doctors (general)	discrete	numeric	Doctors (general)
V51	fulltime_pactrain_clinical_sp	Doctors (specialist, including OBGYN)	discrete	numeric	Doctors (specialist, including OBGYN)
V52	fulltime_pactrain_clinical_nurse	Nurses	contin	numeric	Nurses
V53	fulltime_pactrain_clinical_midwi	Midwives	contin	numeric	Midwives
V54	fulltime_pactrain_clinical_pa	Physician assistants	discrete	numeric	Physician assistant
V55	check1		discrete	character	N/A
V56	fulltime_pactrain_dc_md	Doctors (general)	discrete	numeric	Doctors (general)
V57	fulltime_pactrain_dc_sp	Doctors (specialist, including OBGYN)	discrete	numeric	Doctors (specialist, including OBGYN)
V58	fulltime_pactrain_dc_nurse	Nurses	contin	numeric	Nurses
V59	fulltime_pactrain_dc_midwife	Midwives	contin	numeric	Midwives
V60	fulltime_pactrain_dc_pa	Physician assistants	discrete	numeric	Physician assistant
V61	check2		discrete	character	N/A
V62	fulltime_pactrain_mva_md	Doctors (general)	discrete	numeric	Doctors (general)
V63	fulltime_pactrain_mva_sp	Doctors (specialist, including OBGYN)	discrete	numeric	Doctors (specialist, including OBGYN)

V64	fulltime_pactrain_mva_nurse	Nurses	contin	numeric	Nurses
V65	fulltime_pactrain_mva_midwife	Midwives	contin	numeric	Midwives
V66	fulltime_pactrain_mva_pa	Physician assistants	discrete	numeric	Physician assistant
V67	check3		discrete	character	N/A
V68	fulltime_pactrain_miso_md	Doctors (general)	discrete	numeric	Doctors (general)
V69	fulltime_pactrain_miso_sp	Doctors (specialist, including OBGYN)	discrete	numeric	Doctors (specialist, including OBGYN)
V70	fulltime_pactrain_miso_nurse	Nurses	contin	numeric	Nurses
V71	fulltime_pactrain_miso_midwife	Midwives	contin	numeric	Midwives
V72	fulltime_pactrain_miso_pa	Physician assistants	discrete	numeric	Physician assistant
V73	check4		discrete	character	N/A
V74	parttime_train_pac	G37. Are there any PART-TIME employees working at this facility that have been t	discrete	numeric	Are there any PART-TIME employees working at this facility that have been trained on the provision of comprehensive post-abortion care?
V75	parttime_train_pac_num	G38. How many of the PART-TIME employees have been trained on the provision of c	discrete	numeric	How many of the PART-TIME employees have been trained on the provision of comprehensive post-abortion care?
V76	sd1	SD1. Which of the following services do this facility offer?	discrete	numeric	Which of the following services do this facility offer?
V77	sd1_1	Antenatal care	discrete	numeric	Antenatal care
V78	sd1_2	Delivery services	discrete	numeric	Delivery services
V79	sd1_3	Postnatal care	discrete	numeric	Postnatal care
V80	sd1_4	Family planning services	discrete	numeric	Family planning services
V81	sd1_5	HIV testing and counseling	discrete	numeric	HIV testing and counseling
V82	sd1_6	ART (antiretroviral therapy) services	discrete	numeric	ART (antiretroviral therapy) services
V83	sd1_7	STI services	discrete	numeric	STI services
V84	sd1_8	PMTCT services	discrete	numeric	PMTCT services
V85	sd1_9	Cervical cancer screening/VIAC	discrete	numeric	Cervical cancer screening/VIAC
V86	sd1_10	Immunization (EPI)	discrete	numeric	Immunization (EPI)
V87	sd1_11a	Safe abortion under legal indications	discrete	numeric	Safe abortion under legal indications
V88	offerpac	Post-abortion care (PAC)	discrete	numeric	Post-abortion care (PAC)
V89	sd1_12	Adolescent friendly services	discrete	numeric	Adolescent friendly services
V90	sd1_13	Rape and gender based violence services	discrete	numeric	Rape and gender based violence services
V91	sd1_14	Other gynaecological services	discrete	numeric	Other gynaecological services

V92	sd1_15	Other maternal health services	discrete	numeric	Other maternal health services
V93	sd1_14sp	Specify the other gynaecological services offered	discrete	character	Specify the other gynaecological services offered
V94	sd1_15sp	Specify the other maternal health services offered	discrete	character	Specify the other maternal health services offered
V95	opdipd	M2-1. In this facility, are post-abortion care patients treated as outpatients (discrete	numeric	In this facility, are post-abortion care patients treated as outpatients (they don't spend the night in the facility), as inpatients (they spend at least one night in the facility), or both?
V96	avg_month_opd	M2-2. During a TYPICAL month, about how many such post-abortion care patients wo	contin	numeric	During a TYPICAL month, about how many such post-abortion care patients would you estimate are treated as outpatients at this facility as a whole?
V97	past_month_opd	M2-3. During the PAST month, about how many such post-abortion care patients wou	contin	numeric	During the PAST month, about how many such post-abortion care patients would you estimate are treated as outpatients at this facility as a whole?
V98	avg_month_ipd	M2-4. During a TYPICAL month, about how many such post-abortion care patients wo	contin	numeric	During a TYPICAL month, about how many such post-abortion care patients would you estimate are treated as inpatients at this facility as a whole?
V99	past_month_ipd	M2-5. During a PAST month, about how many such post-abortion care patients would	contin	numeric	During a PAST month, about how many such post-abortion care patients would you estimate are treated as inpatients at this facility as a whole?
V100	total_past_month_opd		discrete	character	N/A
V101	total_past_month_ipd		discrete	character	N/A
V102	total_past_month		discrete	character	N/A
V103	inside_region	M2-6a What percent lived in this region?	contin	numeric	What percent lived in this region?
V104	outside_region	M2-6b What percent lived outside this region?	contin	numeric	What percent lived outside this region?
V105	outside_country	M2-6c What percent lived outside Liberia?	contin	numeric	What percent lived outside Liberia?
V106	check_location		discrete	character	N/A
V107	agebelow19	M2-7b. Thinking of the patients who came into this facility in a typical month o	contin	numeric	Thinking of the patients who came into this facility in a typical month or in the past month with spontaneous or induced abortion complications, what percent was age 19 or below?

V108	gestation_12wksunder	M2-8a. Thinking of the patients who came into this facility in a typical month o	contin	numeric	Thinking of the patients who came into this facility in a typical month or in the past month with spontaneous or induced abortion complications, what percent was the gestation age 12 weeks or under?
V109	gestation_beyond12wks	M2-8b. Thinking of the patients who came into this facility in a typical month o	contin	numeric	Thinking of the patients who came into this facility in a typical month or in the past month with spontaneous or induced abortion complications, what percent was the gestation age BEYOND 12 weeks?
V110	check_gestation		discrete	character	N/A
V111	spontaneous	M2-9. Thinking of the patients who came into this facility in a typical month or	contin	numeric	Thinking of the patients who came into this facility in a typical month or in the past month with post-abortion complications, what percent had a spontaneous abortion or miscarriage?
V112	minor	M2-10a.To the best of your understanding, what percent of the post-abortion care	contin	numeric	To the best of your understanding, what percent of the post-abortion care patients at this facility in a typical month or in the past month had complication you would classify as minor?
V113	moderate	M2-10b. To the best of your understanding, what percent of the post-abortion car	contin	numeric	To the best of your understanding, what percent of the post-abortion care patients at this facility in a typical month or in the past month had complications you would classify as moderate?
V114	severe	M2-10c. To the best of your understanding, what percent of the post-abortion car	contin	numeric	To the best of your understanding, what percent of the post-abortion care patients at this facility in a typical month or in the past month had complications you would classify as severe?
V115	check_severity		discrete	character	N/A
V116	nearmiss	M2-12. What percent of the post-abortion patients at this facility in the LAST M	contin	numeric	What percent of the post-abortion patients at this facility in the LAST MONTH would you classify as near miss?
V117	death_yn	M2-13. IN THE LAST YEAR, did any woman die in your facility from an abortion-rel	discrete	numeric	IN THE LAST YEAR, did any woman die in your facility from an abortion-related complication?
V118	death_num	M2-14. Please estimate what percent of abortion-related cases died from abortion	contin	numeric	Please estimate what percent of abortion-related cases died from abortion-related complications?
V119	incomplete_pct	Incomplete abortion	contin	numeric	Incomplete abortion
V120	fever_pct	Fever	contin	numeric	Fever
V121	sepsis_pct	Sepsis	contin	numeric	Sepsis
V122	septicshock_pct	Septic shock	contin	numeric	Septic shock
V123	hemorrhage_pct	Hemorrhage	contin	numeric	Hemorrhage

V124	hemshock_pct	Hemorrhagic shock	contin	numeric	Hemorrhagic shock
V125	laceration_pct	Cervical/vaginal lacerations	contin	numeric	Cervical/vaginal lacerations
V126	perforation_pct	Uterine perforation	contin	numeric	Uterine perforation
V127	visceral_pct	Visceral injury (i.e. bladder, intestine)	contin	numeric	Visceral injury (i.e. bladder, intestine)
V128	other_complication_pct	Other (do not need to specify)	contin	numeric	Other (do not need to specify)
V129	dc_pct	Dilation and currettage (D&C)	contin	numeric	Dilation and currettage (D&C)
V130	miso_pct	Misoprotol (not only for cervical softening)	contin	numeric	Misoprotol (not only for cervical softening)
V131	mva_pct	Manual vacuum aspirator (MVA)	contin	numeric	Manual vacuum aspirator (MVA)
V132	eva_pct	Electric Vaccum Aspirator (EVA)	contin	numeric	Electric Vaccum Aspirator (EVA)
V133	none_num	Did not receive treatment at this facility but were referred	contin	numeric	Did not receive treatment at this facility but were referred
V134	other_proc_pct	Other (do not need to specify)	contin	numeric	Other (do not need to specify)
V135	check_procedure		discrete	character	N/A
V136	pac_procedure	M2-17. What are the various treatmeants and services available to post-abortion	discrete	numeric	What are the various treatmeants and services available to post-abortion care patients at this facilities?
V137	pac_evac_dc	Uterine evacuation - Dilation and currettage (D&C)	discrete	numeric	Uterine evacuation - Dilation and currettage (D&C)
V138	pac_evac_miso	Uterine evacuation - Misoprotol	discrete	numeric	Uterine evacuation - Misoprotol
V139	pac_evac_mva	Uterine evacuatoin - Manual vacuum aspirator (MVA)	discrete	numeric	Uterine evacuatoin - Manual vacuum aspirator (MVA)
V140	pac_evac_eva	Uterine evacuation - Electric Vaccum Aspirator (EVA)	discrete	numeric	Uterine evacuation - Electric Vaccum Aspirator (EVA)
V141	pac_hemorrhage	Treatment for hemorrhage (including uterotonics)	discrete	numeric	Treatment for hemorrhage (including uterotonics)
V142	pac_transfusion	Blood transfusion	discrete	numeric	Blood transfusion
V143	pac_sepsis	Prevention of infection & treatment for sepsis (including antibiotics)	discrete	numeric	Prevention of infection & treatment for sepsis (including antibiotics)
V144	pac_pain	Pain management	discrete	numeric	Pain management
V145	pac_fpcounseling	FP counseling	discrete	numeric	FP counseling
V146	pac_fp	FP method provision	discrete	numeric	FP method provision
V147	pac_hiv	HIV counseling, testing, and treatment	discrete	numeric	HIV counseling, testing, and treatment

V148	pac_sti	STI management and counseling (including contact tracing)	discrete	numeric	
V149	pac_mentalhealth	Psychosocial and mental health support	discrete	numeric	
V150	pac_referrals	Referral to and/or information about other SRMNH service providers and community	discrete	numeric	Referral to and/or information about other SRMNH service providers and community
V151	pac_other	Other treatmentst and services	discrete	numeric	Other treatmentst and services
V152	pac_other_sp	What other treatments and services do you provide to PAC patients?	discrete	character	What other treatments and services do you provide to PAC patients?
V153	pac_ref_lower_pct	M2-18. Of the $\text{\$}\{total_avg\}$ PAC patients you see in a TYPICAL MONTH or the $\text{\$}\{to$	contin	numeric	Of the 0 PAC patients you see in a TYPICAL MONTH or the 0 you saw in the LAST MONTH, what percent were REFERRED TO YOUR FACILITY after having been treated at another facility?
V154	pac_ref_lower_reason	M2-19. To your knowledge, why do you think the LOWER LEVEL FACILITY was unable t	discrete	character	To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility?
V155	pac_ref_lower_reason_1		discrete	numeric	To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Lack of necessary equipment or commodities
V156	pac_ref_lower_reason_2		discrete	numeric	To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Lack of trained personnel
V157	pac_ref_lower_reason_3		discrete	numeric	To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Lack of necessary infrastructure to manage PAC cases
V158	pac_ref_lower_reason_99		discrete	numeric	To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Other (do not need to specify)
V159	pac_ref_higher_pct	M2-20. What percent of PAC patients have you REFERRED TO ANOTHER facility to com	contin	numeric	What percent of PAC patients have you REFERRED TO ANOTHER facility to complete treatment, after having treated them (either as inpatients or outpatients), in the past month or past year?

V160	pac_ref_higher_reason	M2-21. To your knowledge, why do you think THIS FACILITY was unable to provide c	discrete	character	To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility?
V161	pac_ref_higher_reason_1		discrete	numeric	To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Lack of necessary equipment or commodities
V162	pac_ref_higher_reason_2		discrete	numeric	To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Lack of trained personnel
V163	pac_ref_higher_reason_3		discrete	numeric	To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Lack of necessary infrastructure to manage PAC cases
V164	pac_ref_higher_reason_99		discrete	numeric	To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Other (do not need to specify)
V165	pac_ref_higher_type	M2-22. What type of facility do you refer women to?	discrete	character	What type of facility do you refer women to?
V166	pac_ref_higher_type_1		discrete	numeric	What type of facility do you refer women to_Primary - clinic
V167	pac_ref_higher_type_2		discrete	numeric	What type of facility do you refer women to_Secondary - health center
V168	pac_ref_higher_type_3		discrete	numeric	What type of facility do you refer women to_Secondary - county hospital
V169	pac_ref_higher_type_4		discrete	numeric	What type of facility do you refer women to_Tertiary - National referral hospital
V170	pac_ref_higher_actual	M2-23. To the best of your knowledge, what percent of the abortion-related cases	contin	numeric	To the best of your knowledge, what percent of the abortion-related cases that you refer in a TYPICAL MONTH or referred in the LAST MONTH actually got to a higher level facility for treatment?
V171	pac_referral_barriers	M2-24. What do you think are the BARRIERS that keep women from going to a higher	discrete	character	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment?
V172	pac_referral_barriers_1		discrete	numeric	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Cannot afford travel/fees for services

V173	pac_referral_barriers_2		discrete	numeric	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_They do not trust the other facility
V174	pac_referral_barriers_3		discrete	numeric	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_They do not want their husband or family to know
V175	pac_referral_barriers_4		discrete	numeric	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Lack of knowledge about severity of problem
V176	pac_referral_barriers_5		discrete	numeric	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_No one to accompany or support at other facility
V177	pac_referral_barriers_99		discrete	numeric	What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Other (specify):
V178	pac_referral_barriers_sp	Specify other barriers that keep women from going to higher facility once referr	discrete	character	Specify other barriers that keep women from going to higher facility once referred
V179	pac_cost_yn	M2-25. Do women pay money at this facility for management of postabortion compli	discrete	numeric	Do women pay money at this facility for management of postabortion complications?
V180	pac_cost_item	M2-27. IF NO, which one of the following items do you think women bring to the f	discrete	character	IF NO, which one of the following items do you think women bring to the facilities themselves?
V181	pac_cost_item_1		discrete	numeric	IF NO, which one of the following items do you think women bring to the facilities themselves_Medicines and drugs
V182	pac_cost_item_2		discrete	numeric	IF NO, which one of the following items do you think women bring to the facilities themselves_Medical supplies (e.g. cotton swabs, gauze, etc.)
V183	pac_cost_item_3		discrete	numeric	IF NO, which one of the following items do you think women bring to the facilities themselves_Blood
V184	pac_cost_item_99		discrete	numeric	IF NO, which one of the following items do you think women bring to the facilities themselves_Other
V185	pact_cost_item_other	What other items do women bring to the facilities themselves?	discrete	character	What other items do women bring to the facilities themselves?

V186	pac_cost_min	M2-26a. IF YES, What is the MINIMUM of how much a women pays for post-abortion c	contin	numeric	IF YES, What is the MINIMUM of how much a women pays for post-abortion care at this facility?
V187	pac_cost_max	M2-26b. IF YES, What is the MAXIMUM of how much a women pays for post-abortion c	contin	numeric	IF YES, What is the MAXIMUM of how much a women pays for post-abortion care at this facility?
V188	pac_cost_delay_num	M2-28. To the best of your knowlege, of the total women that came for abortion-r	contin	numeric	To the best of your knowlege, of the total women that came for abortion-related issues in the last 3 months, what percentage DELAY receiving treatment for 48 hours or more because of the cost?
V189	pac_cost_nocare_num	M2-29. To the best of your knowlege, of the total women that came for abortion-r	contin	numeric	To the best of your knowlege, of the total women that came for abortion-related issues in the last 3 months, what percentage LEAVE WITHOUT receiving any treatment because of the cost?
V190	pac_improve_yn	M2-30a. In your opinion, could treatment for abortion complications be improved	discrete	numeric	In your opinion, could treatment for abortion complications be improved at this facility?
V191	pac_improve	M2-30b. If yes, how could treatment for abortion complications be improved at th	discrete	character	If yes, how could treatment for abortion complications be improved at this facility?
V192	pac_improve_1		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have a private room for postabortion care patients
V193	pac_improve_2		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Improve/expand infrastructure
V194	pac_improve_3		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more people trained in managing PAC clients
V195	pac_improve_4		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more lower level facilities allowed and equipped to provide PAC
V196	pac_improve_5		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more MVA equipment available
V197	pac_improve_6		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more misoprostol available
V198	pac_improve_7		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more antibiotics available

V199	pac_improve_8		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more blood available for transfusions
V200	pac_improve_9		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have more pain medication available
V201	pac_improve_10		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Provide information on contraception and give methods
V202	pac_improve_11		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Have copy of National Comprehensive Abortion Care (CAC) Guidelines available at this facility
V203	pac_improve_12		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Provide more support to staff (e.g. refresher courses)
V204	pac_improve_14		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Provide free postabortion care
V205	pac_improve_15		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Vehicle to transport patients who have been referred
V206	pac_improve_99		discrete	numeric	If yes, how could treatment for abortion complications be improved at this facility_Other (specify):
V207	pac_improve_sp	In what other ways can treatment for abortion complications be improved?	discrete	character	In what other ways can treatment for abortion complications be improved?
V208	abortion_legal_knowledge	M2-31. To your knowledge, under which circumstances is abortion LEGAL in Liberia	discrete	character	To your knowledge, under which circumstances is abortion LEGAL in Liberia?
V209	abortion_legal_knowledge_1		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman's physical health is at risk
V210	abortion_legal_knowledge_2		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If pregnancy is from rape
V211	abortion_legal_knowledge_3		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If pregnancy is from incest
V212	abortion_legal_knowledge_4		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman is HIV positive
V213	abortion_legal_knowledge_5		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman is mentally incapacitated

V214	abortion_legal_knowledge_6		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman's mental health is at risk
V215	abortion_legal_knowledge_7		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If a girl is under age 16
V216	abortion_legal_knowledge_8		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_Economic reasons (e.g. cannot care for the child)
V217	abortion_legal_knowledge_9		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the girl or woman is unmarried
V218	abortion_legal_knowledge_10		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If pregnancy is from contraceptive failure
V219	abortion_legal_knowledge_11		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman doesn't want the pregnancy
V220	abortion_legal_knowledge_12		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_If there is fetal impairment
V221	abortion_legal_knowledge_0		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_Under no circumstances
V222	abortion_legal_knowledge_98		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_I don't know
V223	abortion_legal_knowledge_99		discrete	numeric	To your knowledge, under which circumstances is abortion LEGAL in Liberia_Others (specify)
V224	abortion_legal_knowledge_sp	Under what other circumstances is abortion legal?	discrete	character	Under what other circumstances is abortion legal?
V225	abortion_legal_opinion	M2-32. Under which conditions do you think abortion should be allowed in Liberia	discrete	character	Under which conditions do you think abortion should be allowed in Liberia?
V226	abortion_legal_opinion_1		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If the woman's physical health is at risk
V227	abortion_legal_opinion_2		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If pregnancy is from rape
V228	abortion_legal_opinion_3		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If pregnancy is from incest
V229	abortion_legal_opinion_4		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If the woman is HIV positive

V230	abortion_legal_opinion_5		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If the woman is mentally incapacitated
V231	abortion_legal_opinion_6		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If the woman's mental health is at risk
V232	abortion_legal_opinion_7		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If a girl is under age 16
V233	abortion_legal_opinion_8		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_Economic reasons (e.g. cannot care for the child)
V234	abortion_legal_opinion_9		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If the girl or woman is unmarried
V235	abortion_legal_opinion_10		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If pregnancy is from contraceptive failure
V236	abortion_legal_opinion_11		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If the woman doesn't want the pregnancy
V237	abortion_legal_opinion_12		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_If there is fetal impairment
V238	abortion_legal_opinion_0		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_Under no circumstances
V239	abortion_legal_opinion_98		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_I don't know
V240	abortion_legal_opinion_99		discrete	numeric	Under which conditions do you think abortion should be allowed in Liberia_Others (specify)
V241	abortion_legal_opinion_sp	Under what other circumstances do you think abortion should be allowed?	discrete	character	Under what other circumstances do you think abortion should be allowed?
V242	abortion_ever	M2-33. Has this facility EVER provided a legal abortion based on circumstances y	discrete	numeric	Has this facility EVER provided a legal abortion based on circumstances you mentioned earlier?
V243	abortion_ever_num	M2-34. IF YES, How many times has this happened during the LAST 12 MONTHS?	discrete	numeric	IF YES, How many times has this happened during the LAST 12 MONTHS?
V244	top_reason	M2-35. What was the major reason for which pregnancies were terminated?	discrete	character	What was the major reason for which pregnancies were terminated?
V245	top_reason_1		discrete	numeric	What was the major reason for which pregnancies were terminated_Rape

V246	top_reason_2		discrete	numeric	What was the major reason for which pregnancies were terminated_Incest
V247	top_reason_3		discrete	numeric	What was the major reason for which pregnancies were terminated_Concerns about mother's health/wellbeing
V248	top_reason_4		discrete	numeric	What was the major reason for which pregnancies were terminated_Concerns about fetal health/wellbeing
V249	top_reason_99		discrete	numeric	What was the major reason for which pregnancies were terminated_Other (specify)
V250	top_reason_sp	If other, specify the reason for why pregnancies ere terminated	discrete	character	If other, specify the reason for why pregnancies ere terminated
V251	abortion_denied	M2-36. Are you aware of any woman coming to this facility to have a legal aborti	discrete	numeric	Are you aware of any woman coming to this facility to have a legal abortion who was denied that service by a provider in this facility?
V252	abortion_referred	M2-37. How many women has your facility referred to somewhere else for an INDUCE	discrete	numeric	How many women has your facility referred to somewhere else for an INDUCED ABORTION in the LAST 12 MONTHS?
V253	pac_fp_counsel	M3-1. Do you offer family planning COUNSELING to post-abortion patients at this	discrete	numeric	Do you offer family planning COUNSELING to post-abortion patients at this facility
V254	counsel_topics	M3-2. What topics are generally covered in family planning counselling for women	discrete	numeric	What topics are generally covered in family planning counselling for women who received PAC services at this facility?
V255	counsel_methods	Instructions on correct use of methods	discrete	numeric	Instructions on correct use of methods
V256	counsel_range	Informed about a range of contraceptive methods	discrete	numeric	Informed about a range of contraceptive methods
V257	counse_effectiveness	Informed on effectiveness of methods	discrete	numeric	Informed on effectiveness of methods
V258	counsel_side	Informed on side effects of methods	discrete	numeric	What to do in case of incorrect use of methods (e.g. skipped pills)
V259	counsel_incorrect	What to do in case of incorrect use of methods (e.g. skipped pills)	discrete	numeric	What to do in case of incorrect use of methods (e.g. skipped pills)
V260	counsel_ec	Emergency contraception in case of failure to use a method before or during inte	discrete	numeric	Emergency contraception in case of failure to use a method before or during inte
V261	counsel_benefits	Benefits of contraception	discrete	numeric	Benefits of contraception

V262	counsel_abstinence	Abstinence	discrete	numeric	Abstinence
V263	counsel_other	Others (specify)	discrete	numeric	Others (specify)
V264	counsel_other_sp	If other topics are covered in family planning counseling, specify	discrete	character	If other topics are covered in family planning counseling, specify
V265	youth_educator	M3-3. Does your facility have youth peer educators who do family planning course	discrete	numeric	Does your facility have youth peer educators who do family planning counseling?
V266	pac_fp_method	M3-4. Do you offer family planning METHODS to post-abortion patients on the prem	discrete	numeric	Do you offer family planning METHODS to post-abortion patients on the premises of this facility?
V267	pac_fp_no	M3-5. If No, Why do you not offer family planning methods on-site?	discrete	numeric	If No, Why do you not offer family planning methods on-site?
V268	pac_fp_no_1	Providers aren't adequately trained	discrete	numeric	Providers aren't adequately trained
V269	pac_fp_no_2	The services are not functional	discrete	numeric	The services are not functional
V270	pac_fp_no_3	The services are not integrated	discrete	numeric	The services are not integrated
V271	pac_fp_no_4	The methods are not available	discrete	numeric	The methods are not available
V272	pac_fp_no_5	Facility does not allow (e.g. faith based org)	discrete	numeric	Facility does not allow (e.g. faith based org)
V273	pac_fp_no_6	Services are offered in another facility close by	discrete	numeric	Services are offered in another facility close by
V274	pac_fp_no_7	Services are offered elsewhere in the facility	discrete	numeric	Services are offered elsewhere in the facility
V275	pac_fp_no_8	Others (specify):	discrete	numeric	Others (specify):
V276	pac_fp_no_8sp	What are other reasons why you do not offer FP methods on-site?	discrete	character	What are other reasons why you do not offer FP methods on-site?
V277	method_patients	M3-6. How often do you offer contraceptive services to the following groups of P	discrete	numeric	How often do you offer contraceptive services to the following groups of PAC patients --- always, sometimes, rarely or never?
V278	fp_multiparous	Women who have many children	discrete	numeric	Women who have many children
V279	fp_nulliparous	Women who have no children	discrete	numeric	Women who have no children
V280	fp_married	Women who are married	discrete	numeric	Women who are married
V281	fp_unmarried	Women who are not married	discrete	numeric	Women who are not married
V282	fp_hiv	Women who are HIV positive	discrete	numeric	Women who are HIV positive

V283	fp_adol	Adolescents (19 years of age or younger)	discrete	numeric	Adolescents (19 years of age or younger)
V284	fp_45	Women 45 years of age or older	discrete	numeric	Women 45 years of age or older
V285	fp_partners	Partners accompanying women receiving post-abortion care	discrete	numeric	Partners accompanying women receiving post-abortion care
V286	fp_uptake	M3-7. To the best of your knowledge, of the women that you provided post-abortion	contin	numeric	To the best of your knowledge, of the women that you provided post-abortion care, what percent was actually given a method of family planning on discharge from this facility?
V287	provision_last3month	M3-8. Has this facility provided or prescribed any of the following methods IN T	discrete	numeric	Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?
V288	provision_condomm	Condom - male	discrete	numeric	Condom - male
V289	provision_condomf	Condom - female	discrete	numeric	Condom - female
V290	provision_ocp	Oral contraceptive pills (Microgynon or Microlut)	discrete	numeric	Oral contraceptive pills (Microgynon or Microlut)
V291	provision_depo	Injectable - Depo-Provera / DMPA-IM	discrete	numeric	Injectable - Depo-Provera / DMPA-IM
V292	provision_sp	Injectable - Sayana Press / DMPA-SC	discrete	numeric	Injectable - Sayana Press / DMPA-SC
V293	provision_implant	Implant - 2-rod (e.g. Jadelle)	discrete	numeric	Implant - 2-rod (e.g. Jadelle)
V294	provision_iucd	Intrauterine contraceptive device (IUCD)	discrete	numeric	Intrauterine contraceptive device (IUCD)
V295	provision_beads	Cycle beads for standard days method	discrete	numeric	Cycle beads for standard days method
V296	provision_vasectomy	Vasectomy	discrete	numeric	Vasectomy
V297	provision_btl	Bilateral tubal ligation (BTL)	discrete	numeric	Bilateral tubal ligation (BTL)
V298	larc	M3-9. Why do you not offer some long-acting reversible methods?	discrete	character	Why do you not offer some long-acting reversible methods?
V299	larc_1		discrete	numeric	Why do you not offer some long-acting reversible methods_Stocked out
V300	larc_2		discrete	numeric	Why do you not offer some long-acting reversible methods_Lack of trained personnel
V301	larc_3		discrete	numeric	Why do you not offer some long-acting reversible methods_Provider preference
V302	larc_4		discrete	numeric	Why do you not offer some long-acting reversible methods_Client preference

V303	larc_5		discrete	numeric	Why do you not offer some long-acting reversible methods_Facility does not allow (religious reason)
V304	larc_6		discrete	numeric	Why do you not offer some long-acting reversible methods_Not familiar enough with method
V305	larc_7		discrete	numeric	Why do you not offer some long-acting reversible methods_Method has never been available
V306	larc_99		discrete	numeric	Why do you not offer some long-acting reversible methods_Other (specify)
V307	larc_other	What are other reasons why you do not offer long-acting reversible methods?	discrete	character	What are other reasons why you do not offer long-acting reversible methods?
V308	refusal	M3-10. Why do you think women may refuse a modern contraceptive method after hav	discrete	character	Why do you think women may refuse a modern contraceptive method after having had an abortion?
V309	refusal_1		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Woman opposed to use
V310	refusal_2		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Partner opposed to use
V311	refusal_3		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Family opposed to use
V312	refusal_4		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Religious opposition
V313	refusal_5		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Health concerns
V314	refusal_6		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Fear of side effects
V315	refusal_7		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Wanted more effective method
V316	refusal_8		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Costs too much
V317	refusal_9		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Inconvenient to use

V318	refusal_10		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Interference with body processes
V319	refusal_12		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Infrequent sex
V320	refusal_13		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Preference for traditional methods
V321	refusal_14		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Impact of contraception on their fertility
V322	refusal_15		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Wants to conceive
V323	refusal_99		discrete	numeric	Why do you think women may refuse a modern contraceptive method after having had an abortion_Other
V324	fp_privacy	M3-11. Do you think that women prefer a contraceptive method they can keep private	discrete	numeric	Do you think that women prefer a contraceptive method they can keep private and unknown to their partner/spouse?
V325	fp_privacy_methods	M3-12. Which method(s) do women prefer to use to keep their contraceptive use unknown	discrete	character	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse?
V326	fp_privacy_methods_1		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Condom - male
V327	fp_privacy_methods_2		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Condom - female
V328	fp_privacy_methods_3		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Oral contraceptive pills (Microgynon or Microlut)
V329	fp_privacy_methods_4		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Injectable - Depo-Provera / DMPA-IM
V330	fp_privacy_methods_5		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Injectable - Sayana Press / DMPA-SC

V331	fp_privacy_methods_6		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_ Implant - 2-rod (e.g. Jadelle)
V332	fp_privacy_methods_7		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_ Intrauterine contraceptive device (IUCD)
V333	fp_privacy_methods_8		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_ Cycle beads for standard days method
V334	fp_privacy_methods_9		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_ Vasectomy
V335	fp_privacy_methods_10		discrete	numeric	Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_ Bilateral tubal ligation (BTL)
V336	fp_adol_rec	M3-13. Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer?	discrete	character	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer?
V337	fp_adol_rec_1		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Condom - male
V338	fp_adol_rec_2		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Condom - female
V339	fp_adol_rec_3		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Oral contraceptive pills (Microgynon or Microlut)
V340	fp_adol_rec_4		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Injectable - Depo-Provera / DMPA-IM
V341	fp_adol_rec_5		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Injectable - Sayana Press / DMPA-SC

V342	fp_adol_rec_6		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Implant - 2-rod (e.g. Jadelle)
V343	fp_adol_rec_7		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Intrauterine contraceptive device (IUCD)
V344	fp_adol_rec_8		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Cycle beads for standard days method
V345	fp_adol_rec_9		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Vasectomy
V346	fp_adol_rec_10		discrete	numeric	Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Bilateral tubal ligation (BTL)
V347	parental_consent	M3-14. When offering contraceptive services to adolescent girls (those between a	discrete	numeric	When offering contraceptive services to adolescent girls (those between age 10 to 19), do you require their parents' consent when the adolescent is under a certain age?
V348	parental_consent_age	M3-15. If so, below what age do you require parental consent?	discrete	numeric	If so, below what age do you require parental consent?
V349	g38	G38. Do you keep records on the number of women treated for abortion complicatio	discrete	numeric	Do you keep records on the number of women treated for abortion complications at this facility?
V350	g39	G39. How do you keep records on abortion-related services?	discrete	character	How do you keep records on abortion-related services?
V351	g39_1		discrete	numeric	How do you keep records on abortion-related services_Standard national ledgers
V352	g39_2		discrete	numeric	How do you keep records on abortion-related services_Self-placed non-standard ledgers
V353	g39_3		discrete	numeric	How do you keep records on abortion-related services_Electronic standalone spreadsheet
V354	g39_4		discrete	numeric	How do you keep records on abortion-related services_Electronic central database
V355	g39_99		discrete	numeric	How do you keep records on abortion-related services_Others (specify)

V356	g39sp	If other, how do you keep records on abortion-related services?	discrete	character	If other, how do you keep records on abortion-related services?
V357	g40	G40. Are any of these ledgers available for me to look at	discrete	numeric	Are any of these ledgers available for me to look at
V358	g40_1	OPD treatment ledger	discrete	numeric	OPD treatment ledger
V359	g40_2	IPD maternity ledger	discrete	numeric	IPD maternity ledger
V360	g40_3	Temporary FP ledger	discrete	numeric	Temporary FP ledger
V361	g40_4	Labor & delivery ledger	discrete	numeric	Labor & delivery ledger
V362	g40_5	Others (specify)	discrete	numeric	Others (specify)
V363	g40sp	What other standard national ledgers do you have?	discrete	character	What other standard national ledgers do you have?
V364	g41	G41. Interviewer, please copy the number of women treated for post-abortion comp	contin	numeric	N/A
V365	g42	G42. Interviewer, please copy the number of women treated for post-abortion comp	contin	numeric	N/A
V366	g43	G43. Interviewer, please copy the number of women treated for post-abortion comp	discrete	numeric	N/A
V367	g44	G44. Interviewer, please copy the number of women treated for post-abortion comp	contin	numeric	N/A
V368	comments	Interviewer comments	discrete	character	Interviewer comments
V369	formdef_version	Form version used on device	contin	numeric	N/A
V370	key	Unique submission ID	discrete	character	N/A
V371	review_status	Review status	discrete	character	N/A
V372	review_quality		discrete	character	N/A
V373	review_comments	Comments made during review	discrete	character	N/A
V374	review_corrections	Corrections made during review	discrete	character	N/A
V375	start		contin	numeric	N/A
V376	end		contin	numeric	N/A
V377	today		discrete	character	N/A
V378	surveydate	G2. Date of data collection visit	discrete	character	Date of data collection visit
V379	V379		discrete	numeric	N/A

V380	facdup	discrete	numeric	N/A
V381	wgt	contin	numeric	N/A
V382	pac_avg_out	contin	numeric	N/A
V383	pac_avg_in	contin	numeric	N/A
V384	pac_last_out	contin	numeric	N/A
V385	pac_last_in	contin	numeric	N/A
V386	total_avg	contin	numeric	N/A
V387	total_last	contin	numeric	N/A
V388	totalpac	contin	numeric	N/A

Date/time submitted (submissiondate)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 11	Minimum: 1948568111000
Decimals: 0	Maximum: 1955025895000
Range: 1948568111000-1955025895000	Mean: 1951093319000
	Standard deviation: 1597943733.5

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

G3. Region (region)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 128
Format: numeric	Invalid: 0
Width: 15	
Decimals: 0	
Range: 1-5	

Description

Region where the study took place

Universe

Field interviewers

Source of information

interviewer

Pre question

N/A

Literal question

Region

Post question

N/A

Interviewer instructions

N/A

G4. County (county)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 16
 Decimals: 0
 Range: 1-15

Valid cases: 128
 Invalid: 0

Description

county where the study took place

Universe

Field interviewers

Source of information

interviewer

Pre question

N/A

Literal question

County

Post question

N/A

Interviewer instructions

N/A

G5. District (district)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 24
 Decimals: 0
 Range: 1-68

Valid cases: 128
 Invalid: 0

Description

District where the study took place

Universe

Field interviewers

Source of information

interviewer

Pre question

N/A

Literal question

District

Post question

N/A

Interviewer instructions

N/A

Facility ID (facid)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 10
 Decimals: 0
 Range: 1-168

Valid cases: 128
 Invalid: 0
 Minimum: 1
 Maximum: 168
 Mean: 83.8
 Standard deviation: 46.2

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

G7. Level of facility (factype)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 27
 Decimals: 0
 Range: 1-3

Valid cases: 128
 Invalid: 0

Description

The level of facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing

Pre question

N/A

Literal question

Level of facility

Post question

N/A

Interviewer instructions

N/A

G8. Type of facility (facown)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 23
 Decimals: 0
 Range: 1-99

Valid cases: 128
 Invalid: 0

Description

The type of facility the respondent represent

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing

Pre question

N/A

Literal question

Type of facility
 Manging authority

Post question

N/A

Interviewer instructions

N/A

G9. Geographic area (geographicalarea)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 36
 Decimals: 0
 Range: 1-3

Valid cases: 128
 Invalid: 0

Description

The geographical area where the respondent is from

Universe

Field interviewers

Source of information

Interviewer

Pre question

N/A

Literal question

Geographic area

Post question

N/A

Interviewer instructions

N/A

G11. What is you cadre? (g11)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 44
 Decimals: 0
 Range: 1-99

Valid cases: 128
 Invalid: 0

Description

The respondent's speciality

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What is you cadre?

Post question

N/A

Interviewer instructions

N/A

If other, specify cadre (cadre_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 22

Valid cases: 5
 Invalid: 0

Description

The respondent's speciality

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If other, specify cadre

Post question

N/A

Interviewer instructions

N/A

G12. How many years have you work in your profession? (g12)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 1-30

Valid cases: 128
 Invalid: 0
 Minimum: 1
 Maximum: 30
 Mean: 8.9
 Standard deviation: 5.9

Description

The number of the years the respondent have in their speciality

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How many years have you work in your profession?

Post question

Enter the number of years (If the month is more than 10 months, round up to a year)

Interviewer instructions

N/A

G13. What is your qualification? (g13)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 16

Decimals: 0

Range: 1-99

Valid cases: 128

Invalid: 0

Description

The respondent qualification

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What is your qualification?

Post question

N/A

Interviewer instructions

N/A

If other, specify qualification (qualification_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 20

Valid cases: 2

Invalid: 0

Description

Other qualification

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If other, specify qualification

Post question

N/A

Interviewer instructions

N/A

G14. What is your position as of today? (g14)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 31
 Decimals: 0
 Range: 1-5

Valid cases: 128
 Invalid: 0

Description

The position of the respondent in the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Literal question

What is your position as of today?

If other, specific position (position_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 1

Valid cases: 0
 Invalid: 0

Description

Other position of the respondent

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If other, specific position

Post question

N/A

Interviewer instructions

N/A

G26. How many beds does this facility have in total? (g26)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 250
Range: 1-250	Mean: 36.1
	Standard deviation: 46.8

Description

The total number of beds in the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Literal question

How many beds does this facility have in total?

G27. How many of those beds are in the marternity ward (i.e. are inpatient matern (g27)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 150
Range: 0-150	Mean: 11.2
	Standard deviation: 19.3

Description

number of beds in the marternity section

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How many of those beds are in the marternity ward (i.e. are inpatient maternity beds)?

Post question

N/A

Interviewer instructions

N/A

G28. On average, about how many deliveries take place at your facility each mont (g28)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 200
Range: 0-200	Mean: 34.5
	Standard deviation: 37.1

Description

The number of deliveries that take place at the respondent's facility each month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

On average, about how many deliveries take place at your facility each month?

Post question

N/A

Interviewer instructions

N/A

G30. Does this facility have any of the below-listed UNIT/DEPARTMENT? (g30) File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 0

Invalid: 128

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Post question

N/A

Interviewer instructions

N/A

Operating theatre (g30_1) File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Operating theatre

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Operating theatre

Post question

N/A

Interviewer instructions

N/A

Outpatient department (OPD) (g30_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Outpatient department (OPD)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Outpatient department (OPD)

Post question

N/A

Interviewer instructions

N/A

Recovery room (g30_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Recovery room

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Recovery room

Post question

N/A

Interviewer instructions

N/A

Pharmacy (g30_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Pharmacy

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Pharmacy

Post question

N/A

Interviewer instructions

N/A

Laboratory (g30_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Laboratory

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Laboratory

Post question

N/A

Interviewer instructions

N/A

Central sterile services department (CSSD) (g30_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Central sterile services department (CSSD)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Central sterile services department (CSSD)

Post question

N/A

Interviewer instructions

N/A

Blood bank (g30_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

If the facility has the any of the below-listed UNIT/DEPARTMENT_Blood bank

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Does this facility have any of the below-listed UNIT/DEPARTMENT?

Literal question

Blood bank

Post question

N/A

Interviewer instructions

N/A

Doctors (general) (staff_fulltime_doctorgen)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 28
Range: 0-28	Mean: 1.4
	Standard deviation: 3.8

Description

The total number of Doctors (general) in respondent's facility that are fully employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are fully employed and are available at all times?

Literal question

Doctors (general)

Post question

N/A

Interviewer instructions

N/A

Doctors (specialist, including OBGYN) (staff_fulltime_doctorsp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-15	

Description

The total number of Doctors (specialist, including OBGYN) in respondent's facility that are fully employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Doctors (specialist, including OBGYN)

Post question

N/A

Interviewer instructions

N/A

Nurses (staff_fulltime_nurse)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 108
Range: 0-108	Mean: 11.5
	Standard deviation: 18.7

Description

The total number of Nurses in respondent's facility that are fully employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Nurses

Post question

N/A

Interviewer instructions

N/A

Midwives (staff_fulltime_midwife)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 51
Range: 0-51	Mean: 4.5
	Standard deviation: 7.2

Description

The total number of Midwives in respondent's facility that are fully employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Midwives

Post question

N/A

Interviewer instructions

N/A

Physician assistant (staff_fulltime_pa)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-20

Valid cases: 128
 Invalid: 0

Description

The total number of Physician assistant in respondent's facility that are fully employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Physician assistant

Post question

N/A

Interviewer instructions

N/A

(staff_fulltime_sum)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 128
 Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Doctors (general) (staff_parttime_doctorgen)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of Doctors (general) in respondent's facility that are part time-employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are part-time employed and available at all times?

Literal question

Doctors (general)

Post question

N/A

Interviewer instructions

N/A

Doctors (specialist, including OBGYN) (staff_parttime_doctorsp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-5

Valid cases: 128

Invalid: 0

Description

The total number of Doctors (specialist, including OBGYN) in respondent's facility that are part-time employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are part-time employed and available at all times?

Literal question

Doctors (specialist, including OBGYN)

Post question

N/A

Interviewer instructions

N/A

Nurses (staff_parttime_nurse)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-47

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 47

Mean: 1.7

Standard deviation: 5.2

Description

The total number of Nurses in respondent's facility that are part-time employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are part-time employed and available at all times?

Literal question

Nurses

Post question

N/A

Interviewer instructions

N/A

Midwives (staff_parttime_midwife)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-5

Valid cases: 128

Invalid: 0

Description

The total number of Midwives in respondent's facility that are part-time employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are part-time employed and available at all times?

Literal question

Midwives

Post question

N/A

Interviewer instructions

N/A

Physician assistant (staff_parttime_pa)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-3

Valid cases: 128

Invalid: 0

Description

The total number of Physician assistant in respondent's facility that are part-time employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are part-time employed and available at all times?

Literal question

Physician assistant

Post question

N/A

Interviewer instructions

N/A

Volunteers (staff_parttime_vol)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-18

Valid cases: 128
 Invalid: 0

Description

The total number of Volunteers in respondent's facility that are part-time employed and are available at all times

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the below listed cadres of staff do you have in this facility that are part-time employed and available at all times?

Literal question

Volunteers

Post question

N/A

Interviewer instructions

N/A

(staff_parttime_sum)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 2

Valid cases: 128
 Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Doctors (general) (fulltime_pactrain_clinical_md)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (general) who have been trained on the clinical assessment to know the need for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on the clinical assessment to know the need for post-abortion care?

Literal question

Doctors (general)

Post question

N/A

Interviewer instructions

N/A

Doctors (specialist, including OBGYN) (fulltime_pactrain_clinical_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (specialist, including OBGYN) who have been trained on the clinical assessment to know the need for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on the clinical assessment to know the need for post-abortion care?

Literal question

Doctors (specialist, including OBGYN)

Post question

N/A

Interviewer instructions

N/A

Nurses (fulltime_pactrain_clinical_nurse)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-81

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 81

Mean: 2.5

Standard deviation: 8.1

Description

The total number of FULLY EMPLOYED Nurses who have been trained on the clinical assessment to know the need for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on the clinical assessment to know the need for post-abortion care?

Literal question

Nurses

Post question

N/A

Interviewer instructions

N/A

Midwives (fulltime_pactrain_clinical_midwi)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-30

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 30

Mean: 2.4

Standard deviation: 4

Description

The total number of FULLY EMPLOYED Midwives who have been trained on the clinical assessment to know the need for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on the clinical assessment to know the need for post-abortion care?

Literal question

Midwives

Post question

N/A

Interviewer instructions

N/A

Physician assistants (fulltime_pactrain_clinical_pa)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-15

Description

The total number of FULLY EMPLOYED Physician assistant who have been trained on the clinical assessment to know the need for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on the clinical assessment to know the need for post-abortion care?

Literal question

Physician assistant

Post question

N/A

Interviewer instructions

N/A

(check1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: character

Invalid: 0

Width: 3

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Doctors (general) (fulltime_pactrain_dc_md)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (general) who have been trained on use of D&C

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of D&C

Literal question

Doctors (general)

Post question

N/A

Interviewer instructions

N/A

Doctors (specialist, including OBGYN) (fulltime_pactrain_dc_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (specialist, including OBGYN) who have been trained on use of D&C

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of D&C

Literal question

Doctors (specialist, including OBGYN)

Post question

N/A

Interviewer instructions

N/A

Nurses (fulltime_pactrain_dc_nurse)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 81
Range: 0-81	Mean: 1.6
	Standard deviation: 7.5

Description

The total number of FULLY EMPLOYED Nurses who have been trained on use of D&C

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of D&C

Literal question

Nurses

Post question

N/A

Interviewer instructions

N/A

Midwives (fulltime_pactrain_dc_midwife)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 23
Range: 0-23	Mean: 1.4
	Standard deviation: 2.9

Description

The total number of FULLY EMPLOYED Midwives who have been trained on use of D&C

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of D&C

Literal question

Midwives

Post question

N/A

Interviewer instructions

N/A

Physician assistants (fulltime_pactrain_dc_pa)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-15

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Physician assistant who have been trained on use of D&C

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of D&C

Literal question

Physician assistant

Post question

N/A

Interviewer instructions

N/A

(check2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 128
 Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Doctors (general) (fulltime_pactrain_mva_md)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (general) who have been trained on use of MVA

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of MVA

Literal question

Doctors (general)

Post question

N/A

Interviewer instructions

N/A

Doctors (specialist, including OBGYN) (fulltime_pactrain_mva_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-6

Valid cases: 128

Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (specialist, including OBGYN) who have been trained on use of MVA

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of MVA

Literal question

Doctors (specialist, including OBGYN)

Post question

N/A

Interviewer instructions

N/A

Nurses (fulltime_pactrain_mva_nurse)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-81

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 81

Mean: 2

Standard deviation: 7.8

Description

The total number of FULLY EMPLOYED Nurses who have been trained on use of MVA

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of MVA

Literal question

Nurses

Post question

N/A

Interviewer instructions

N/A

Midwives (fulltime_pactrain_mva_midwife)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-23

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 23

Mean: 2.2

Standard deviation: 3.2

Description

The total number of FULLY EMPLOYED Midwives who have been trained on use of MVA

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of MVA

Literal question

Midwives

Post question

N/A

Interviewer instructions

N/A

Physician assistants (fulltime_pactrain_mva_pa)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-15

Valid cases: 128

Invalid: 0

Description

The total number of FULLY EMPLOYED Physician assistant who have been trained on use of MVA

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of MVA

Literal question

Physician assistant

Post question

N/A

Interviewer instructions

N/A

(check3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: character

Invalid: 0

Width: 3

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Doctors (general) (fulltime_pactrain_miso_md)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-6

Description

The total number of FULLY EMPLOYED Doctors (general) who have been trained on use of misoprostol for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of misoprostol for post-abortion care

Literal question

Doctors (general)

Post question

N/A

Interviewer instructions

N/A

Doctors (specialist, including OBGYN) (fulltime_pactrain_miso_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-6

Valid cases: 128
 Invalid: 0

Description

The total number of FULLY EMPLOYED Doctors (specialist, including OBGYN) who have been trained on use of misoprostol for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of misoprostol for post-abortion care

Literal question

Doctors (specialist, including OBGYN)

Post question

N/A

Interviewer instructions

N/A

Nurses (fulltime_pactrain_miso_nurse)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-81

Valid cases: 128
 Invalid: 0
 Minimum: 0
 Maximum: 81
 Mean: 2.4
 Standard deviation: 8.2

Description

The total number of FULLY EMPLOYED Nurses who have been trained on use of misoprostol for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of misoprostol for post-abortion care

Literal question

Nurses

Post question

N/A

Interviewer instructions

N/A

Midwives (fulltime_pactrain_miso_midwife)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 51
Range: 0-51	Mean: 3
	Standard deviation: 6.5

Description

The total number of FULLY EMPLOYED Midwives who have been trained on use of misoprostol for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of misoprostol for post-abortion care

Literal question

Midwives

Post question

N/A

Interviewer instructions

N/A

Physician assistants (fulltime_pactrain_miso_pa)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-15	

Description

The total number of FULLY EMPLOYED Physician assistant who have been trained on use of misoprostol for post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

How many of the FULLY EMPLOYED staff have been trained on use of misoprostol for post-abortion care

Literal question

Physician assistant

Post question

N/A

Interviewer instructions

N/A

(check4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 128
Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

G37. Are there any PART-TIME employees working at this facility that have been t (parttime_train_pac)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 93
Invalid: 35

Description

If there are any PART-TIME employees working at the facility that have been trained on the provision of comprehensive post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Are there any PART-TIME employees working at this facility that have been trained on the provision of comprehensive post-abortion care?

Post question

N/A

Interviewer instructions

N/A

G38. How many of the PART-TIME employees have been trained on the provision of c (parttime_train_pac_num)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-10

Valid cases: 17
 Invalid: 111

Description

The total number of PART-TIME employees that have been trained on the provision of comprehensive post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How many of the PART-TIME employees have been trained on the provision of comprehensive post-abortion care?

Post question

N/A

Interviewer instructions

N/A

SD1. Which of the following services do this facility offer? (sd1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 128

Description

The services offered in the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which of the following services do this facility offer?

Post question

N/A

Interviewer instructions

Confirm from respondent if the service is provided routinely and not through any outreach activity or special program.

Antenatal care (sd1_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

The services offered in the facility_Antenatal care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Antenatal care

Post question

N/A

Interviewer instructions

N/A

Delivery services (sd1_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_Delivery services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Delivery services

Post question

N/A

Interviewer instructions

N/A

Postnatal care (sd1_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_Postnatal care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Postnatal care

Post question

N/A

Interviewer instructions

N/A

Family planning services (sd1_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_Family planning services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Family planning services

Post question

N/A

Interviewer instructions

N/A

HIV testing and counseling (sd1_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_HIV testing and counseling

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

HIV testing and counseling

Post question

N/A

Interviewer instructions

N/A

ART (antiretroviral therapy) services (sd1_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_ART (antiretroviral therapy) services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

ART (antiretroviral therapy) services

Post question

N/A

Interviewer instructions

N/A

STI services (sd1_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_STI services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

STI services

Post question

N/A

Interviewer instructions

N/A

PMTCT services (sd1_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

The services offered in the facility_PMTCT services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

PMTCT services

Post question

N/A

Interviewer instructions

N/A

Cervical cancer screening/VIAC (sd1_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

The services offered in the facility_Cervical cancer screening/VIAC

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Cervical cancer screening/VIAC

Post question

N/A

Interviewer instructions

N/A

Immunization (EPI) (sd1_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

The services offered in the facility_Immunization (EPI)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Immunization (EPI)

Post question

N/A

Interviewer instructions

N/A

Safe abortion under legal indications (sd1_11a)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

The services offered in the facility_Safe abortion under legal indications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Safe abortion under legal indications

Post question

N/A

Interviewer instructions

N/A

Post-abortion care (PAC) (offerpac)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

The services offered in the facility_Post-abortion care (PAC)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Post-abortion care (PAC)

Post question

N/A

Interviewer instructions

N/A

Adolescent friendly services (sd1_12)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

The services offered in the facility_Adolescent friendly services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Adolescent friendly services

Post question

N/A

Interviewer instructions

N/A

Rape and gender based violence services (sd1_13)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

The services offered in the facility_Rape and gender based violence services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Rape and gender based violence services

Post question

N/A

Interviewer instructions

N/A

Other gynaecological services (sd1_14)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_Other gynaecological services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Other gynaecological services

Post question

N/A

Interviewer instructions

N/A

Other maternal health services (sd1_15)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

The services offered in the facility_Other maternal health services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Other maternal health services

Post question

N/A

Interviewer instructions

N/A

Specify the other gynaecological services offered (sd1_14sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 20

Format: character

Width: 244

Description

The other gynaecological services offered at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Specify the other gynaecological services offered

Post question

N/A

Interviewer instructions

N/A

Specify the other maternal health services offered (sd1_15sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 31

Format: character

Width: 244

Description

The other maternal health services offered at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Specify the other maternal health services offered

Post question

N/A

Interviewer instructions

N/A

M2-1. In this facility, are post-abortion care patients treated as outpatients (opdipd)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 27
Decimals: 0
Range: 1-3

Valid cases: 128
Invalid: 0

Description

If the facility offers inpatient and outpatient services for post abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

In this facility, are post-abortion care patients treated as outpatients (they don't spend the night in the facility), as inpatients (they spend at least one night in the facility), or both?

Post question

N/A

Interviewer instructions

N/A

M2-2. During a TYPICAL month, about how many such post-abortion care patients wo (avg_month_opd)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-50

Valid cases: 100
Invalid: 28
Minimum: 0
Maximum: 50
Mean: 3.6
Standard deviation: 8.3

Description

The estimate of post-abortion care patients treated as outpatients at this facility in a month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

During a TYPICAL month, about how many such post-abortion care patients would you estimate are treated as outpatients at this facility as a whole?

Post question

N/A

Interviewer instructions

Remember to include all post-abortion care patients whether they are due to spontaneous or induced abortions.

M2-3. During the PAST month, about how many such post-abortion care patients wou (past_month_opd)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-75

Valid cases: 100

Invalid: 28

Minimum: 0

Maximum: 75

Mean: 3.4

Standard deviation: 11

Description

The estimate of post-abortion care patients treated as outpatients at this facility in the past month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

During the PAST month, about how many such post-abortion care patients would you estimate are treated as outpatients at this facility as a whole?

Post question

N/A

Interviewer instructions

Remember to include all post-abortion care patients whether they are due to spontaneous or induced abortions.

M2-4. During a TYPICAL month, about how many such post-abortion care patients wo (avg_month_ipd)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-30

Valid cases: 90

Invalid: 38

Minimum: 0

Maximum: 30

Mean: 3.1

Standard deviation: 5.2

Description

The estimate of post-abortion care patients treated as Inpatients at this facility in a month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

During a TYPICAL month, about how many such post-abortion care patients would you estimate are treated as inpatients at this facility as a whole?

Post question

N/A

Interviewer instructions

Remember to include all post-abortion care patients whether they are due to spontaneous or induced abortions.

M2-5. During a PAST month, about how many such post-abortion care patients would (past_month_ipd)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-26

Valid cases: 90

Invalid: 38

Minimum: 0

Maximum: 26

Mean: 3.3

Standard deviation: 5.4

Description

The estimate of post-abortion care patients treated as Inpatients at this facility in the past month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

During a PAST month, about how many such post-abortion care patients would you estimate are treated as inpatients at this facility as a whole?

Post question

N/A

Interviewer instructions

Remember to include all post-abortion care patients whether they are due to spontaneous or induced abortions.

(total_past_month_opd)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(total_past_month_ipd)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(total_past_month)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

M2-6a What percent lived in this region? (inside_region)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 9	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 73
	Standard deviation: 30.4

Description

The percentage of post-abortion care patients living in the region that came to the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Literal question

What percent lived in this region?

M2-6b What percent lived outside this region? (outside_region)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 9	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 19.7
	Standard deviation: 22.9

Description

The percentage of post-abortion care patients living outside the region that came to the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What percent lived outside this region?

Post question

N/A

Interviewer instructions

N/A

M2-6c What percent lived outside Liberia? (outside_country)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 7.4
	Standard deviation: 18.8

Description

The percentage of post-abortion care patients living outside Liberia that came to the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What percent lived outside Liberia?

Post question

N/A

Interviewer instructions

N/A

(check_location)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 3

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

M2-7b. Thinking of the patients who came into this facility in a typical month o (agebelow19)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 29.5

Standard deviation: 33.1

Description

The percentage of patients aged 19 or below who came into the facility in a typical month or in the past month with spontaneous or induced abortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Thinking of the patients who came into this facility in a typical month or in the past month with spontaneous or induced abortion complications, what percent was age 19 or below?

Post question

N/A

Interviewer instructions

N/A

M2-8a. Thinking of the patients who came into this facility in a typical month o (gestation_12wksunder)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 60.2
Standard deviation: 33.7

Description

The percentage of patients with gestation aged 12 weeks or under coming into the facility in a typical month or in the past month with spontaneous or induced abortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Thinking of the patients who came into this facility in a typical month or in the past month with spontaneous or induced abortion complications, what percent was the gestation age 12 weeks or under?

Post question

N/A

Interviewer instructions

N/A

M2-8b. Thinking of the patients who came into this facility in a typical month o (gestation_beyond12wks)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 32.2
Standard deviation: 30.7

Description

The percentage of patients with gestation age BEYOND 12 weeks coming into the facility in a typical month or in the past month with spontaneous or induced abortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Thinking of the patients who came into this facility in a typical month or in the past month with spontaneous or induced abortion complications, what percent was the gestation age BEYOND 12 weeks?

Post question

N/A

Interviewer instructions

N/A

(check_gestation)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 3

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

M2-9. Thinking of the patients who came into this facility in a typical month or (spontaneous)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 50.3

Standard deviation: 40.8

Description

The percentage of patients having a spontaneous abortion or miscarriage who came into the facility in a typical month or in the past month with post-abortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Thinking of the patients who came into this facility in a typical month or in the past month with post-abortion complications, what percent had a spontaneous abortion or miscarriage?

Post question

N/A

Interviewer instructions

N/A

M2-10a.To the best of your understanding, what percent of the post-abortion care (minor)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 36.2

Standard deviation: 34.1

Description

If the percent of the post-abortion care patients at this facility in a typical month or in the past month had complication can be classified as minor

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your understanding, what percent of the post-abortion care patients at this facility in a typical month or in the past month had complication you would classify as minor?

Post question

N/A

Interviewer instructions

N/A

M2-10b. To the best of your understanding, what percent of the post-abortion car (moderate)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 38.4

Standard deviation: 31.8

Description

If the percent of the post-abortion care patients at this facility in a typical month or in the past month had complication can be classified as moderate

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your understanding, what percent of the post-abortion care patients at this facility in a typical month or in the past month had complications you would classify as moderate?

Post question

N/A

Interviewer instructions

N/A

M2-10c. To the best of your understanding, what percent of the post-abortion car (severe)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 25.4

Standard deviation: 31

Description

If the percent of the post-abortion care patients at this facility in a typical month or in the past month had complication can be classified as severe

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your understanding, what percent of the post-abortion care patients at this facility in a typical month or in the past month had complications you would classify as severe?

Post question

N/A

Interviewer instructions

N/A

(check_severity)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 3

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

M2-12. What percent of the post-abortion patients at this facility in the LAST M (nearmiss)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 7.1

Standard deviation: 18.2

Description

The percent of the post-abortion patients at the facility in the LAST MONTH would the respondent classify as near miss case

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What percent of the post-abortion patients at this facility in the LAST MONTH would you classify as near miss?

Post question

The WHO defines "near miss" as a woman who nearly died but survived a complication that occurred during pregnancy or within 42 days of termination of pregnancy.

Interviewer instructions

N/A

M2-13. IN THE LAST YEAR, did any woman die in your facility from an abortion-rel (death_yn)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

If any woman died in the respondent facility from an abortion-related complication in the previous year

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IN THE LAST YEAR, did any woman die in your facility from an abortion-related complication?

Post question

N/A

Interviewer instructions

N/A

M2-14. Please estimate what percent of abortion-related cases died from abortion (death_num)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 1-50

Valid cases: 8

Invalid: 120

Minimum: 1

Maximum: 50

Mean: 16.6

Standard deviation: 19

Description

The estimate percentage of abortion-related cases that died from abortion-related complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Please estimate what percent of abortion-related cases died from abortion-related complications?

Post question

N/A

Interviewer instructions

N/A

Incomplete abortion (incomplete_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 42.5

Standard deviation: 39.8

Description

The percentage of women had Incomplete abortion in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Incomplete abortion

Post question

N/A

Interviewer instructions

N/A

Fever (fever_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 9
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 19.2
Standard deviation: 29

Description

The percentage of women had Fever in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Fever

Post question

N/A

Interviewer instructions

N/A

Sepsis (sepsis_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 9
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 10.4
Standard deviation: 19.7

Description

The percentage of women had Sepsis in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Sepsis

Post question

N/A

Interviewer instructions

N/A

Septic shock (septicshock_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-50

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 50
Mean: 1
Standard deviation: 5.1

Description

The percentage of women had Septic shock in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Septic shock

Post question

N/A

Interviewer instructions

N/A

Hemorrhage (hemorrhage_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 9
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 28.8
Standard deviation: 37.4

Description

The percentage of women had Hemorrhage in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Hemorrhage

Post question

N/A

Interviewer instructions

N/A

Hemorrhagic shock (hemshock_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-50

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 50

Mean: 0.8

Standard deviation: 4.9

Description

The percentage of women had Hemorrhagic shock in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Hemorrhagic shock

Post question

N/A

Interviewer instructions

N/A

Cervical/vaginal lacerations (laceration_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-80

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 80

Mean: 1.5

Standard deviation: 8.6

Description

The percentage of women had Cervical/vaginal lacerations in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Cervical/vaginal lacerations

Post question

N/A

Interviewer instructions

N/A

Uterine perforation (perforation_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-50

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 50

Mean: 0.7

Standard deviation: 4.8

Description

The percentage of women had Uterine perforation in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Uterine perforation

Post question

N/A

Interviewer instructions

N/A

Visceral injury (i.e. bladder, intestine) (visceral_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 0.9

Standard deviation: 8.9

Description

The percentage of women had Visceral injury (i.e. bladder, intestine) in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Visceral injury (i.e. bladder, intestine)

Post question

N/A

Interviewer instructions

N/A

Other (do not need to specify) (other_complication_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 9
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 1.6
Standard deviation: 9.3

Description

The percentage of women had Other (do not need to specify) in the last month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in a typical month or 0 were provided in the last month. We want to know many women had each of the COMPLICATIONS. After I name a complication, tell me what percent of women had the symptom in the last month. Keep in mind that each patient may have MULTIPLE complications.

Literal question

Other (do not need to specify)

Post question

N/A

Interviewer instructions

N/A

Dilation and currettage (D&C) (dc_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 12.9
Standard deviation: 24.1

Description

The percent of women treated using Dilation and currettage (D&C) as the PRIMAY METHOD in a typical month or the last month.

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in this facility in a typical month or 0 in the last month. We want to know the PRIMARY UTERINE EVACUATION METHOD used to treat the women. After I name each procedure, tell me the percent of women treated using it as the PRIMAY METHOD in a typical month or the last month. We need the percent to total up to 100%.as the PRIMARY METHOD in the last month.

Literal question

Dilation and currettage (D&C)

Post question

N/A

Interviewer instructions

N/A

Misoprotol (not only for cervical softening) (miso_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 25.2
Standard deviation: 26.7

Description

The percent of women treated using Misoprotol (not only for cervical softening) as the PRIMAY METHOD in a typical month or the last month.

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in this facility in a typical month or 0 in the last month. We want to know the PRIMARY UTERINE EVACUATION METHOD used to treat the women. After I name each procedure, tell me the percent of women treated using it as the PRIMAY METHOD in a typical month or the last month. We need the percent to total up to 100%.as the PRIMARY METHOD in the last month.

Literal question

Misoprotol (not only for cervical softening)

Post question

N/A

Interviewer instructions

N/A

Manual vacuum aspirator (MVA) (mva_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 100
Mean: 51.3
Standard deviation: 35.7

Description

The percent of women treated using Manual vacuum aspirator (MVA) as the PRIMAY METHOD in a typical month or the last month.

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in this facility in a typical month or 0 in the last month. We want to know the PRIMARY UTERINE EVACUATION METHOD used to treat the women. After I name each procedure, tell me the percent of women treated using it as the PRIMAY METHOD in a typical month or the last month. We need the percent to total up to 100%.as the PRIMARY METHOD in the last month.

Literal question

Manual vacuum aspirator (MVA)

Post question

N/A

Interviewer instructions

N/A

Electric Vaccum Aspirator (EVA) (eva_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-25

Valid cases: 128

Invalid: 0

Minimum: 0

Maximum: 25

Mean: 1.5

Standard deviation: 5.1

Description

The percent of women treated using Electric Vaccum Aspirator (EVA) as the PRIMAY METHOD in a typical month or the last month.

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in this facility in a typical month or 0 in the last month. We want to know the PRIMARY UTERINE EVACUATION METHOD used to treat the women. After I name each procedure, tell me the percent of women treated using it as the PRIMAY METHOD in a typical month or the last month. We need the percent to total up to 100%.as the PRIMARY METHOD in the last month.

Literal question

Electric Vaccum Aspirator (EVA)

Post question

N/A

Interviewer instructions

N/A

Did not receive treatment at this facility but were referred (none_num)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 128
 Invalid: 0
 Minimum: 0
 Maximum: 100
 Mean: 4.7
 Standard deviation: 17.7

Description

The percent of women did not receive treatment at the facility but were referred in a typical month or the last month.

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in this facility in a typical month or 0 in the last month. We want to know the PRIMARY UTERINE EVACUATION METHOD used to treat the women. After I name each procedure, tell me the percent of women treated using it as the PRIMAY METHOD in a typical month or the last month. We need the percent to total up to 100%.as the PRIMARY METHOD in the last month.

Literal question

Did not receive treatment at this facility but were referred

Post question

N/A

Interviewer instructions

N/A

Other (do not need to specify) (other_proc_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 128
 Invalid: 0
 Minimum: 0
 Maximum: 100
 Mean: 4.4
 Standard deviation: 18.4

Description

The percent of women treated using other methods as the PRIMAY METHOD in a typical month or the last month.

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

You said 0 women are provided post-abortion care in this facility in a typical month or 0 in the last month. We want to know the PRIMARY UTERINE EVACUATION METHOD used to treat the women. After I name each procedure, tell me the percent of women treated using it as the PRIMAY METHOD in a typical month or the last month. We need the percent to total up to 100%.as the PRIMARY METHOD in the last month.

Literal question

Other (do not need to specify)

Post question

N/A

Interviewer instructions

N/A

(check_procedure)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 3

Valid cases: 128
 Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

M2-17. What are the various treatments and services available to post-abortion (pac_procedure)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 128

Description

The various treatments and services available to post-abortion care patients at the facilities

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What are the various treatments and services available to post-abortion care patients at this facilities?

Post question

N/A

Interviewer instructions

N/A

Uterine evacuation - Dilation and curettage (D&C) (pac_evac_dc)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Uterine evacuation - Dilation and curettage (D&C)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Uterine evacuation - Dilation and curettage (D&C)

Post question

N/A

Interviewer instructions

N/A

Uterine evacuation - Misoprotol (pac_evac_miso)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Uterine evacuation - Misoprotol

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Uterine evacuation - Misoprotol

Post question

N/A

Interviewer instructions

N/A

Uterine evacuatoin - Manual vacuum aspirator (MVA) (pac_evac_mva)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Uterine evacuation - Manual vacuum aspirator (MVA)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Uterine evacuation - Manual vacuum aspirator (MVA)

Post question

N/A

Interviewer instructions

N/A

Uterine evacuation - Electric Vacuum Aspirator (EVA) (pac_evac_eva) File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Uterine evacuation - Electric Vacuum Aspirator (EVA)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Uterine evacuation - Electric Vacuum Aspirator (EVA)

Post question

N/A

Interviewer instructions

N/A

Treatment for hemorrhage (including uterotonics) (pac_hemorrhage) File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Treatment for hemorrhage (including uterotonics)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Treatment for hemorrhage (including uterotonics)

Post question

N/A

Interviewer instructions

N/A

Blood transfusion (pac_transfusion)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Blood transfusion

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Blood transfusion

Post question

N/A

Interviewer instructions

N/A

Prevention of infection & treatment for sepsis (including antibiotics) (pac_sepsis)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Prevention of infection & treatment for sepsis (including antibiotics)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Prevention of infection & treatment for sepsis (including antibiotics)

Post question

N/A

Interviewer instructions

N/A

Pain management (pac_pain)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Pain management

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

Pain management

Post question

N/A

Interviewer instructions

N/A

FP counseling (pac_fpcounseling)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_FP counseling

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

FP counseling

Post question

N/A

Interviewer instructions

N/A

FP method provision (pac_fp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_FP method provision

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

FP method provision

Post question

N/A

Interviewer instructions

N/A

HIV counseling, testing, and treatment (pac_hiv)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_HIV counseling, testing, and treatment

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What are the various treatments and services available to post-abortion care patients at this facilities?

Literal question

HIV counseling, testing, and treatment

Post question

N/A

Interviewer instructions

N/A

STI management and counseling (including contact tracing) (pac_sti) File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 120

Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_STI management and counseling (including contact tracing)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

STI management and counseling (including contact tracing)

Post question

N/A

Interviewer instructions

N/A

Psychosocial and mental health support (pac_mentalhealth) File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 120

Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Psychosocial and mental health support

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Psychosocial and mental health support

Post question

N/A

Interviewer instructions

N/A

Referral to and/or information about other SRMNH service providers and community (pac_referrals)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 120

Invalid: 8

Description

The various treatments and services available to post-abortion care patients at the facilities_Referral to and/or information about other SRMNH service providers and community

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Referral to and/or information about other SRMNH service providers and community

Literal question

Referral to and/or information about other SRMNH service providers and community

Post question

N/A

Interviewer instructions

N/A

Other treatments and services (pac_other)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 120

Invalid: 8

Description

The Other treatments and services available to post-abortion care patients at the facilities_

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Other treatments and services

Literal question

Other treatmentst and services

Post question

N/A

Interviewer instructions

N/A

What other treatments and services do you provide to PAC patients?
 (pac_other_sp)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 19

Format: character

Width: 244

Description

Other treatmeants and services available to post-abortion care patients at the facilities

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What other treatments and services do you provide to PAC patients?

Post question

N/A

Interviewer instructions

N/A

M2-18. Of the $\{total_avg\}$ PAC patients you see in a TYPICAL MONTH
 or the $\{to (pac_ref_lower_pct)\}$
 File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Valid cases: 120

Format: numeric

Invalid: 8

Width: 8

Minimum: 0

Decimals: 0

Maximum: 100

Range: 0-100

Mean: 7.1

Standard deviation: 17.7

Description

The percentage of PAC patients that were referred to the respondent's facility after having been treated at another facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the 0 PAC patients you see in a TYPICAL MONTH or the 0 you saw in the LAST MONTH, what percent were REFERRED TO YOUR FACILITY after having been treated at another facility?

Post question

N/A

Interviewer instructions

N/A

M2-19. To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to (pac_ref_lower_reason)
File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 8

Valid cases: 31

Invalid: 0

Description

The reason the LOWER LEVEL FACILITY are unable to provide care for the post-abortion cases that were referred to the respondent's facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility?

Post question

N/A

Interviewer instructions

N/A

(pac_ref_lower_reason_1)
File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 31

Invalid: 97

Description

The reason the LOWER LEVEL FACILITY are unable to provide care for the post-abortion cases that were referred to the respondent's facility_Lack of necessary equipment or commodities

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Lack of necessary equipment or commodities

Post question

N/A

Interviewer instructions

N/A

(pac_ref_lower_reason_2)
File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 31
Invalid: 97

Description

The reason the LOWER LEVEL FACILITY are unable to provide care for the post-abortion cases that were referred to the respondent's facility_Lack of trained personnel

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Lack of trained personnel

Post question

N/A

Interviewer instructions

N/A

(pac_ref_lower_reason_3)
File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 31
Invalid: 97

Description

The reason the LOWER LEVEL FACILITY are unable to provide care for the post-abortion cases that were referred to the respondent's facility_Lack of necessary infrastructure to manage PAC cases

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Lack of necessary infrastructure to manage PAC cases

Post question

N/A

Interviewer instructions

N/A

(pac_ref_lower_reason_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 31
 Invalid: 97

Description

The reason the LOWER LEVEL FACILITY are unable to provide care for the post-abortion cases that were referred to the respondent's facility_Other (do not need to specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think the LOWER LEVEL FACILITY was unable to provide care for the post-abortion cases that were referred to your facility_Other (do not need to specify)

Post question

N/A

Interviewer instructions

N/A

M2-20. What percent of PAC patients have you REFERRED TO ANOTHER facility to com (pac_ref_higher_pct)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-50

Valid cases: 120
 Invalid: 8
 Minimum: 0
 Maximum: 50
 Mean: 3.5
 Standard deviation: 10.9

Description

The percentage of PAC patients that the respondent had REFERRED TO ANOTHER facility to complete treatment in the past month

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What percent of PAC patients have you REFERRED TO ANOTHER facility to complete treatment, after having treated them (either as inpatients or outpatients), in the past month or past year?

Post question

N/A

Interviewer instructions

N/A

M2-21. To your knowledge, why do you think THIS FACILITY was unable to provide c (pac_ref_higher_reason)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 8

Valid cases: 23

Invalid: 0

Description

The reason the respondent's facility was unable to provide care for the post-abortion cases that visited the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility?

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_reason_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 23

Invalid: 105

Description

The reason the respondent's facility was unable to provide care for the post-abortion cases that visited the facility_Lack of necessary equipment or commodities

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Lack of necessary equipment or commodities

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_reason_2)
File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 23
Invalid: 105

Description

The reason the respondent's facility was unable to provide care for the post-abortion cases that visited the facility_Lack of trained personnel

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Lack of trained personnel

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_reason_3)
File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 23
Invalid: 105

Description

The reason the respondent's facility was unable to provide care for the post-abortion cases that visited the facility_Lack of necessary infrastructure to manage PAC cases

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_Lack of necessary infrastructure to manage PAC cases

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_reason_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 23
 Invalid: 105

Description

The reason the respondent's facility was unable to provide care for the post-abortion cases that visited the facility_ Other (do not need to specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, why do you think THIS FACILITY was unable to provide care for the post-abortion cases that visited your facility_ Other (do not need to specify)

Post question

N/A

Interviewer instructions

N/A

M2-22. What type of facility do you refer women to?

(pac_ref_higher_type)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 7

Valid cases: 23
 Invalid: 0

Description

The type of facility the respondent referred the women

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What type of facility do you refer women to?

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_type_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 23
 Invalid: 105

Description

The type of facility the respondent referred the women_Primary - clinic

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What type of facility do you refer women to_Primary - clinic

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_type_2)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 23
 Invalid: 105

Description

The type of facility the respondent referred the women_Secondary - health center

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What type of facility do you refer women to_Secondary - health center

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_type_3)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 23
 Invalid: 105

Description

The type of facility the respondent referred the women_Secondary - county hospital

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What type of facility do you refer women to_Secondary - county hospital

Post question

N/A

Interviewer instructions

N/A

(pac_ref_higher_type_4)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 23
 Invalid: 105

Description

The type of facility the respondent referred the women_Tertiary - National referral hospital

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What type of facility do you refer women to_Tertiary - National referral hospital

Post question

N/A

Interviewer instructions

N/A

M2-23. To the best of your knowledge, what percent of the abortion-related cases (pac_ref_higher_actual)
 File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-100

Valid cases: 23
 Invalid: 105
 Minimum: 0
 Maximum: 100
 Mean: 18.7
 Standard deviation: 28

Description

The percentage of abortion-related cases that the respondent refer in a TYPICAL MONTH or referred in the LAST MONTH actually got to a higher level facility for treatment

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your knowledge, what percent of the abortion-related cases that you refer in a TYPICAL MONTH or referred in the LAST MONTH actually got to a higher level facility for treatment?

Post question

N/A

Interviewer instructions

N/A

M2-24. What do you think are the BARRIERS that keep women from going to a higher (pac_referral_barriers)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 10

Valid cases: 120
 Invalid: 0

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment?

Post question

N/A

Interviewer instructions

N/A

(pac_referral_barriers_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Cannot afford travel/fees for services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Cannot afford travel/fees for services

Post question

N/A

Interviewer instructions

N/A

(pac_referral_barriers_2)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment_They do not trust the other facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_They do not trust the other facility

Post question

N/A

Interviewer instructions

N/A

(pac_referral_barriers_3)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment_They do not want their husband or family to know

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_They do not want their husband or family to know

Post question

N/A

Interviewer instructions

N/A

(pac_referral_barriers_4)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Lack of knowledge about severity of problem

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Lack of knowledge about severity of problem

Post question

N/A

Interviewer instructions

N/A

(pac_referral_barriers_5)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment_No one to accompany or support at other facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_No one to accompany or support at other facility

Post question

N/A

Interviewer instructions

N/A

(pac_referral_barriers_99)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

The BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Other (specify):

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What do you think are the BARRIERS that keep women from going to a higher level facility when they are referred for treatment_Other (specify):

Post question

N/A

Interviewer instructions

N/A

Specify other barriers that keep women from going to higher facility once referr (pac_referral_barriers_sp)
 File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 14

Format: character

Width: 244

Description

Other BARRIERS that keep women from going to a higher level facility when they are referred for treatment

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Specify other barriers that keep women from going to higher facility once referred

Post question

N/A

Interviewer instructions

N/A

M2-25. Do women pay money at this facility for management of postabortion compli (pac_cost_yn)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 120

Format: numeric

Invalid: 8

Width: 8

Decimals: 0

Range: 0-1

Description

If women pay money at the respondent's facility for management of postabortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Do women pay money at this facility for management of postabortion complications?

Post question

N/A

Interviewer instructions

N/A

M2-27. IF NO, which one of the following items do you think women bring to the f (pac_cost_item)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 88

Format: character

Invalid: 0

Width: 8

Description

The items women bring to the facilities themselves during management of postabortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF NO, which one of the following items do you think women bring to the facilities themselves?

Post question

N/A

Interviewer instructions

N/A

(pac_cost_item_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 88

Invalid: 40

Description

The items women bring to the facilities themselves during management of postabortion complications_Medicines and drugs

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF NO, which one of the following items do you think women bring to the facilities themselves_Medicines and drugs

Post question

N/A

Interviewer instructions

N/A

(pac_cost_item_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 88

Invalid: 40

Description

The items women bring to the facilities themselves during management of postabortion complications_Medical supplies (e.g. cotton swabs, gauze, etc.)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF NO, which one of the following items do you think women bring to the facilities themselves_Medical supplies (e.g. cotton swabs, gauze, etc.)

Post question

N/A

Interviewer instructions

N/A

(pac_cost_item_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 88
Invalid: 40

Description

The items women bring to the facilities themselves during management of postabortion complications_Blood

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF NO, which one of the following items do you think women bring to the facilities themselves_Blood

Post question

N/A

Interviewer instructions

N/A

(pac_cost_item_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 88
Invalid: 40

Description

The items women bring to the facilities themselves during management of postabortion complications_Other

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF NO, which one of the following items do you think women bring to the facilities themselves_Other

Post question

N/A

Interviewer instructions

N/A

What other items do women bring to the facilities themselves?
(pact_cost_item_other)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 35

Format: character

Width: 244

Description

Other items women bring to the facilities themselves during management of postabortion complications

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What other items do women bring to the facilities themselves?

Post question

N/A

Interviewer instructions

N/A

M2-26a. IF YES, What is the MINIMUM of how much a women pays for
post-abortion c (pac_cost_min)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Valid cases: 32

Format: numeric

Invalid: 96

Width: 8

Minimum: 25

Decimals: 0

Maximum: 17000

Range: 25-17000

Mean: 2833

Standard deviation: 3393.3

Description

The minimum amount of money a women pays for post-abortion care at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF YES, What is the MINIMUM of how much a women pays for post-abortion care at this facility?

Post question

N/A

Interviewer instructions

N/A

M2-26b. IF YES, What is the MAXIMUM of how much a women pays for post-abortion c (pac_cost_max)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 12
Decimals: 0
Range: 50-40000

Valid cases: 32
Invalid: 96
Minimum: 50
Maximum: 40000
Mean: 6034.7
Standard deviation: 8107.6

Description

The maximum amount of money a women pays for post-abortion care at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF YES, What is the MAXIMUM of how much a women pays for post-abortion care at this facility?

Post question

N/A

Interviewer instructions

N/A

M2-28. To the best of your knowlege, of the total women that came for abortion-r (pac_cost_delay_num)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 120
Invalid: 8
Minimum: 0
Maximum: 100
Mean: 8.7
Standard deviation: 23.2

Description

The percentage of women that came for abortion-related issues in the last 3 months have a DELAY receiving treatment for 48 hours or more because of cost

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your knowlege, of the total women that came for abortion-related issues in the last 3 months, what percentage DELAY receiving treatment for 48 hours or more because of the cost?

Post question

N/A

Interviewer instructions

N/A

M2-29. To the best of your knowlege, of the total women that came for abortion-r (pac_cost_nocare_num)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 120

Invalid: 8

Minimum: 0

Maximum: 100

Mean: 4.6

Standard deviation: 16.9

Description

The percentage of women that came for abortion-related issues in the last 3 months and left the facility without receiving treatment because of cost

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your knowlege, of the total women that came for abortion-related issues in the last 3 months, what percentage LEAVE WITHOUT receiving any treatment because of the cost?

Post question

N/A

Interviewer instructions

N/A

M2-30a. In your opinion, could treatment for abortion complications be improved (pac_improve_yn)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

In the respondent's opinion if treatment for abortion complications can be improved at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

In your opinion, could treatment for abortion complications be improved at this facility?

Post question

N/A

Interviewer instructions

N/A

M2-30b. If yes, how could treatment for abortion complications be improved at th (pac_improve)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 120

Format: character

Invalid: 0

Width: 35

Description

Ways in which treatment for abortion complications can be improved at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility?

Post question

N/A

Interviewer instructions

N/A

(pac_improve_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 120

Format: numeric

Invalid: 8

Width: 8

Decimals: 0

Range: 0-1

Description

Ways in which treatment for abortion complications can be improved at the facility_Have a private room for postabortion care patients

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have a private room for postabortion care patients

Post question

N/A

Interviewer instructions

N/A

(pac_improve_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Improve/expand infrastructure

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Improve/expand infrastructure

Post question

N/A

Interviewer instructions

N/A

(pac_improve_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more people trained in managing PAC clients

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more people trained in managing PAC clients

Post question

N/A

Interviewer instructions

N/A

(pac_improve_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more lower level facilities allowed and equipped to provide PAC

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more lower level facilities allowed and equipped to provide PAC

Post question

N/A

Interviewer instructions

N/A

(pac_improve_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more MVA equipment available

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more MVA equipment available

Post question

N/A

Interviewer instructions

N/A

(pac_improve_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more misoprostol available

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more misoprostol available

Post question

N/A

Interviewer instructions

N/A

(pac_improve_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more antibiotics available

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more antibiotics available

Post question

N/A

Interviewer instructions

N/A

(pac_improve_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more blood available for transfusions

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more blood available for transfusions

Post question

N/A

Interviewer instructions

N/A

(pac_improve_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have more pain medication available

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have more pain medication available

Post question

N/A

Interviewer instructions

N/A

(pac_improve_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Provide information on contraception and give methods

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Provide information on contraception and give methods

Post question

N/A

Interviewer instructions

N/A

(pac_improve_11)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Have copy of National Comprehensive Abortion Care (CAC) Guidelines available at this facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Have copy of National Comprehensive Abortion Care (CAC) Guidelines available at this facility

Post question

N/A

Interviewer instructions

N/A

(pac_improve_12)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Provide more support to staff (e.g. refresher courses)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Provide more support to staff (e.g. refresher courses)

Post question

N/A

Interviewer instructions

N/A

(pac_improve_14)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Provide free postabortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Provide free postabortion care

Post question

N/A

Interviewer instructions

N/A

(pac_improve_15)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Vehicle to transport patients who have been referred

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Vehicle to transport patients who have been referred

Post question

N/A

Interviewer instructions

N/A

(pac_improve_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 120
 Invalid: 8

Description

Ways in which treatment for abortion complications can be improved at the facility_Other (specify):

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If yes, how could treatment for abortion complications be improved at this facility_Other (specify):

Post question

N/A

Interviewer instructions

N/A

In what other ways can treatment for abortion complications be improved? (pac_improve_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 8

Format: character

Width: 244

Description

Other Ways in which treatment for abortion complications can be improved at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

In what other ways can treatment for abortion complications be improved?

Post question

N/A

Interviewer instructions

N/A

M2-31. To your knowledge, under which circumstances is abortion LEGAL in Liberia (abortion_legal_knowledge)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: character

Invalid: 0

Width: 24

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia?

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If the woman's physical health is at risk

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman's physical health is at risk

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If pregnancy is from rape

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If pregnancy is from rape

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If pregnancy is from incest

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If pregnancy is from incest

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If the woman is HIV positive

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman is HIV positive

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If the woman is mentally incapacitated

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman is mentally incapacitated

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If the woman's mental health is at risk

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman's mental health is at risk

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If a girl is under age 16

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If a girl is under age 16

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_Economic reasons (e.g. cannot care for the child)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_Economic reasons (e.g. cannot care for the child)

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If the girl or woman is unmarried

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the girl or woman is unmarried

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If pregnancy is from contraceptive failure

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If pregnancy is from contraceptive failure

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_11)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If the woman doesn't want the pregnancy

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If the woman doesn't want the pregnancy

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_12)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_If there is fetal impairment

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_If there is fetal impairment

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_0)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_Under no circumstances

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_Under no circumstances

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_98)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_I don't know

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_I don't know

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_knowledge_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge_Others (specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To your knowledge, under which circumstances is abortion LEGAL in Liberia_Others (specify)

Post question

N/A

Interviewer instructions

N/A

Under what other circumstances is abortion legal?

(abortion_legal_knowledge_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 28

Valid cases: 2
 Invalid: 0

Description

Other circumstances where abortion is LEGAL in Liberia according to the respondent's knowledge

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under what other circumstances is abortion legal?

Post question

N/A

Interviewer instructions

N/A

M2-32. Under which conditions do you think abortion should be allowed in Liberia (abortion_legal_opinion)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 28

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia?

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If the woman's physical health is at risk

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If the woman's physical health is at risk

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If pregnancy is from rape

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If pregnancy is from rape

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If pregnancy is from incest

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If pregnancy is from incest

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If the woman is HIV positive

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If the woman is HIV positive

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If the woman is mentally incapacitated

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If the woman is mentally incapacitated

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If the woman's mental health is at risk

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If the woman's mental health is at risk

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If a girl is under age 16

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If a girl is under age 16

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_Economic reasons (e.g. cannot care for the child)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_Economic reasons (e.g. cannot care for the child)

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If the girl or woman is unmarried

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If the girl or woman is unmarried

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If pregnancy is from contraceptive failure

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If pregnancy is from contraceptive failure

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_11)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If the woman doesn't want the pregnancy

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If the woman doesn't want the pregnancy

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_12)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_If there is fetal impairment

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_If there is fetal impairment

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_0)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_Under no circumstances

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_Under no circumstances

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_98)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_I don't know

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_I don't know

Post question

N/A

Interviewer instructions

N/A

(abortion_legal_opinion_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

conditions under which abortion should be allowed in Liberia_Others (specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under which conditions do you think abortion should be allowed in Liberia_Others (specify)

Post question

N/A

Interviewer instructions

N/A

Under what other circumstances do you think abortion should be allowed? (abortion_legal_opinion_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 23

Valid cases: 2

Invalid: 0

Description

Other conditions under which abortion should be allowed in Liberia

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Under what other circumstances do you think abortion should be allowed?

Post question

N/A

Interviewer instructions

N/A

M2-33. Has this facility EVER provided a legal abortion based on circumstances y (abortion_ever)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

If the respondent's facility has ever provided any legal abortion based on circumstances the respondent mentioned earlier

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Has this facility EVER provided a legal abortion based on circumstances you mentioned earlier?

Post question

N/A

Interviewer instructions

N/A

M2-34. IF YES, How many times has this happened during the LAST 12 MONTHS? (abortion_ever_num)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-15

Valid cases: 14
Invalid: 114

Description

The number of times the respondent's facility has provided legal abortion based on circumstances the respondent mentioned earlier during the last 12 months

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

IF YES, How many times has this happened during the LAST 12 MONTHS?

Post question

N/A

Interviewer instructions

N/A

M2-35. What was the major reason for which pregnancies were terminated? (top_reason)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 6

Valid cases: 14

Invalid: 0

Description

The major reason for which pregnancies were terminated

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What was the major reason for which pregnancies were terminated?

Post question

N/A

Interviewer instructions

N/A

(top_reason_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 14

Invalid: 114

Description

The major reason for which pregnancies were terminated_Rape

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What was the major reason for which pregnancies were terminated_Rape

Post question

N/A

Interviewer instructions

N/A

(top_reason_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 14

Invalid: 114

Description

The major reason for which pregnancies were terminated_Incest

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What was the major reason for which pregnancies were terminated_Incest

Post question

N/A

Interviewer instructions

N/A

(top_reason_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 14

Invalid: 114

Description

The major reason for which pregnancies were terminated_ Concerns about mother's health/wellbeing

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What was the major reason for which pregnancies were terminated_ Concerns about mother's health/wellbeing

Post question

N/A

Interviewer instructions

N/A

(top_reason_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 14
Format: numeric	Invalid: 114
Width: 8	
Decimals: 0	
Range: 0-1	

Description

The major reason for which pregnancies were terminated_Concerns about fetal health/wellbeing

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What was the major reason for which pregnancies were terminated_Concerns about fetal health/wellbeing

Post question

N/A

Interviewer instructions

N/A

(top_reason_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 14
Format: numeric	Invalid: 114
Width: 8	
Decimals: 0	
Range: 0-1	

Description

The major reason for which pregnancies were terminated_Other (specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What was the major reason for which pregnancies were terminated_Other (specify)

Post question

N/A

Interviewer instructions

N/A

If other, specify the reason for why pregnancies ere terminated

(top_reason_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 74

Valid cases: 1
 Invalid: 0

Description

Other reason for which pregnancies were terminated

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If other, specify the reason for why pregnancies ere terminated

Post question

N/A

Interviewer instructions

N/A

M2-36. Are you aware of any woman coming to this facility to have a legal aborti (abortion_denied)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

If the respondent is aware of a denial case of abortion to a woman who came for a legal abortion

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Are you aware of any woman coming to this facility to have a legal abortion who was denied that service by a provider in this facility?

Post question

N/A

Interviewer instructions

N/A

M2-37. How many women has your facility referred to somewhere else for an INDUCE (abortion_referred)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-16

Valid cases: 128
 Invalid: 0

Description

The total number of women referred to another facility for an INDUCED ABORTION in the LAST 12 MONTHS in the facility

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How many women has your facility referred to somewhere else for an INDUCED ABORTION in the LAST 12 MONTHS?

Post question

N/A

Interviewer instructions

N/A

M3-1. Do you offer family planning COUNSELING to post-abortion patients at this (pac_fp_counsel)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

If the respondent's facility offers family planning COUNSELING to post-abortion patients at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Do you offer family planning COUNSELING to post-abortion patients at this facility

Post question

N/A

Interviewer instructions

N/A

M3-2. What topics are generally covered in family planning counselling for women (counsel_topics)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 0
 Invalid: 128

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Post question

N/A

Interviewer instructions

N/A

Instructions on correct use of methods (counsel_methods)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 123

Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

Instructions on correct use of methods

Post question

N/A

Interviewer instructions

N/A

Informed about a range of contraceptive methods (counsel_range)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 123

Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

Informed about a range of contraceptive methods

Post question

N/A

Interviewer instructions

N/A

Informed on effectiveness of methods (counse_effectiveness)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 123

Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

Informed on effectiveness of methods

Post question

N/A

Interviewer instructions

N/A

Informed on side effects of methods (counsel_side)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 123

Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

What to do in case of incorrect use of methods (e.g. skipped pills)

Post question

N/A

Interviewer instructions

N/A

What to do in case of incorrect use of methods (e.g. skipped pills)
(counsel_incorrect)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 123
Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

What to do in case of incorrect use of methods (e.g. skipped pills)

Post question

N/A

Interviewer instructions

N/A

Emergency contraception in case of failure to use a method before or
during inte (counsel_ec)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 123
Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

Emergency contraception in case of failure to use a method before or during inte

Post question

N/A

Interviewer instructions

N/A

Benefits of contraception (counsel_benefits)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 123
 Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

Benefits of contraception

Post question

N/A

Interviewer instructions

N/A

Abstinence (counsel_abstinence)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 123
 Invalid: 5

Description

The topics covered in family planning counselling for women who received PAC services at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

What topics are generally covered in family planning counselling for women who received PAC services at this facility?

Literal question

Abstinence

Post question

N/A

Interviewer instructions

N/A

Others (specify) (counsel_other)

File: HFS LIBERIA_RECAST

Overview	
Type: Discrete	Valid cases: 123
Format: numeric	Invalid: 5
Width: 8	
Decimals: 0	
Range: 0-1	
Description	
The topics covered in family planning counselling for women who received PAC services at the facility	
Universe	
Healthcare providers	
Source of information	
Officer-in-charge, medical director or head of nursing of the facility	
Pre question	
What topics are generally covered in family planning counselling for women who received PAC services at this facility?	
Literal question	
Others (specify)	
Post question	
N/A	
Interviewer instructions	
N/A	

If other topics are covered in family planning counseling, specify
(counsel_other_sp)

File: HFS LIBERIA_RECAST

Overview	
Type: Discrete	Valid cases: 10
Format: character	Invalid: 0
Width: 70	
Description	
Other topics covered in family planning counselling for women who received PAC services at the facility	
Universe	
Healthcare providers	
Source of information	
Officer-in-charge, medical director or head of nursing of the facility	
Pre question	
N/A	
Literal question	
If other topics are covered in family planning counseling, specify	
Post question	
N/A	
Interviewer instructions	
N/A	

M3-3. Does your facility have youth peer educators who do family
planning course (youth_educator)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 124
Format: numeric	Invalid: 4
Width: 8	
Decimals: 0	
Range: 0-1	

Description

If the facility have youth peer educators who do family planning counseling

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Does your facility have youth peer educators who do family planning counseling?

Post question

N/A

Interviewer instructions

N/A

M3-4. Do you offer family planning METHODS to post-abortion patients on the prem (pac_fp_method)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 124
Format: numeric	Invalid: 4
Width: 8	
Decimals: 0	
Range: 0-1	

Description

If the facility offers family planning METHODS to post-abortion patients on the premises of the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Literal question

Do you offer family planning METHODS to post-abortion patients on the premises of this facility?

M3-5. If No, Why do you not offer family planning methods on-site? (pac_fp_no)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 128
Width: 8	
Decimals: 0	
Range: 0-1	

Description

Reason why the facility is not offering family planning methods on-site

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Literal question

If No, Why do you not offer family planning methods on-site?

Post question

N/A

Interviewer instructions

N/A

Providers aren't adequately trained (pac_fp_no_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 1

Invalid: 127

Description

Reason why the facility is not offering family planning methods on-site_Providers aren't adequately trained

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

Providers aren't adequately trained

Post question

N/A

Interviewer instructions

N/A

The services are not functional (pac_fp_no_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 1

Invalid: 127

Description

Reason why the facility is not offering family planning methods on-site_The services are not functional

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

The services are not functional

Post question

N/A

Interviewer instructions

N/A

The services are not integrated (pac_fp_no_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 1

Format: numeric

Invalid: 127

Width: 8

Decimals: 0

Range: 0-1

Description

Reason why the facility is not offering family planning methods on-site_The services are not integrated

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

The services are not integrated

Post question

N/A

Interviewer instructions

N/A

The methods are not available (pac_fp_no_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 1

Format: numeric

Invalid: 127

Width: 8

Decimals: 0

Range: 0-1

Description

Reason why the facility is not offering family planning methods on-site_The methods are not available

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

The methods are not available

Post question

N/A

Interviewer instructions

N/A

Facility does not allow (e.g. faith based org) (pac_fp_no_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 1
 Invalid: 127

Description

Reason why the facility is not offering family planning methods on-site_Facility does not allow (e.g. faith based org)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

Facility does not allow (e.g. faith based org)

Post question

N/A

Interviewer instructions

N/A

Services are offered in another facility close by (pac_fp_no_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 1
 Invalid: 127

Description

Reason why the facility is not offering family planning methods on-site_Services are offered in another facility close by

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

Services are offered in another facility close by

Post question

N/A

Interviewer instructions

N/A

Services are offered elsewhere in the facility (pac_fp_no_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 1
 Invalid: 127

Description

Reason why the facility is not offering family planning methods on-site_Services are offered elsewhere in the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

Services are offered elsewhere in the facility

Post question

N/A

Interviewer instructions

N/A

Others (specify): (pac_fp_no_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 1
 Invalid: 127

Description

Reason why the facility is not offering family planning methods on-site_Others (specify):

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

If No, Why do you not offer family planning methods on-site?

Literal question

Others (specify):

Post question

N/A

Interviewer instructions

N/A

What are other reasons why you do not offer FP methods on-site?
 (pac_fp_no_8sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 1

Format: character

Width: 244

Description

Other reason why the facility is not offering family planning methods on-site

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What are other reasons why you do not offer FP methods on-site?

Post question

N/A

Interviewer instructions

N/A

M3-6. How often do you offer contraceptive services to the following groups of P (method_patients)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 0

Format: numeric

Invalid: 128

Width: 9

Decimals: 0

Range: 1-4

Description

How often does the respondent's facility offer contraceptive services to the following groups of PAC patients

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How often do you offer contraceptive services to the following groups of PAC patients --- always, sometimes, rarely or never?

Post question

N/A

Interviewer instructions

N/A

Women who have many children (fp_multiparous)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 1-4

Valid cases: 123
 Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Women who have many children

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Women who have many children

Post question

N/A

Interviewer instructions

N/A

Women who have no children (fp_nulliparous)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 1-4

Valid cases: 123
 Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Women who have no children

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Women who have no children

Post question

N/A

Interviewer instructions

N/A

Women who are married (fp_married)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 1-4

Valid cases: 123
 Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Women who are married

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Women who are married

Post question

N/A

Interviewer instructions

N/A

Women who are not married (fp_unmarried)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 9
Decimals: 0
Range: 1-4

Valid cases: 123
Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Women who are not married

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Women who are not married

Post question

N/A

Interviewer instructions

N/A

Women who are HIV positive (fp_hiv)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 9
Decimals: 0
Range: 1-4

Valid cases: 123
Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Women who are HIV positive

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Women who are HIV positive

Post question

N/A

Interviewer instructions

N/A

Adolescents (19 years of age or younger) (fp_adol)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 9

Decimals: 0

Range: 1-4

Valid cases: 123

Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Adolescents (19 years of age or younger)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Adolescents (19 years of age or younger)

Post question

N/A

Interviewer instructions

N/A

Women 45 years of age or older (fp_45)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 9

Decimals: 0

Range: 1-4

Valid cases: 123

Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Women 45 years of age or older

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Women 45 years of age or older

Post question

N/A

Interviewer instructions

N/A

Partners accompanying women receiving post-abortion care (fp_partners) File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 9
Decimals: 0
Range: 1-4

Valid cases: 123
Invalid: 5

Description

How often does the respondent's facility offer contraceptive services to Partners accompanying women receiving post-abortion care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Partners accompanying women receiving post-abortion care

Post question

N/A

Interviewer instructions

N/A

M3-7. To the best of your knowledge, of the women that you provided post-abortio (fp_uptake) File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 8
Decimals: 0
Range: 0-100

Valid cases: 123
Invalid: 5
Minimum: 0
Maximum: 100
Mean: 64.3
Standard deviation: 35.8

Description

The percentage of women that the respondent provided post-abortion care were given a method of family planning on discharge from the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

To the best of your knowledge, of the women that you provided post-abortion care, what percent was actually given a method of family planning on discharge from this facility?

Post question

Enter percentage (%)

Interviewer instructions

N/A

M3-8. Has this facility provided or prescribed any of the following methods IN T (provision_last3month)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 0
Invalid: 128

Description

If the facility provided or prescribed any of the following methods in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Post question

Verify the following responses using the FP ledger for all facilities. Also verify using the CHSS/CHA/outreach ledger for facilities covered by CHSS/CHAs

Interviewer instructions

N/A

Condom - male (provision_condomm)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 124
Invalid: 4

Description

If the facility provided or prescribed Condom - male in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Condom - male

Post question

N/A

Interviewer instructions

N/A

Condom - female (provision_condomf)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Condom - female in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Condom - female

Post question

N/A

Interviewer instructions

N/A

Oral contraceptive pills (Microgynon or Microlut) (provision_ocp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Oral contraceptive pills (Microgynon or Microlut) in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Oral contraceptive pills (Microgynon or Microlut)

Post question

N/A

Interviewer instructions

N/A

Injectable - Depo-Provera / DMPA-IM (provision_depo)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Injectable - Depo-Provera / DMPA-IM in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Injectable - Depo-Provera / DMPA-IM

Post question

N/A

Interviewer instructions

N/A

Injectable - Sayana Press / DMPA-SC (provision_sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Injectable - Sayana Press / DMPA-SC in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Injectable - Sayana Press / DMPA-SC

Post question

N/A

Interviewer instructions

N/A

Implant - 2-rod (e.g. Jadelle) (provision_implant)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Implant - 2-rod (e.g. Jadelle) in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Implant - 2-rod (e.g. Jadelle)

Post question

N/A

Interviewer instructions

N/A

Intrauterine contraceptive device (IUCD) (provision_iucd)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Intrauterine contraceptive device (IUCD) in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Intrauterine contraceptive device (IUCD)

Post question

N/A

Interviewer instructions

N/A

Cycle beads for standard days method (provision_beads)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Cycle beads for standard days method in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Cycle beads for standard days method

Post question

N/A

Interviewer instructions

N/A

Vasectomy (provision_vasectomy)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Vasectomy in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Vasectomy

Post question

N/A

Interviewer instructions

N/A

Bilateral tubal ligation (BTL) (provision_btl)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

If the facility provided or prescribed Bilateral tubal ligation (BTL) in the 3months of the most recently completed quarter for patients seen for Post-Abortion Care

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Has this facility provided or prescribed any of the following methods IN THE 3 MONTHS OF THE MOST RECENTLY COMPLETED QUARTER for patients seen for Post-Abortion Care?

Literal question

Bilateral tubal ligation (BTL)

Post question

N/A

Interviewer instructions

N/A

M3-9. Why do you not offer some long-acting reversible methods? (larc)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 5

Valid cases: 19

Invalid: 0

Description

The reason for not offering some long-acting reversible methods

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods?

Post question

N/A

Interviewer instructions

N/A

(larc_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 19

Format: numeric

Invalid: 109

Width: 8

Decimals: 0

Range: 0-1

Description

The reason for not offering some long-acting reversible methods_Stocked out

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Stocked out

Post question

N/A

Interviewer instructions

N/A

(larc_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 19

Format: numeric

Invalid: 109

Width: 8

Decimals: 0

Range: 0-1

Description

The reason for not offering some long-acting reversible methods_Lack of trained personnel

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Lack of trained personnel

Post question

N/A

Interviewer instructions

N/A

(larc_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 19
 Invalid: 109

Description

The reason for not offering some long-acting reversible methods_Provider preference

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Provider preference

Post question

N/A

Interviewer instructions

N/A

(larc_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 19
 Invalid: 109

Description

The reason for not offering some long-acting reversible methods_Client preference

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Client preference

Post question

N/A

Interviewer instructions

N/A

(larc_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 19
 Invalid: 109

Description

The reason for not offering some long-acting reversible methods_Facility does not allow (religious reason)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Facility does not allow (religious reason)

Post question

N/A

Interviewer instructions

N/A

(larc_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 19
 Invalid: 109

Description

The reason for not offering some long-acting reversible methods_Not familiar enough with method

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Not familiar enough with method

Post question

N/A

Interviewer instructions

N/A

(larc_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 19
 Invalid: 109

Description

The reason for not offering some long-acting reversible methods_Method has never been available

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Method has never been available

Post question

N/A

Interviewer instructions

N/A

(larc_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 19
 Invalid: 109

Description

The reason for not offering some long-acting reversible methods_Other (specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you not offer some long-acting reversible methods_Other (specify)

Post question

N/A

Interviewer instructions

N/A

What are other reasons why you do not offer long-acting reversible methods? (larc_other)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 73

Valid cases: 5
 Invalid: 0

Description

Other reason for not offering some long-acting reversible methods

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What are other reasons why you do not offer long-acting reversible methods?

Post question

N/A

Interviewer instructions

N/A

M3-10. Why do you think women may refuse a modern contraceptive method after hav (refusal)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 124

Format: character

Invalid: 0

Width: 31

Description

The reason why women refuse a modern contraceptive method after having an abortion

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion?

Post question

N/A

Interviewer instructions

N/A

(refusal_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 124

Format: numeric

Invalid: 4

Width: 8

Decimals: 0

Range: 0-1

Description

The reason why women refuse a modern contraceptive method after having an abortion_Woman opposed to use

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Woman opposed to use

Post question

N/A

Interviewer instructions

N/A

(refusal_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 124

Format: numeric

Invalid: 4

Width: 8

Decimals: 0

Range: 0-1

Description

The reason why women refuse a modern contraceptive method after having an abortion_Partner opposed to use

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Partner opposed to use

Post question

N/A

Interviewer instructions

N/A

(refusal_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 124

Format: numeric

Invalid: 4

Width: 8

Decimals: 0

Range: 0-1

Description

The reason why women refuse a modern contraceptive method after having an abortion_Family opposed to use

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Family opposed to use

Post question

N/A

Interviewer instructions

N/A

(refusal_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Religious opposition

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Religious opposition

Post question

N/A

Interviewer instructions

N/A

(refusal_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 124

Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Health concerns

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Health concerns

Post question

N/A

Interviewer instructions

N/A

(refusal_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Fear of side effects

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Fear of side effects

Post question

N/A

Interviewer instructions

N/A

(refusal_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Wanted more effective method

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Wanted more effective method

Post question

N/A

Interviewer instructions

N/A

(refusal_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Costs too much

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Costs too much

Post question

N/A

Interviewer instructions

N/A

(refusal_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Inconvenient to use

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Inconvenient to use

Post question

N/A

Interviewer instructions

N/A

(refusal_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Interference with body processes

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Interference with body processes

Post question

N/A

Interviewer instructions

N/A

(refusal_12)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Infrequent sex

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Infrequent sex

Post question

N/A

Interviewer instructions

N/A

(refusal_13)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Preference for traditional methods

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Preference for traditional methods

Post question

N/A

Interviewer instructions

N/A

(refusal_14)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Impact of contraception on their fertility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Impact of contraception on their fertility

Post question

N/A

Interviewer instructions

N/A

(refusal_15)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Wants to conceive

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Wants to conceive

Post question

N/A

Interviewer instructions

N/A

(refusal_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The reason why women refuse a modern contraceptive method after having an abortion_Other

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Why do you think women may refuse a modern contraceptive method after having had an abortion_Other

Post question

N/A

Interviewer instructions

N/A

M3-11. Do you think that women prefer a contraceptive method they can keep priva (fp_privacy)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

If the respondent think that women prefer a contraceptive method they can keep private and unknown to their partner/spouse

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Do you think that women prefer a contraceptive method they can keep private and unknown to their partner/spouse?

Post question

N/A

Interviewer instructions

N/A

M3-12. Which method(s) do women prefer to use to keep their contraceptive use un (fp_privacy_methods)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 116
 Invalid: 0

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse?

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 116
 Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Condom - male

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Condom - male

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 116

Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Condom - female

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Condom - female

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 116

Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Oral contraceptive pills (Microgynon or Microlut)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Oral contraceptive pills (Microgynon or Microlut)

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_4)
File: HFS LIBERIA_RECAST**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 116

Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Injectable - Depo-Provera / DMPA-IM

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Injectable - Depo-Provera / DMPA-IM

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_5)
File: HFS LIBERIA_RECAST**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 116

Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Injectable - Sayana Press / DMPA-SC

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Injectable - Sayana Press / DMPA-SC

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_6)
File: HFS LIBERIA_RECAST**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 116
 Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Implant - 2-rod (e.g. Jadelle)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Implant - 2-rod (e.g. Jadelle)

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_7)
File: HFS LIBERIA_RECAST**Overview**

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 116
 Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Intrauterine contraceptive device (IUCD)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Intrauterine contraceptive device (IUCD)

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 116
Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Cycle beads for standard days method

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Cycle beads for standard days method

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-0

Valid cases: 116
Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Vasectomy

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Vasectomy

Post question

N/A

Interviewer instructions

N/A

(fp_privacy_methods_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 116
 Invalid: 12

Description

The method(s) women prefer to use to keep their contraceptive use unknown to their partner/spouse_Bilateral tubal ligation (BTL)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Which method(s) do women prefer to use to keep their contraceptive use unknown to their partner/spouse_Bilateral tubal ligation (BTL)

Post question

N/A

Interviewer instructions

N/A

M3-13. Of the contraceptive methods you do offer here, which methods do adolesce (fp_adol_rec)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 124
 Invalid: 0

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer?

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 124

Format: numeric

Invalid: 4

Width: 8

Decimals: 0

Range: 0-1

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Condom - male

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Condom - male

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 124

Format: numeric

Invalid: 4

Width: 8

Decimals: 0

Range: 0-1

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Condom - female

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Condom - female

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Oral contraceptive pills (Microgynon or Microlut)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Oral contraceptive pills (Microgynon or Microlut)

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Injectable - Depo-Provera / DMPA-IM

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Injectable - Depo-Provera / DMPA-IM

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Injectable - Sayana Press / DMPA-SC

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Injectable - Sayana Press / DMPA-SC

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_6)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Implant - 2-rod (e.g. Jadelle)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Implant - 2-rod (e.g. Jadelle)

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_7)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Intrauterine contraceptive device (IUCD)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Intrauterine contraceptive device (IUCD)

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_8)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Cycle beads for standard days method

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Cycle beads for standard days method

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_9)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Vasectomy

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Vasectomy

Post question

N/A

Interviewer instructions

N/A

(fp_adol_rec_10)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-0

Valid cases: 124
 Invalid: 4

Description

The contraceptive methods adolescent girls 19 years of age or younger and their partners prefer_Bilateral tubal ligation (BTL)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Of the contraceptive methods you do offer here, which methods do adolescent girls 19 years of age or younger and their partners typically prefer_Bilateral tubal ligation (BTL)

Post question

N/A

Interviewer instructions

N/A

M3-14. When offering contraceptive services to adolescent girls (those between a (parental_consent)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 124
Invalid: 4

Description

If the respondent require parents' consent when the adolescent is under a certain age to offer contraceptive services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

When offering contraceptive services to adolescent girls (those between age 10 to 19), do you require their parents' consent when the adolescent is under a certain age?

Post question

N/A

Interviewer instructions

N/A

M3-15. If so, below what age do you require parental consent? (parental_consent_age)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 10-19

Valid cases: 37
Invalid: 91

Description

The age the provider requires parental consent to offer contraceptive services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If so, below what age do you require parental consent?

Post question

N/A

Interviewer instructions

N/A

G38. Do you keep records on the number of women treated for abortion complicatio (g38)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

If the respondent keeps records on the number of women treated for abortion complications at the facility

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Do you keep records on the number of women treated for abortion complications at this facility?

Post question

N/A

Interviewer instructions

N/A

G39. How do you keep records on abortion-related services? (g39)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: character
Width: 8

Valid cases: 114
Invalid: 0

Description

How the respondent keep records on abortion-related services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How do you keep records on abortion-related services?

Post question

N/A

Interviewer instructions

N/A

(g39_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 114
 Invalid: 14

Description

How the respondent keep records on abortion-related services_Standard national ledgers

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How do you keep records on abortion-related services_Standard national ledgers

Post question

N/A

Interviewer instructions

N/A

(g39_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 114
 Invalid: 14

Description

How the respondent keep records on abortion-related services_Self-placed non-standard ledgers

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How do you keep records on abortion-related services_Self-placed non-standard ledgers

Post question

N/A

Interviewer instructions

N/A

(g39_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 114
 Invalid: 14

Description

How the respondent keep records on abortion-related services_Electronic standalone spreadsheet

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How do you keep records on abortion-related services_Electronic standalone spreadsheet

Post question

N/A

Interviewer instructions

N/A

(g39_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 114
Invalid: 14

Description

How the respondent keep records on abortion-related services_Electronic central database

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How do you keep records on abortion-related services_Electronic central database

Post question

N/A

Interviewer instructions

N/A

(g39_99)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 114
Invalid: 14

Description

How the respondent keep records on abortion-related services_Others (specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

How do you keep records on abortion-related services_Others (specify)

Post question

N/A

Interviewer instructions

N/A

If other, how do you keep records on abortion-related services?
(g39sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 65

Valid cases: 10

Invalid: 0

Description

Other ways the respondents keeps record of the abortion related services

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

If other, how do you keep records on abortion-related services?

Post question

N/A

Interviewer instructions

N/A

G40. Are any of these ledgers available for me to look at (g40)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 0

Invalid: 128

Description

Availability of the ledgers

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

Are any of these ledgers available for me to look at

Post question

N/A

Interviewer instructions

N/A

OPD treatment ledger (g40_1)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

Availability of OPD treatment ledger

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Are any of these ledgers available for me to look at

Literal question

OPD treatment ledger

Post question

N/A

Interviewer instructions

N/A

IPD maternity ledger (g40_2)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 128

Invalid: 0

Description

Availability of IPD maternity ledger

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Are any of these ledgers available for me to look at

Literal question

IPD maternity ledger

Post question

N/A

Interviewer instructions

N/A

Temporary FP ledger (g40_3)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

Availability of Temporary FP ledger

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Are any of these ledgers available for me to look at

Literal question

Temporary FP ledger

Post question

N/A

Interviewer instructions

N/A

Labor & delivery ledger (g40_4)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-1

Valid cases: 128
 Invalid: 0

Description

Availability of Labor & delivery ledger

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Are any of these ledgers available for me to look at

Literal question

Labor & delivery ledger

Post question

N/A

Interviewer instructions

N/A

Others (specify) (g40_5)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: numeric
Width: 8
Decimals: 0
Range: 0-1

Valid cases: 128
Invalid: 0

Description

Availability of Others (specify)

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

Are any of these ledgers available for me to look at

Literal question

Others (specify)

Post question

N/A

Interviewer instructions

N/A

What other standard national ledgers do you have? (g40sp)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
Format: character
Width: 244

Valid cases: 19

Description

Availability of other standard national ledgers

Universe

Healthcare providers

Source of information

Officer-in-charge, medical director or head of nursing of the facility

Pre question

N/A

Literal question

What other standard national ledgers do you have?

Post question

N/A

Interviewer instructions

N/A

G41. Interviewer, please copy the number of women treated for post-abortion comp (g41)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-25

Valid cases: 80
 Invalid: 48
 Minimum: 0
 Maximum: 25
 Mean: 1.3
 Standard deviation: 3.6

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

Interviewer, please copy the number of women treated for post-abortion complications in the Last month in the OPD from the ledger

G42. Interviewer, please copy the number of women treated for post-abortion comp (g42)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-23

Valid cases: 80
 Invalid: 48
 Minimum: 0
 Maximum: 23
 Mean: 2.5
 Standard deviation: 4.5

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

Interviewer, please copy the number of women treated for post-abortion complications in the Last month in the IPD from the ledger

G43. Interviewer, please copy the number of women treated for post-abortion comp (g43)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-18

Valid cases: 80
 Invalid: 48

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

Interviewer, please copy the number of women treated for post-abortion complications in the Last Quarter (April-June 2021) in the OPD from the ledger

G44. Interviewer, please copy the number of women treated for post-abortion comp (g44)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 0
 Range: 0-50

Valid cases: 80
 Invalid: 48
 Minimum: 0
 Maximum: 50
 Mean: 4.5
 Standard deviation: 8.2

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

Interviewer, please copy the number of women treated for post-abortion complications in the Last Quarter (April-June 2021) in the IPD from the ledger

Interviewer comments (comments)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 103

Format: character

Width: 244

Description

Comments from the interview

Universe

Field interviewers

Source of information

Interviewer

Pre question

N/A

Literal question

Interviewer comments

Post question

N/A

Interviewer instructions

N/A

Form version used on device (formdef_version)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Valid cases: 128

Format: numeric

Invalid: 0

Width: 12

Minimum: 2109251326

Decimals: 0

Maximum: 2111092028

Range: 2109251326-2111092028

Mean: 2110154443

Standard deviation: 519891

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Unique submission ID (key)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 128

Format: character

Invalid: 0

Width: 41

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Review status (review_status)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 15

Valid cases: 128

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(review_quality)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Format: character

Width: 4

Valid cases: 5

Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Comments made during review (review_comments)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 4

Format: character

Width: 244

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Corrections made during review (review_corrections)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete

Valid cases: 1

Format: character

Width: 244

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(start)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 11	Minimum: 1948348359000
Decimals: 0	Maximum: 1953647399000
Range: 1948348359000-1953647399000	Mean: 1950493113625
	Standard deviation: 1324631130.8

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(end)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous	Valid cases: 128
Format: numeric	Invalid: 0
Width: 11	Minimum: 1948442984000
Decimals: 0	Maximum: 1954212318000
Range: 1948442984000-1954212318000	Mean: 1951018222078.1
	Standard deviation: 1544098670.9

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(today)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 128
Format: character	Minimum: NaN
Width: 11	Maximum: NaN

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

G2. Date of data collection visit (surveydate)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 128
Format: character	Minimum: NaN
Width: 11	Maximum: NaN

Description

the date of the survey

Universe

system generated

Source of information

System generated

Pre question

N/A

Literal question

Date of data collection visit

Post question

N/A

Interviewer instructions

N/A

(V379)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete	Valid cases: 128
Format: numeric	Invalid: 0
Width: 65	
Decimals: 0	
Range: 1-167	

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(facdup)

File: HFS LIBERIA_RECAST

Overview

Type: Discrete
 Format: numeric
 Width: 12
 Decimals: 0
 Range: 0-0

Valid cases: 128
 Invalid: 0

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(wgt)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 1-21.94700050354

Valid cases: 128
 Invalid: 0
 Minimum: 1
 Maximum: 21.9
 Mean: 7.3
 Standard deviation: 7.8

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(pac_avg_out)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 0-600

Valid cases: 100
 Invalid: 28
 Minimum: 0
 Maximum: 600
 Mean: 43.1
 Standard deviation: 99.4

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(pac_avg_in)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 0-360

Valid cases: 90
 Invalid: 38
 Minimum: 0
 Maximum: 360
 Mean: 37.5
 Standard deviation: 61.9

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(pac_last_out)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-900

Valid cases: 100

Invalid: 28

Minimum: 0

Maximum: 900

Mean: 41

Standard deviation: 131.6

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(pac_last_in)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous

Format: numeric

Width: 9

Decimals: 0

Range: 0-312

Valid cases: 90

Invalid: 38

Minimum: 0

Maximum: 312

Mean: 39.6

Standard deviation: 65.1

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(total_avg)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 0-960

Valid cases: 128
 Invalid: 0
 Minimum: 0
 Maximum: 960
 Mean: 60
 Standard deviation: 125.4

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(total_last)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
 Format: numeric
 Width: 9
 Decimals: 0
 Range: 0-900

Valid cases: 128
 Invalid: 0
 Minimum: 0
 Maximum: 900
 Mean: 59.9
 Standard deviation: 139.9

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

(totalpac)

File: HFS LIBERIA_RECAST

Overview

Type: Continuous
Format: numeric
Width: 9
Decimals: 0
Range: 0-300

Valid cases: 128
Invalid: 0
Minimum: 0
Maximum: 300
Mean: 32.6
Standard deviation: 43.3

Description

N/A

Universe

N/A

Source of information

N/A

Pre question

N/A

Literal question

N/A

Post question

N/A

Interviewer instructions

N/A

Documentation

Questionnaires

libera_abortion_2021_hfs_QUESTIONNAIRE.pdf

Title libera_abortion_2021_hfs_QUESTIONNAIRE.pdf
 Author(s) African Population and Health Research Center
 Date 0711/2025
 Country LIBERIA
 Language ENGLISH
 Contributor(s) Kenneth Juma, Boniface Ushie
 Publisher(s) African Population and Health Research Center (APHRC)

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

Abstract

Objectives: The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

Methodology: A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

Filename libera_abortion_2021_hfs_QUESTIONNAIRE.pdf

Reports

Abortion-Incidence-Liberia-_Final.pdf

Title Abortion-Incidence-Liberia-_Final.pdf
 Author(s) African Population and Health Research Center
 Date 0711/2025
 Country LIBERIA

Language ENGLISH

Contributor(s) Kenneth Juma, Boniface Ushie

Publisher(s) African Population and Health Research Center (APHRC)

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

Abstract Objectives: The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

Methodology: A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

Filename Abortion-Incidence-Liberia_Final.pdf

Other materials

Protocol - Abortion in Liberia_Final 21.docx

Title Protocol - Abortion in Liberia_Final 21.docx

Author(s) African Population and Health Research Center

Date 0711/2025

Country LIBERIA

Language ENGLISH

Contributor(s) Kenneth Juma, Boniface Ushie

Publisher(s) African Population and Health Research Center (APHRC)

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

Objectives: The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

Abstract

Methodology: A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

Filename

Protocol - Abortion in Liberia_Final 21.docx
