

Liberia_AICM_KIS_2021 sep01

Field	Question	Answer
note1f	KNOWLEDGEABLE INFORMANTS SURVEY IN LIBERIA	
	NOV 2021	
system_access		
m1 (required)	M1. RESPONDENT IDENTIFICATION NUMBER	
		1 1. North Central
		2 2. South Central
m2 (required)	M2. REGIONS	3 3. North Western
		4 4. South Eastern A
		5 5. South Eastern B
		1 Bong
		2 Lofa
		3 Nimba
		4 Grand Bassa
		5 Margibi
		6 Montserrado
		7 Bomi
m3 (required)	M3. COUNTY	8 Gbarpolu
		9 Grand Cape Mount
		10 Grand Gedeh
		11 Rivercess
		12 Sinoe
		13 Grand Kru
		14 Maryland
		15 River Gee
m4 (required)	M4. DATE OF INTERVIEW	
m6 (required)	M6 TIME STARTED	
system_access > interview		
q101 (required)	101. Gender of the respondent <i>Interviewer: circle the category that applies to the respondent. Do not ask this question aloud</i>	1 MALE 2 FEMALE
q102 (required)	102. What is your primary profession? <i>[Interviewer: Do not read. Circle only one response. If respondent gives more than one profession, select the one that accounts for the greatest proportion of the
respondent's time.]</i>	1 Policymaker 2 Health system Administrator

Field	Question	Answer
		3 Gynecologist
		4 Physician Assistant
		5 Nurse/Midwife/other healthcare providers
		6 Program implementer
		7 Researcher
		8 Activist / lawyer
		9 Lecturer
		10 Community / villager elder
		11 Journalist
		12 Traditional birth attendant /healer
		96 96 Other (specify):
q102spec (required)	Specify Other profession	
q102specMedicalspec (required)	Specify Other Medical profession	
q103 (required)	103. In which sector do you work primarily?	1 Private sector (Including NGO)
		2 Public sector
		98 Other (specify)
q103spec (required)	Specify	
q104 (required)	104. How long have you been working in your current profession? [In completed years]	
q105 (required)	105 In what year were you born? [Insert the year]	
system_access > interview > regions		
q106note	106.a In which Region of the country have you worked during the last 5 years?	
q106note3	Did you work in urban areas or rural areas or both?	1 Rural
		2 Urban
		3 Both
		0 None
q106note2	REGIONS	1 Rural
		2 Urban
q106p1 (required)	1. North Central	3 Both

Field	Question	Answer
q106p2 (required)	2. South Central	0 None 1 Rural 2 Urban 3 Both
q106p3 (required)	3. North Western	0 None 1 Rural 2 Urban 3 Both
q106p4 (required)	4. South Eastern A	0 None 1 Rural 2 Urban 3 Both
q106p5 (required)	5. South Eastern B	0 None 1 Rural 2 Urban 3 Both
q107 (required)	107. Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience? <i>Multiple responses are allowed</i>	0 None 1 In a public health facility framework 2 In a private clinic framework Non-medical framework (research, policy-making, counseling, law) (Specify) Through 3 colleagues/professional networks 4 Through personal networks 5 98 Other (specify) :
q107spec (required)	Specify	
q107specOtherMedical (required)	Specify Non-medical framework	
q108 (required)	108. What is the highest level of education you have completed?	1 No formal education 2 Primary 3 Secondary








Field	Question	Answer
		4 Certificate 5 Diploma 6 Associate degree 7 Bachelor degree 8 Master degree 9 PhD 98 Others (specify)
q108spec (required)	Specify In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.	
note1	We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.	
note2	201. First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility. <i>[Interviewer: make your way down the list of methods, asking about induced abortions in Liberia.]</i>	
system_access > interview > methods		
q201p1 (required)	a. As far as you are aware, is electric or manual vacuum aspiration (MVA) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p2 (required)	b. As far as you are aware, is uterine evacuation with sharp curette (D&E or D&C) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p3 (required)	c1. As far as you are aware, is Misoprostol (Cytotec) alone, taken orally used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p4 (required)	c2. As far as you are aware, is decoction, drink, tea, local herbs,RPG used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW

Field	Question	Answer
q201p5 (required)	c3. As far as you are aware, is overdose of pharmaceuticals (e.g. aspirin, chloroquine, used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p6 (required)	c4. As far as you are aware are other oral methods (specify) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p6spec (required)	Specify	
q201p8 (required)	d1. As far as you are aware, is Misoprostol (Cytotec) taken vaginally used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p9 (required)	d2. As far as you are aware are herbs or solutions (using any form of insertion into the vagina) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p10 (required)	d3. As far as you are aware, are foreign objects (e.g. sticks, metal objects) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p11 (required)	d4. As far as you are aware, are caustic agent (e.g. washing powder) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p12 (required)	d5. As far as you are aware, is catheter (with or without solution) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p13 (required)	d6. As far as you are aware, are other vaginal methods (specify) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p13spec (required)	Specify	
q201p14 (required)	e. As far as you are aware, are other means (specify any additional method(s) not listed above) used to induce an abortion?	1 YES 0 NO 2 DON'T KNOW
q201p14spec (required)	Specify	

system_access > interview > c1d

MISOPROSTOL QUESTIONS

q203	You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol
------	---

Field	Question	Answer
	is being used for induced abortion in Liberia	
	Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never	
 q203p1 <i>(required)</i>	203 A. Indicate whether, in your opinion, women in Liberia access misoprostol from doctor's private office or physician assistant's office	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
 q203p2 <i>(required)</i>	203. B. Indicate whether, in your opinion, women in Liberia access misoprostol from nurse's or midwives private office	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
 q203p3 <i>(required)</i>	203.C. Indicate whether, in your opinion, women in Liberia access misoprostol from health facilities (public)	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
 q203p4 <i>(required)</i>	203. D. Indicate whether, in your opinion, women in Liberia access misoprostol from health facilities (private)	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
 q203p5 <i>(required)</i>	203. E. Indicate whether, in your opinion, women in Liberia access misoprostol from NGOs	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
 q203p7 <i>(required)</i>	203.F. Indicate whether, in your opinion, women in Liberia access misoprostol from pharmacy	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
 q203p6 <i>(required)</i>	203.G. Indicate whether, in your opinion, women in Liberia access misoprostol from traditional healers	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know

Field	Question	Answer
q203p8 (required)	203. H. Indicate whether, in your opinion, women in Liberia access misoprostol from markets or street vendors	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
q203p9 (required)	203 I. Indicate whether, in your opinion, women in Liberia access misoprostol from web (internet)	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
q203p10 (required)	203 X. Indicate whether, in your opinion, women in Liberia access misoprostol from other places (specify)	1 Commonly 2 Sometimes 3 Rarely/ never 4 Don't know
q203p10spec (required)	Specify other places Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods; 1. Surgical method 2. Medication method 3. other methods of abortion.	
note204	Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or metal object, etc. <i>[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]</i>	
q204p1 (required)	204 .In your opinion, what is the most common method used to induce abortion by medical doctors/physician assistants?	1 a. Surgical: (MVA, EVA, D&C, D&E) 2 b. Misoprostol 3 c. Other methods of abortion 8 d. Don't know
q205p1 (required)	205 a, In your opinion, what is the most common method used to induce abortion by nurses/midwives?	1 a. Surgical: (MVA, EVA, D&C, D&E) 2 b. Misoprostol 3 c. Other methods of abortion

Field	Question	Answer
■ q205p3 (required)	205.b In your opinion, what is the most common method used to induce abortion by medical students/interns?	8 d. Don't know 1 a. Surgical: (MVA, EVA, D&C, D&E) 2 b. Misoprostol 3 c. Other methods of abortion 8 d. Don't know
■ q206p1 (required)	206. In your opinion, what is the most common method used to induce abortion by pharmacists?	1 a. Surgical: (MVA, EVA, D&C, D&E) 2 b. Misoprostol 3 c. Other methods of abortion 8 d. Don't know
■ q207p1 (required)	207. In your opinion, what is the most common method used to induce abortion by traditional providers (anyone without formal training)?	1 a. Surgical: (MVA, EVA, D&C, D&E) 2 b. Misoprostol 3 c. Other methods of abortion 8 d. Don't know
■ q208p1 (required)	208 a. In your opinion, what is the most common method used to induce abortion by web/internet and street vendor?	2 a. Misoprostol 3 b. Other methods of abortion 8 c. Don't know
■ q208p2 (required)	208 b. In your opinion, what is the most common method used to induce abortion by on-site pharmacist provision	3 a. Other methods of abortion 8 b. Don't know
■ q208p3 (required)	208 c. In your opinion, what is the most common method used to induce abortion by woman herself -- self-induced?	3 a. Other methods of abortion 8 b. Don't know
■ note205b	For many of the following questions, I want you to consider two income groups – the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia. I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical	

Field	Question	Answer
note206	<p>students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce. <i>[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]</i></p> <p>209. Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never. <i>[Interviewer: Read each type of provider and circle the respondent's answers for Poor urban women in the first 3 columns. Then ask the next question.]</i></p>	
q209p1 (required)	209 a. Indicate whether, in your opinion, poor women who seek abortions go to a doctor	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p2 (required)	209 b. Indicate whether, in your opinion, poor women who seek abortions go to a nurse/midwife/physician assistant (not a doctor)	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p3 (required)	209 c. Indicate whether, in your opinion, poor women who seek abortions go to a traditional provider (anyone without formal medical training)	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p4 (required)	209 d. Indicate whether, in your opinion, poor women who seek abortions go to a pharmacist	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p5 (required)	209 e. Indicate whether, in your opinion, poor women who seek abortions go to a web/internet and street vendor	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p6 (required)	209 f. Indicate whether, in your opinion, poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p7 (required)	209 g. Indicate whether, in your opinion, poor women who seek abortions induce the abortions themselves	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p8 (required)	209 x. Indicate whether, in your opinion, poor women who seek abortions go to other providers:	1 C=Commonly 2 S=Sometimes 3 R=Rarely/Never
q209p8spec (required)	Specify other providers	
q210bp1 (required)	210 a. Indicate whether, in your opinion, non-poor women who seek abortions go to a doctor/physician assistant	1 C=Commonly 2 S=Sometimes

Field	Question	Answer
q210bp2 (required)	210 b. Indicate whether, in your opinion, non-poor women who seek abortions go to a nurse/midwife (not a doctor)	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp3 (required)	210 c. Indicate whether, in your opinion, non-poor women who seek abortions go to a pharmacist	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp4 (required)	210 d. Indicate whether, in your opinion, non-poor women who seek abortions go to a traditional provider (anyone without formal medical training)	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp5 (required)	210 e. Indicate whether, in your opinion, non-poor women who seek abortions go to a web/internet and street vendor	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp6 (required)	210 f. Indicate whether, in your opinion, non-poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp7 (required)	210 g. Indicate whether, in your opinion, non-poor women who seek abortions induce the abortions themselves	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp8 (required)	210 x. Indicate whether, in your opinion, non-poor women who seek abortions go to other providers	3 R=Rarely/Never 1 C=Commonly 2 S=Sometimes
q210bp8spec	specify	
note211	In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider. <i>[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes]</i>	
q211p1 (required)	211 a. What is the minimum amount that women in Liberia pay to doctors/physician assistants to induce an abortion? <i>dont know 8888</i>	

Field	Question	Answer
q211p1b (required)	211 a. What is the maximum amount that women in Liberia pay to doctor to induce an abortion? <i>dont know 8888</i>	
q211p2 (required)	211 b. What is the minimum amount that women in Liberia pay to Nurse/midwife or other trained provider (not a doctor) to induce an abortion? <i>dont know 8888</i>	
q211p2b (required)	211 b. What is the maximum amount that women in Liberia pay to Nurse /midwife maximum to induce an abortion? <i>dont know 8888</i>	
q211p4 (required)	211 d. What is the minimum amount that women in Liberia pay to pharmacist to induce an abortion? <i>dont know 8888</i>	
q211p4b (required)	211 d. What is the maximum amount that women in Liberia pay to pharmacist to induce an abortion? <i>dont know 8888</i>	
q211p3 (required)	211 c. What is the minimum amount that women in Liberia pay to traditional provider (anyone without formal training) to induce an abortion? <i>dont know 8888</i>	
q211p3b (required)	211 c. What is the maximum amount that women in Liberia pay to traditional provider (anyone without formal training) to induce an abortion? <i>dont know 8888</i>	
q211p5 (required)	211 e. What is the minimum amount that women in Liberia pay to web/internet and street vendor to induce an abortion?	
q211p5b (required)	211 e. What is the maximum amount that women in Liberia pay to web/internet and street vendor to induce an abortion?	
q211p6 (required)	211 f. What is the minimum amount that women in Liberia pay to pharmacist who provides induced abortion but not using misoprostol?	
q211p6b (required)	211 f. What is the maximum amount that women in Liberia pay to pharmacist who provides induced abortion but not using misoprostol?	
q211p7 (required)	211 g. What is the minimum amount that a women in Liberia spends when she induces her own abortion?	

Field	Question	Answer
q211p7b (required)	211 g. What is the maximum amount that a woman in Liberia spends when she induces her own abortion?	
q211p8 (required)	211 x. What is the minimum amount that women in Liberia pay to other to induce an abortion?	
q211p8b (required)	211 x. What is the maximum amount that women in Liberia pay to others to induce an abortion? Now I am going to ask you questions about how women in urban areas of Liberia obtain induced abortions. After asking about urban women, I will ask you the same questions about women in rural areas. For now, answer about urban women only until I mention that we are switching to questions on rural women.	
note212	We want to understand what methods both poor and non-poor women in urban areas in Liberia use to obtain induced abortions. We want you to consider three different methods of abortions a woman may have: 1) Surgical method 2) Medication method 3) other methods of abortion. Surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG and stick or mental object etc. 212 Now, I am going to ask you what percentage of poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.	
note212p1	The sum of women in the 3 categories MUST add up to 100%.	
q212p1 (required)	212 a. What percentage of all induced abortions among poor women in urban areas do you think are done using the surgical method??	
q212p2 (required)	212 b. What percentage of all induced abortions among poor women in urban areas do you think are done using misoprostol?	

Field	Question	Answer
q212p3 (required)	212 c. What percentage of all induced abortions among poor women in urban areas do you think are performed using other methods of abortion?	
n1212	The result is [sumpercentage] but should be 100	
note213p1	213 Now, I am going to ask you what percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.	
	The sum of women in the 3 categories MUST add up to 100%.	
q212p1b (required)	213.a First, What percentage of all induced abortions among non-poor women in urban areas do you think are done using the surgical method?	
q212p2b (required)	213 b. What percentage of all induced abortions among non-poor women in urban areas do you think are done with misoprostol?	
q212p3b (required)	213 c. What percentage of all induced abortions among non-poor women in urban areas do you think are performed using other methods of abortion?	
n2	The result is [sumpercentageb] but should be 100	
note212b	Among poor urban women who have each method of abortion , I now want to ask you what percentage of them go to each type of provider we discussed earlier.	
note214inst	214 There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%	
q214p1 (required)	214 a. What percentage of all induced abortions performed using the surgical method to poor women in urban areas do you think are being performed by doctors/physician assistants?	
q214p2 (required)	214 b .What percentage of all induced abortions performed using the surgical method to poor women in urban areas do you think are being performed by nurses/midwives or other trained providers?	
n1v14	Must add to 100%	
note215inst	215. There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street	

Field	Question	Answer
<p>vendors. The sum of the 5 categories should add up to 100%.</p>		
<p>system_access > interview > Q215. Misoprostol</p>		
<p>note215</p>	<p>What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by each type of provider? If the misoprostol has been prescribed by a doctor, the doctor is the provider. If the woman gets the misoprostol from a pharmacist without a prescription, the pharmacist is the provider. Self-inducing using misoprostol includes them accessing misoprostol on the black market or from other sources other than the providers.</p>	
<p>q215p1 <i>(required)</i></p>	<p>215 a. What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by doctor/physician assistants?</p>	
<p>q215p2 <i>(required)</i></p>	<p>215 b. What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?</p>	
<p>q215p4 <i>(required)</i></p>	<p>215 c. What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by a pharmacist?</p>	
<p>q215p3 <i>(required)</i></p>	<p>215 d. What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by traditional provider (anyone without formal training)?</p>	
<p>q215p5 <i>(required)</i></p>	<p>215 e. What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by web/street vendors?</p>	
<p>n1v</p>	<p>The result is [sum15percentage] but should be 100</p>	
<p>note216inst</p>	<p>216 There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%</p>	
<p>system_access > interview > Q216. Other methods of abortion</p>		

Field	Question	Answer
q216p1 (required)	216 a. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by doctors/physician assistants	
q216p2 (required)	216 b. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?	
q216p3 (required)	216 c. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by traditional providers/ (anyone without formal training)?	
q216p4 (required)	216 d. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by pharmacist?	
q216p5 (required)	216 e. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by web/street vendors?	
q216p6 (required)	216 f. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by on-site pharmacist not using misoprostol?	
q216p7 (required)	216 g. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by medical students/interns?	
q216p8 (required)	216 h. What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by woman herself (self-induced)?	
n1216	The result is [sum16percentage] but should be 100 Now I am going to ask you the same questions as before, but now about non-poor women in urban areas.	
note217	What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by each type of provider?	

Field	Question	Answer
system_access > interview > Q217. surgical method		
note217n	217 . There are 3 categories: doctors/physician assistants, nurses/midwives or other trained providers, and medical student/interns. The sum of the 3 categories should add up to 100%	
q217p1 (required)	217 a. What percentage of all induced abortions performed through surgical method to Non poor women in urban areas do you think are being performed by doctor/physician assistants?	
q217p2 (required)	217 b. What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by nurses midwives or other trained personnel?	
q217p3 (required)	217 c. What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by medical student/interns?	
n1v17	The result is 0 but should be 100	
note218dd	218. There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas	
system_access > interview > .		
q218p1 (required)	218 a. What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by doctor/physician assistants?	
q218p2 (required)	218 b. What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by Nurse/midwife or other trained provider	
q218p3 (required)	218 c. What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by Traditional provider (anyone without formal training)?	

Field	Question	Answer
q218p4 (required)	218 d. What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by pharmacist?	
q218p5 (required)	218 e. What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by web/street vendors?	
q218p6 (required)	218 f. What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by medical student/interns?	
n1v18	The result is [sum18percentage] but should be 100	
note219s	<p>219 There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol,self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.</p> <p>Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.</p>	
system_access > interview > .		
q219p1 (required)	219 a. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by doctors/physician assistant?	
q219p2 (required)	219 b. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?	
q219p3 (required)	219 c. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by traditional provider (anyone without formal training)?	

Field	Question	Answer
q219p4 (required)	219 d. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by pharmacist?	
q219p5 (required)	219 e. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by web/street vendors?	
q219p6 (required)	219 f. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by on-site Pharmacist without using misoprostol?	
q219p7 (required)	219 g. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by woman herself (self-induced)?	
q219p8 (required)	219 h. What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by medical students/interns?	
n1219	The result is [sum19percentage] but should be 100 Now I am going to ask you the same questions as above, but this time for rural areas .	
note21920	Now we want to understand what methods both poor and non-poor women in rural areas in Liberia use to obtain an induced abortion. When we were talking about urban areas, we were talking about three methods: surgical, medical, and all other methods of abortion. Now when we talk about rural areas, I'd like to talk about the same three methods. Again, each question will be asked separately about poor and non-poor women who live in rural areas. I am going to ask you what percentage of poor women in rural areas receives each of the 3 methods of abortions explained: surgical method, abortion through misoprostol, and all other types. The sum of women in each of the 3 categories should add up to 100%. <i>[Interviewer: Please ensure all percentages total to 100%. If not, please ask respondent to adjust percentages. If the respondent says that no women to any of the categories, fill in "00".</i>	

Field	Question	Answer
system_access > interview > q220		
q220p1 (required)	220 a. What percentage of all induced abortions among poor women in rural areas do you think are done using the surgical method?	
q220p2 (required)	220 b. What percentage of all induced abortions among poor women in rural areas do you think are done using Misoprostol?	
q220p3 (required)	220 c. What percentage of all induced abortions among poor women in rural areas do you think are done using other methods of abortion?	
n1220	The result is [sum220percentage] but should be 100	
nt221s	I am going to ask you what percentage of non-poor women in rural areas receives each of the 3 methods of abortions explained: surgical method, through misoprostol, and all other methods. The sum of women in each of the 3 categories should add up to 100%.	
system_access > interview > Q221. Rural non-poor women		
q221p1 (required)	221 a. What percentage of all induced abortions among non-poor women in rural areas do you think are done using the surgical method?	
q221p2 (required)	221 b. What percentage of all induced abortions among non poor women in rural areas do you think are done using Misoprostol?	
q221p3 (required)	221 c. What percentage of all induced abortions among non poor women in rural areas do you think are done using other methods of abortion?	
n1221	The result is [sum221percentage] but should be 100	
note224	Among Poor rural women who have abortions using each method of abortion, I want to know what percentage of them go to each type of provider we discussed earlier. <i>What percent of all induced abortions performed through misoprostol to poor women in rural areas do you think are being performed by each type of provider?</i>	
nt222	There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%	
system_access > interview > Q222. surgical method		
q222p1 (required)	222 a. What percent of all induced abortions performed using the surgical method to poor women in rural areas are being performed by doctors/physician assistants?	

Field	Question	Answer
q222p2 (required)	222 b. What percent of all induced abortions performed using the surgical method to poor women in rural areas are being performed by nurse/midwife or other trained provider?	
n1222	The result is [sum222percentage] but should be 100	
system_access > interview > Q223. Misoprostol		
nt223	223 What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%	
q223p1 (required)	223 a. What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by doctors/physician assistants?	
q223p2 (required)	223 b. What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a nurse/midwife or other trained provider?	
q223p3 (required)	223 c. What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a traditional provider (anyone without formal training)?	
q223p4 (required)	223 d. What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a pharmacist?	
q223p5 (required)	223 e. What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by web/street vendors?	
q223p6 (required)	223 f. What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by medical students/interns?	
n1223	The result is [sum223percentage] but should be 100	
system_access > interview > Q224. Other methods of abortion		
nt224	224 What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider?	

Field	Question	Answer
q224p1 (required)	<p>There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%</p> <p>224 a. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by doctor/physician assistants?</p>	
q224p2 (required)	<p>224 b. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?</p>	
q224p3 (required)	<p>224 c. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by t provider (anyone without formal training)?</p>	
q224p4 (required)	<p>224 d. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by pharmacist?</p>	
q224p5 (required)	<p>224 e. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by web/street vendors?</p>	
q224p6 (required)	<p>224 f. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by on-site pharmacist provision non-misoprostol?</p>	
q224p7 (required)	<p>224 g. What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by woman herself (self-induced)?</p>	
n1224 (required)	<p>The result is 0 but should be 100</p>	
note225	<p>225 There are 2 categories: doctors/physician assitants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%</p>	
	<p>Next, what percent of all induced abortions are performed using other methods of abortion to non-poor women in</p>	

Field	Question	Answer
<p>rural areas do you think are being performed by each type of provider?</p>		
<p>system_access > interview > Q225. Surgical method</p>		
<p>q225p1 (required)</p>	<p>225 a. What percent of all induced abortions are performed using the surgical method to non-poor women in rural areas do you think are being performed by doctors/physician assistants?</p>	
<p>q225p2 (required)</p>	<p>225 b. What percent of all induced abortions are performed using the surgical method to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?</p>	
<p>n1225 (required)</p>	<p>The result is [sum225percentage] but should be 100</p>	
<p>nt226</p>	<p>226 What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?</p>	
<p>nt226</p>	<p>There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.</p>	
<p>system_access > interview > Q226. Misoprostol</p>		
<p>q226p1 (required)</p>	<p>226 a. What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by doctors/physician assistants?</p>	
<p>q226p2 (required)</p>	<p>226 b. What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?</p>	
<p>q226p3 (required)</p>	<p>226 c. What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by traditional provider (anyone without formal training)?</p>	
<p>q226p4 (required)</p>	<p>226 d. What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by a pharmacist?</p>	
<p>q226p5 (required)</p>	<p>226 e. What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by web/street vendors?</p>	

Field	Question	Answer
q226p6 (required)	226 f. What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by medical students/interns?	
n1226	The result is [sum226percentage] but should be 100	
nt227s	227 What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%	
system_access > interview > Q227. Other methods of abortion		
q227p1 (required)	227 a. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by doctors/physician assistants?	
q227p2 (required)	227 b. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?	
q227p3 (required)	227 c. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by traditional provider (anyone without formal training)?	
q227p4 (required)	227 d. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by pharmacist?	
q227p5 (required)	227 e. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by web/street vendors?	
q227p6 (required)	227 f. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by on-site Pharmacist provision without misoprostol?	

Field	Question	Answer
q227p7 (required)	227 g. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by woman herself (self-induced)?	
q227p8 (required)	227 h. What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by medical students/interns?	
n1227	The result is [sum227percentage] but should be 100 URBAN AND RURAL AREAS	
note228b	Now I want to ask you about rural and urban women together. We are aware that Liberian women frequently seek medical care outside of the country, including to have an induced abortion.	
q228 (required)	228. Out of 100 women living in this region who have an induced abortion, how many do you think obtain their abortion outside of the country? <i>Women</i>	
q229a (required)	229 a. Women may also buy or import drugs from neighboring countries to induce an abortion in Liberia. Have you heard of women importing misoprostol from neighboring countries?	1 YES 0 NO 2 DON'T KNOW
q229b (required)	229 b. Have you heard of women importing mifepristone, a drug that is often used in combination with misoprostol to induce abortion?	1 YES 0 NO 2 DON'T KNOW
note301	Now, I will talk to you about complications from induced abortion, meaning an abortion that the woman does something end a pregnancy. As you know, complications that result from induced abortion range in severity. When we speak of abortion complications, we are referring to those consequences that are severe enough to need treatment in a health facility, whether or not the woman actually obtains health care. Abortion complications, as defined here, include both the extremely serious cases like sepsis or a perforated uterus and less serious cases like incomplete abortions, heavy bleeding and abdominal pain. In answering the following set of questions concerning	

Field	Question	Answer
■ q301 (required)	<p>abortion complications, please keep this definition in mind. We are interested in abortion complications that occur to women residing in Liberia, whether they obtained the abortion in or outside of the country.</p> <p>301. Which medical complications resulting from induced abortion are common in Liberia? <i>[Interviewer: Please circle all that apply. Do not prompt.]</i></p>	<ol style="list-style-type: none"> 1 Incomplete abortion 2 Excessive loss of blood 3 Infection of uterus 3 and/or surrounding areas (sepsis) 4 Septic shock 5 Injury to the vagina/cervix 6 Injury to the uterus (i.e. perforation) 7 Injury to the internal organs 8 Hysterectomy 9 Infertility 10 Death 98 Other (specify) :
■ q301spec (required)	specify	
■ note301b	<p>The next set of questions use the same four subgroups of women we talked about before: rural and urban, and poor and non-poor.</p>	
■ note301d	<p>COMPLICATIONS</p> <p>I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.</p> <p>Think first about women who have surgical methods. <i>[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."</i></p>	
system_access > interview > Women who have surgical methods by doctors/physician assistants		
■ q302p1 (required)	<p>302 a. Among poor urban women who have a surgical method by doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	

Field	Question	Answer
q302p2 (required)	302 b. Among non-poor urban women who have a surgical method by a doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q302p3 (required)	302 c. Among poor rural women who have a surgical method by a doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q302p4 (required)	302 d. Among non-poor rural women who have an surgical method by a doctors/physician assistant, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > Women who have surgical methods by nurse/midwife		
q303p1 (required)	303 a Among poor urban women women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q303p2 (required)	303 b. Among non-poor urban women women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q303p3 (required)	303 c. Among poor rural women who have an surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q303p4 (required)	303 d. Among non-poor rural women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > msggrp2		

Field	Question	Answer
noteq306	Now I want you to think about women who obtain abortions using misoprostol.	
system_access > interview > msgrp2 > Women who have abortions using misoprostol abortions by doctors/physician assistants		
q306a (required)	306 a. Among poor urban women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q306b (required)	306 b. Among non-poor urban women who have an induced abortion using misoprostol by doctors/physician assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q306c (required)	306 c. Among poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q306d (required)	306 d. Among non-poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > msgrp2 > Women who have abortions using misoprostol abortions by nurses/midwives		
q307a (required)	307 a. Among poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) , what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q307b (required)	307 b. Among non-poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	

Field	Question	Answer
q307c (required)	307 c. Among poor rural women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q307d (required)	307 d. Among non-poor rural women who have an induced abortion using misoprostol by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > msgrp2 > Women who have abortions using misoprostol abortions by pharmacists		
q308a (required)	308 a. Among poor urban women who have an induced abortion using misoprostol by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q308b (required)	308 b. Among non-poor urban women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q308c (required)	308 c. Among poor rural women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q308d (required)	308 d. Among non-Poor rural women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > msgrp2 > Women who have abortions using misoprostol abortions by traditional providers		
q309a (required)	309 a. Among poor urban women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility,	

Field	Question	Answer
q309b (required)	<p>regardless of whether or not they actually receive treatment?</p> <p>309 b. Among non-poor urban women who have an induced abortion using misoprostol by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q309c (required)	<p>309 c. Among poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q309d (required)	<p>309 d. Among non-poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
system_access > interview > msgrp2 > Women who have abortions using misoprostol abortions by web (internet) or street vendors		
q310a (required)	<p>310 a. Among poor urban women who have an induced abortion using misoprostol by web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q310b (required)	<p>310 b. Among non-poor urban women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q310c (required)	<p>310 c. Among poor rural women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q310d (required)	<p>310 d. Among non-poor rural women who have an induced abortion using misoprostol by Web (internet) or</p>	

Field	Question	Answer
system_access > interview > msgrp2 > Women who have abortions using misoprostol abortions medical students/interns	street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q311a (required)	311 a. Among Poor urban women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q311b (required)	311 b. Among Non-poor urban women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q311c (required)	311 c. Among Poor rural women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q311d (required)	311 d. Among Non-Poor rural women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
note312	Now I want you to think about women who obtain abortions using any other method of abortions. <i>[Interviewer: Ask for each type of provider and type of method separately; insert the respondent's answer, even though it might be "00." 8888 don't know</i>	
system_access > interview > Women who have abortions using any other method of abortion abortions by doctors/physician assitant		
q312a (required)	312 a. Among poor urban women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment	

Field	Question	Answer
q312b <i>(required)</i>	<p>in a facility, regardless of whether or not they actually receive treatment?</p> <p>312 b. Among non-poor urban women who have an induced abortion using any other method of abortion by doctors/physician assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q312c <i>(required)</i>	<p>312 c. Among poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q312d <i>(required)</i>	<p>312 d. Among non-poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
system_access > interview > Women who have abortions using any other method of abortion abortions by nurse		
q313a <i>(required)</i>	<p>313 a . Among poor urban women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q313b <i>(required)</i>	<p>313 b . Among Non-poor urban women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q313c <i>(required)</i>	<p>313 c . Among Poor rural women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	

Field	Question	Answer
q313d <i>(required)</i>	313 d . Among Non-poor rural women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > Women who have abortions using any other method of abortion abortions by pharmacists		
q314a <i>(required)</i>	314 a. Among Poor urban women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q314b <i>(required)</i>	314 b. Among Non-poor urban women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q314c <i>(required)</i>	314 c. Among poor rural women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q314d <i>(required)</i>	314 d. Among Non-poor rural women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > Women who have abortions using any other method of abortion abortions by Traditional providers		
q315a <i>(required)</i>	315 a. Among Poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	

Field	Question	Answer
q315b <i>(required)</i>	<p>315 b. Among Non-poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q315c <i>(required)</i>	<p>315 c. Among Poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q315d <i>(required)</i>	<p>315 d. Among Non-Poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
<p>system_access > interview > Women who have abortions using any other method of abortion abortions by web/street vendors</p>		
q316a <i>(required)</i>	<p>316 a. Among Poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q316b <i>(required)</i>	<p>316 b. Among Non-poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q316c <i>(required)</i>	<p>316 c Among Poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	

Field	Question	Answer
q316d <i>(required)</i>	316 d. Among Non-Poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > Women who have abortions using any other method of abortion abortions by herself/self induced		
q317a <i>(required)</i>	317 a. Among Poor urban women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q317b <i>(required)</i>	317 b. Among Non-poor urban women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q317c <i>(required)</i>	317 c. Among Poor rural women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
q317d <i>(required)</i>	317 d. Among Non-Poor rural women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	
system_access > interview > Women who have abortions using medical students/interns		
q318a <i>(required)</i>	318 a. Among Poor urban women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?	

Field	Question	Answer
q318b (required)	<p>318 b. Among Non-poor urban women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q318c (required)	<p>318 c. Among Poor rural women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
q318d (required)	<p>318 d. Among Non-Poor rural women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?</p>	
note319	<p>TREATMENT</p> <p>Now I'd like you to think about whether or not women seek medical treatment in a health facility for complications from abortion.</p> <p>Women may be more or less likely to seek treatment in a health facility based on what method of abortion procedure they may have had. I will ask you separately about the three types of methods (surgical, medical, and other methods of abortion) for each of the four sub-groups of women we have been discussing.</p> <p>First, think about women who had surgical methods. <i>[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had surgical methods].</i></p>	
system_access > interview > surgical methods		
q319p1 (required)	<p>319 a. Among all Poor urban women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?</p>	
q319p2 (required)	<p>319 b. Among all Non-Poor urban women who experience a medical complication due to a surgical</p>	

Field	Question	Answer
q319p3 (required)	method, what percentage do you think would be treated in a health facility?	
q319p4 (required)	319 c. Among all Poor rural women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?	
note320	319 d. Among all non-poor rural women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?	
note320	Now think about women who had abortions using misoprostol. <i>[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had abortions with misoprostol].</i>	
system_access > interview > Misoprostol		
q320p1 (required)	320 a. Among all poor urban women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?	
q320p2 (required)	320 b. Among all non-Poor urban women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?	
q320p3 (required)	320 c. Among all poor rural women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?	
q320p4 (required)	320 d. Among all non-Poor rural women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?	
note321	Now I'd like you to think about women who had any other type of abortion. <i>[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had any other method of abortion].</i>	
system_access > interview > Other methods of abortion		
q321p1 (required)	321 a. Among all Poor urban women who experience a medical complication due to any other method of	

Field	Question	Answer
q321p2 (required)	abortion, what percentage do you think would be treated in a health facility? 321 b. Among all Non-Poor urban women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?	
q321p3 (required)	321 c. Among all Poor rural women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?	
q321p4 (required)	321 d. Among all Non-Poor rural women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?	
note322d	Now, I will ask you questions about all women. I will start by asking about miscarriages, also called spontaneous abortions, where a pregnancy ends by itself without anyone doing anything to end it.	
q322a (required)	322. a. Of all women who have a spontaneous abortion at 13-21 weeks gestation, what percentage seek treatment in a health facility? <i>a. Second trimester</i>	
q322b (required)	322. b. What about women at 6-12 weeks gestation? <i>b. First trimester</i>	
note323	323. The preceding sections included questions that required you to give your opinion on concepts that are not easily measured. On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortions in urban areas?	
q323a (required)	323 a. On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortions in urban areas?	10 10 very sure 9 9 8 8 7 7 6 6 5 5 4 4 3 3

Field	Question	Answer
		2 2
		1 1 not sure
		10 10 very sure
		9 9
		8 8
		7 7
q323b (required)	323 b. On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortion in rural areas?	6 6
		5 5
		4 4
		3 3
		2 2
		1 1 not sure
		10 10 very sure
		9 9
		8 8
		7 7
q324a (required)	324 a. On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for misoprostol use in urban areas?	6 6
		5 5
		4 4
		3 3
		2 2
		1 1 not sure
		10 10 very sure
		9 9
		8 8
		7 7
q324b (required)	324 b. On the same scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for misoprostol use in rural areas?	6 6
		5 5
		4 4
		3 3
		2 2
		1 1 not sure
note401	Thank you again for your participation in this survey. We are nearing the end of the questionnaire and I have just a few more questions for you.	
q401 (required)	401 A lot of women become pregnant without intending to. Please mention any suggestions or recommendations	1 Increase availability and accessibility of

Field	Question	Answer
	<p>that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed. .</p> <p><i>[Interviewer: Do not read. Multiple responses are allowed.]</i></p>	<p>family planning services</p> <p>2 Improve the quality of contraceptive counseling and services</p> <p>3 Improve the provision of contraceptive counselling post delivery</p> <p>4 Improve the provision of contraceptive counselling post-abortion</p> <p>5 Implement campaigns to educate public about where to access family planning services</p> <p>6 Improve provision of education in schools, universities and communities</p> <p>7 Improve provision of reproductive health education in schools, universities, and communities</p> <p>8 Improve girls' education and women's empowerment</p> <p>9 Encourage male involvement in family planning</p> <p>10 Increasing availability of information about long-acting reversible contraceptives (such as IUDs or implant)</p>

Field	Question	Answer
 q401spec (required)	specify	11 Increase access to long-acting reversible contraceptives (such as IUDs or implant) 98 Other (specify): _____ 13 Dont know
 q402 (required)	402 Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health. <i>[Interviewer: Do not read. Multiple responses are allowed.]</i>	1 Improve the coverage and quality of post-abortion care services 2 Publicize the health risk involved in unsafe abortion 3 Liberalize the legal status of abortion 4 Further restrict the conditions under which abortion is legal 5 Prosecute unsafe abortions 6 Improve information and access to contraception 7 Improve access to safe abortion services 8 Encourage male involvement in abortion-related services 9 Discourage premarital sex 10 Discourage abortion (e.g. through religious teaching) 11 Provide free reproductive health services 12 No opinion

Field	Question	Answer
q402spec (required)	specify	<p>98 Other (specify):_____</p> <p>14 Dont know</p>
q403 (required)	<p>403.Under what conditions in Liberia is abortion legal? [Interviewer: Do not read. Multiple responses are allowed.]</p>	<p>1 If the woman's physical health is at risk</p> <p>2 If pregnancy is from rape</p> <p>3 If pregnancy is from incest</p> <p>4 If the foetus would be handicapped/foetal anomaly</p> <p>5 If a girl is under age 16 Economic reasons</p> <p>6 (e.g. cannot care for the child)</p> <p>7 If the girl or woman is unmarried</p> <p>8 If the woman is mentally incapacitated</p> <p>9 If the woman's mental health is at risk</p> <p>10 If pregnancy is from contraceptive failure</p> <p>11 If the girl or woman is still in primary or secondary school</p> <p>12 If the woman doesn't want the pregnancy</p>
note404	<p>404 Do you think abortion should be allowed in the following situations? [Interviewer: Please read out each situation and circle respondent's answer: Yes, No, or Don't Know/DK</p>	
q404p1 (required)	404 A. Do you think abortion should be allowed if the woman's physical health is at risk.	<p>1 YES</p> <p>0 NO</p> <p>2 DON'T KNOW</p>
q404p2 (required)	404 B. Do you think abortion should be allowed if pregnancy is from rape.	<p>1 YES</p> <p>0 NO</p>

Field	Question	Answer
q404p3 (required)	404 C. Do you think abortion should be allowed if pregnancy is from incest.	2 DON'T KNOW 1 YES 0 NO
q404p4 (required)	404 D. Do you think abortion should be allowed if the foetus would be handicapped/foetal anomaly.	2 DON'T KNOW 1 YES 0 NO
q404p5 (required)	404 E. Do you think abortion should be allowed if a girl is under age 16.	2 DON'T KNOW 1 YES 0 NO
q404p6 (required)	404 F. Do you think abortion should be allowed for economic reasons (e.g. cannot care for the child).	2 DON'T KNOW 1 YES 0 NO
q404p7 (required)	404 G. Do you think abortion should be allowed if the girl or woman is unmarried.	2 DON'T KNOW 1 YES 0 NO
q404p8 (required)	404 H. Do you think abortion should be allowed if the woman is mentally incapacitated.	2 DON'T KNOW 1 YES 0 NO
q404p9 (required)	404 I. Do you think abortion should be allowed if the woman's mental health is at risk.	2 DON'T KNOW 1 YES 0 NO
q404p10 (required)	404 J. Do you think abortion should be allowed if pregnancy is from contraceptive failure.	2 DON'T KNOW 1 YES 0 NO
q404p11 (required)	404 K. Do you think abortion should be allowed if the girl or woman is still in primary or secondary school.	2 DON'T KNOW 1 YES 0 NO
q404p12 (required)	404 L. Do you think abortion should be allowed if the woman doesn't want the pregnancy.	2 DON'T KNOW 1 YES 0 NO
q404p13 (required)	404 M. Do you think abortion should be allowed if the woman is HIV positive.	2 DON'T KNOW 1 YES 0 NO
q404p14 (required)	404 N. Do you think abortion should be allowed in any other situation?	0 NO 1 YES

Field	Question	Answer
q404p14spec (required)	specify	2 DON'T KNOW
M7p1 (required)	M7 INTERVIEW OUTCOME (1ST)	1 Completed 2 Incomplete 3 Refused 4 Not available for interview
M7p2 (required)	IM7. NTERVIEW OUTCOME (2ND)	1 Completed 2 Incomplete 3 Refused 4 Not available for interview
M7p3 (required)	M7. INTERVIEW OUTCOME (3RD)	1 Completed 2 Incomplete 3 Refused 4 Not available for interview
noteende	END Thank you very much for your time. Your views are very important and will help make health services better for women.	
note788	If you are interested in receiving the final publication based on this survey after it is completed, we can give you our website address where we will be publishing the study when it is available. Would you like us to give that to you	
timeend	M9 TIME FINISHED:	
notem10	M10 How would you classify the respondents's knowledge on the topic of induced abortion in Liberia?	
m10p1 (required)	a. National level knowledge	1 1= Knows very well 2 2= Knows moderately well 3 3= Has limited information 4 4= Doesn't know
m10p2 (required)	b. Regional level knowledge	1 1= Knows very well

Field	Question	Answer
m10p3 <i>(required)</i>	c. Rural level knowledge	2= Knows moderately well 3= Has limited information 4= Doesn't know 1= Knows very well
m10p4 <i>(required)</i>	d. Misoprostol use	2= Knows moderately well 3= Has limited information 4= Doesn't know 1= Knows very well
m10observe <i>(required)</i>	Interviewer observations:	2= Knows moderately well 3= Has limited information 4= Doesn't know