

# Liberia - Measuring Abortion Incidence, Cost, and Quality of Post-Abortion Care in Liberia, Knowledgeable Informant Survey - Liberia

**Kenneth Juma, Boniface Ushie,**

Report generated on: November 7, 2025

Visit our data catalog at: <https://microdataportal.aphrc.org/index.php>

## Overview

### Identification

---

ID NUMBER

DDI-LIB-APHRC-LAS-KIS-2021-v1.0

### Version

---

VERSION DESCRIPTION

PRODUCTION DATE

2025-01-02

NOTES

N/A

## Overview

---

ABSTRACT

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

**Objectives:** The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

**Methodology:** A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

UNITS OF ANALYSIS

professionals knowledgeable about the conditions of abortion and the provision of post-abortion care abortion around Liberia

### Scope

---

NOTES

Background information on professionals knowledgeable about the conditions of abortion and the provision of post-abortion care abortion in Liberia

General questions of the knowledgeable professionals

Knowledge on induced abortion

Knowledge on miscarriage treatment

Stigma questions

## Coverage

### GEOGRAPHIC COVERAGE

National coverage

### UNIVERSE

The survey covered professionals knowledgeable about the conditions of abortion and the provision of post-abortion care abortion in Liberia, they included medical doctors and midwives in public and private practice, policymakers, advocates, researchers, NGO staff, community health workers, and community leaders

## Producers and Sponsors

### PRIMARY INVESTIGATOR(S)

Name	Affiliation
Kenneth Juma	African Population and Health Research Center - Kenya
Boniface Ushie	African Population and Health Research Center - Kenya

### OTHER PRODUCER(S)

Name	Affiliation	Role
Bentoe Z. Tehoungue	Ministry of Health - Liberia	Director of Family Health Division
Margaret Giorgio	Guttmacher Institute	Co-Investigator and a Senior Research Scientist
Jesse Philbin	Guttmacher Institute	Senior Research Associate
Hellen Akinyi	APHRC	Data Documentarist
Nelson K. Dunbar	Ministry of Health, Liberia	Co-Investigator
Vekeh Donzo	Clinton Health Access Initiative	Co-Investigator
Lily Lu,	Clinton Health Access Initiative	Co-Investigator
Matthew Nviiri	Clinton Health Access Initiative	Co-Investigator
Ramatou Ouedraogo	African Population and Health Research Center	Co-Investigator
Esther Mutuku	African Population and Health Research Center	Co-Investigator
Stephanie Kung	Guttmacher Institute	Co-Investigator
Akin Bankole	Guttmacher Institute	Co-Investigator
Dr. Moses Massaquoi	Clinton Health Access Initiative	Co-Investigator

### FUNDING

Name	Abbreviation	Role
Swedish International Development Cooperation Agency	Sida	

OTHER ACKNOWLEDGEMENTS

Name	Affiliation	Role
Clinton Health Access Initiative	CHAI	

## Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
African Population and Health Research Center	APHRC		Documentation of the DDI

DATE OF METADATA PRODUCTION

2025-01-02

DDI DOCUMENT VERSION

Version 1.0(JANUARY 2025)

DDI DOCUMENT ID

DDI-LIB-APHRC-LAS-KIS-2021-v1.0

## Sampling

### Sampling Procedure

---

The KIS involved in-person structured interviews with a sample of purposively selected respondents with knowledge about the provision of abortion and PAC in the country (nationally or pertaining to specific regions). Informants were not restricted to clinicians providing direct CAC services to patients. Potential key informants were identified through purposeful and snowball sampling.

A total of 89 key informants were interviewed on topics ranging from their perception regarding the type of providers women seek abortion from, the likelihood women will experience complications that require treatment in a facility according to the type of abortion provider used, to the likelihood that women who need treatment will receive it at a health facility. These questions were asked for four (4) major sub-groups of women within the population: rural poor, rural non-poor, urban poor, and urban non-poor. This information was used in the calculation of the multiplier. The multiplier is the number of women/girls who have induced abortion who either did not have complications, or had complications that were not treated in the formal health system, for everyone that received facility-based care. Other data sources used for calculating abortion incidence were the 2019/2020 Liberia Demographic and Health Survey (LDHS) (7), which provided information on fertility, contraceptive prevalence, unmet need for contraception, birth wantedness, and measures of access to health care. We also drew data from 2021 population projection for the number of women aged 15-49 in the different regions of Liberia. We used the Poverty & Equity Brief for Liberia 2021(15) and the Global Multidimensional Poverty Index (MPI) Country Briefing 2021: (16), to estimate the proportion of poor/non-poor in urban/rural settings in Liberia.

### Deviations from Sample Design

---

N/A

### Response Rate

---

100%

### Weighting

---

N/A

# Questionnaires

## Overview

---

KIS was used to sample and recruit both health and non-health professionals (e.g., law, media, teachers, research, education, nursing, policymaking, advocacy, and family planning program implementation and management) who are nevertheless well-informed about the context of abortion (access, safety, care-seeking behavior) in their regions. Interviews were carried out at the respondents' place of work or location of the respondents' choice. The questionnaire was written in English. It explored a number of questions that served to refine further an understanding and the opinion of abortion incidence and safety in Liberia.

## Data Collection

### Data Collection Dates

---

<b>Start</b>	<b>End</b>	<b>Cycle</b>
2021-11-05	2022-04-18	N/A

### Data Collection Mode

---

Face-to-face [f2f]

### Questionnaires

---

KIS was used to sample and recruit both health and non-health professionals (e.g., law, media, teachers, research, education, nursing, policymaking, advocacy, and family planning program implementation and management) who are nevertheless well-informed about the context of abortion (access, safety, care-seeking behavior) in their regions. Interviews were carried out at the respondents' place of work or location of the respondents' choice. The questionnaire was written in English. It explored a number of questions that served to refine further an understanding and the opinion of abortion incidence and safety in Liberia.

### Supervision

---

The Interview was conducted by a team of field interviewers. Each team included 6 interviewers, in addition to 1 team lead.

The supervisor's role was to coordinate field data collection and manage teams. They also assigned tasks to interviewers, spot-checked work, maintained control documents, and sent completed questionnaires and progress reports to the central data portal.

Frequent Field visits were made after every two weeks for period of data collection by the Study members

## Data Processing

### Data Editing

---

the software used was survey CTO for data collection, the data was later downloaded in STATA format.

### Other Processing

---

N/A

## Data Appraisal

### **Estimates of Sampling Error**

N/A

# File Description

# Variable List

**KIS LIBERIA\_RECAST**

Content	
Cases	89
Variable(s)	362
Structure	Type: Keys: ()
Version	
Producer	
Missing Data	

**Variables**

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V2	m1	M1. RESPONDENT IDENTIFICATION NUMBER	discrete	character	RESPONDENT IDENTIFICATION NUMBER
V3	m2	M2. REGIONS	discrete	numeric	REGIONS
V4	m3	M3. COUNTY	discrete	numeric	COUNTY
V6	m6	M6 TIME STARTED	discrete	character	TIME STARTED
V11	q101	101. Gender of the respondent	discrete	numeric	Gender of the respondent
V12	q102	102. What is your primary profession?	discrete	numeric	What is your primary profession?
V13	q102spec	Specify Other profession	discrete	character	Specify Other profession
V14	q102specmedicalspec	Specify Other Medical profession	discrete	character	Specify Other Medical profession
V15	q103	103. In which sector do you work primarily?	discrete	numeric	In which sector do you work primarily?
V16	q103spec	Specify	discrete	character	Specify
V17	q104	104. How long have you been working in your current profession?	discrete	numeric	How long have you been working in your current profession?
V18	q105	105 In what year were you born?	contin	numeric	In what year were you born? [Insert the year]
V19	q106note2	REGIONS	discrete	numeric	REGIONS
V20	q106p1	1. North Central	discrete	numeric	North Central
V21	q106p2	2. South Central	discrete	numeric	South Central
V22	q106p3	3. North Western	discrete	numeric	North Western
V23	q106p4	4. South Eastern A	discrete	numeric	South Eastern A
V24	q106p5	5. South Eastern B	discrete	numeric	South Eastern B
V25	q107	107. Please identify the different contexts in which you have encountered the is	discrete	character	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience?

V26	q107_1		discrete	numeric	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience_ In a public health facility framework
V27	q107_2		discrete	numeric	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience_ In a private clinic framework
V28	q107_3		discrete	numeric	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience_ Non-medical framework (research, policy-making, counseling, law) (Specify)
V29	q107_4		discrete	numeric	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience_ Through colleagues/professional networks
V30	q107_5		discrete	numeric	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience_ Through personal networks
V31	q107_98		discrete	numeric	Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience_ Other (specify) :
V32	q107spec	Specify	discrete	character	Specify
V33	q107specothermedical	Specify Non-medical framework	discrete	character	Specify Non-medical framework
V34	q108	108. What is the highest level of education you have completed?	discrete	numeric	What is the highest level of education you have completed?
V35	q108spec	Specify	discrete	character	Specify
V36	q201p1	a. As far as you are aware, is electric or manual vacuum aspiration (MVA) used to	discrete	numeric	As far as you are aware, is electric or manual vacuum aspiration (MVA) used to induce an abortion?
V37	q201p2	b. As far as you are aware, is uterine evacuation with sharp curette (D&E or D&C)	discrete	numeric	As far as you are aware, is uterine evacuation with sharp curette (D&E or D&C) used to induce an abortion?
V38	q201p3	c1. As far as you are aware, is Misoprostol (Cytotec) alone, taken orally used t	discrete	numeric	As far as you are aware, is Misoprostol (Cytotec) alone, taken orally used to induce an abortion?
V39	q201p4	c2. As far as you are aware, is decoction, drink, tea, local herbs, RPG used to i	discrete	numeric	As far as you are aware, is decoction, drink, tea, local herbs, RPG used to induce an abortion?
V40	q201p5	c3. As far as you are aware, is overdose of pharmaceuticals (e.g. aspirin, chlor	discrete	numeric	As far as you are aware, is overdose of pharmaceuticals (e.g. aspirin, chloroquine, used to induce an abortion?

V41	q201p6	c4. As far as you are aware are other oral methods (specify) used to induce an a	discrete	numeric	As far as you are aware are other oral methods (specify) used to induce an abortion?
V42	q201p6spec	Specify	discrete	character	Specify
V43	q201p8	d1. As far as you are aware, is Misoprostol (Cytotec) taken vaginally used to in	discrete	numeric	As far as you are aware, is Misoprostol (Cytotec) taken vaginally used to induce an abortion?
V44	q201p9	d2. As far as you are aware are herbs or solutions (using any form of insertion	discrete	numeric	As far as you are aware are herbs or solutions (using any form of insertion into the vagina) used to induce an abortion?
V45	q201p10	d3. As far as you are aware, are foreign objects (e.g. sticks, metal objects) us	discrete	numeric	As far as you are aware, are foreign objects (e.g. sticks, metal objects) used to induce an abortion?
V46	q201p11	d4. As far as you are aware, are caustic agent (e.g. washing powder) used to ind	discrete	numeric	As far as you are aware, are caustic agent (e.g. washing powder) used to induce an abortion?
V47	q201p12	d5. As far as you are aware, is catheter (with or without solution) used to indu	discrete	numeric	As far as you are aware, is catheter (with or without solution) used to induce an abortion?
V48	q201p13	d6. As far as you are aware, are other vaginal methods (specify) used to induce	discrete	numeric	As far as you are aware, are other vaginal methods (specify) used to induce an abortion?
V49	q201p13spec	Specify	discrete	character	Specify
V50	q201p14	e. As far as you are aware, are other means (specify any additional method(s) no	discrete	numeric	As far as you are aware, are other means (specify any additional method(s) not listed above) used to induce an abortion?
V51	q201p14spec	Specify	discrete	character	Specify
V52	q203p1	203 A. Indicate whether, in your opinion, women in Liberia access misoprostol fr	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from doctor's private office or physician assistant's office
V53	q203p2	203. B. Indicate whether, in your opinion, women in Liberia access misoprostol f	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from nurse's or midwives private office
V54	q203p3	203.C. Indicate whether, in your opinion, women in Liberia access misoprostol fr	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from health facilities (public)
V55	q203p4	203. D. Indicate whether, in your opinion, women in Liberia access misoprostol f	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from health facilities (private)
V56	q203p5	203. E. Indicate whether, in your opinion, women in Liberia access misoprostol f	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from NGOs

V57	q203p7	203.F. Indicate whether, in your opinion, women in Liberia access misoprostol fr	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from pharmacy
V58	q203p6	203.G. Indicate whether, in your opinion, women in Liberia access misoprostol fr	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from traditional healers
V59	q203p8	203. H. Indicate whether, in your opinion, women in Liberia access misoprostol f	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from markets or street vendors
V60	q203p9	203 I. Indicate whether, in your opinion, women in Liberia access misoprostol fr	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from web (internet)
V61	q203p10	203 X. Indicate whether, in your opinion, women in Liberia access misoprostol fr	discrete	numeric	Indicate whether, in your opinion, women in Liberia access misoprostol from other places (specify)
V62	q203p10spec	Specify other places	discrete	character	Specify other places
V63	q204p1	204 .In your opinion, what is the most common method used to induce abortion by	discrete	numeric	In your opinion, what is the most common method used to induce abortion by medical doctors/physician assistants?
V64	q205p1	205 a, In your opinion, what is the most common method used to induce abortion b	discrete	numeric	In your opinion, what is the most common method used to induce abortion by nurses/midwives?
V65	q205p3	205.b In your opinion, what is the most common method used to induce abortion by	discrete	numeric	In your opinion, what is the most common method used to induce abortion by medical students/interns?
V66	q206p1	206.In your opinion, what is the most common method used to induce abortion by p	discrete	numeric	In your opinion, what is the most common method used to induce abortion by pharmacists?
V67	q207p1	207. In your opinion, what is the most common method used to induce abortion by	discrete	numeric	In your opinion, what is the most common method used to induce abortion by traditional providers (anyone without formal training)?
V68	q208p1	208 a.In your opinion, what is the most common method used to induce abortion by	discrete	numeric	In your opinion, what is the most common method used to induce abortion by web/internet and street vendor?
V69	q208p2	208 b. In your opinion, what is the most common method used to induce abortion b	discrete	numeric	In your opinion, what is the most common method used to induce abortion by on-site pharmacist provision
V70	q208p3	208 c. In your opinion, what is the most common method used to induce abortion b	discrete	numeric	In your opinion, what is the most common method used to induce abortion by woman herself -- self-induced?
V71	q209p1	209 a. Indicate whether, in your opinion, poor women who seek abortions go to a	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to a doctor

V72	q209p2	209 b. Indicate whether, in your opinion, poor women who seek abortions go to a	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to a nurse/midwife/physician assistant (not a doctor)
V73	q209p3	209 c. Indicate whether, in your opinion, poor women who seek abortions go to a	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to a traditional provider (anyone without formal medical training)
V74	q209p4	209 d. Indicate whether, in your opinion, poor women who seek abortions go to a	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to a pharmacist
V75	q209p5	209 e. Indicate whether, in your opinion, poor women who seek abortions go to a	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to a web/internet and street vendor
V76	q209p6	209 f. Indicate whether, in your opinion, poor women who seek abortions go to a	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol
V77	q209p7	209 g. Indicate whether, in your opinion, poor women who seek abortions induce t	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions induce the abortions themselves
V78	q209p8	209 x. Indicate whether, in your opinion, poor women who seek abortions go to ot	discrete	numeric	Indicate whether, in your opinion, poor women who seek abortions go to other providers:
V79	q209p8spec	Specify other providers	discrete	character	Specify other providers
V80	q210bp1	210 a. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to a doctor/physician assistant
V81	q210bp2	210 b. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to a nurse/midwife (not a doctor)
V82	q210bp3	210 c. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to a pharmacist
V83	q210bp4	210 d. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to a traditional provider (anyone without formal medical training)
V84	q210bp5	210 e. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to a web/internet and street vendor
V85	q210bp6	210 f. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol
V86	q210bp7	210 g. Indicate whether, in your opinion, non-poor women who seek abortions indu	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions induce the abortions themselves

V87	q210bp8	210 x. Indicate whether, in your opinion, non-poor women who seek abortions go t	discrete	numeric	Indicate whether, in your opinion, non-poor women who seek abortions go to other providers
V88	q210bp8spec	specify	discrete	character	specify
V89	q211p1	211 a. What is the minimum amount that women in Liberia pay to doctors/physician	contin	numeric	What is the minimum amount that women in Liberia pay to doctors/physician assistants to induce an abortion? dont know 8888
V90	q211p1b	211 a. What is the maximum amount that women in Liberia pay to doctor to induce	contin	numeric	What is the maximum amount that women in Liberia pay to doctor to induce an abortion? dont know 8888
V91	q211p2	211 b. What is the minimum amount that women in Liberia pay to Nurse/midwife or	contin	numeric	What is the minimum amount that women in Liberia pay to Nurse/midwife or other trained provider (not a doctor) to induce an abortion? dont know 8888
V92	q211p2b	211 b. What is the maximum amount that women in Liberia pay to Nurse /midwife ma	contin	numeric	What is the maximum amount that women in Liberia pay to Nurse /midwife maximum to induce an abortion? dont know 8888
V93	q211p4	211 d. What is the minimum amount that women in Liberia pay to pharmacist to ind	contin	numeric	What is the minimum amount that women in Liberia pay to pharmacist to induce an abortition dont know 8888
V94	q211p4b	211 d. What is the maximum amount that women in Liberia pay to pharmacist to ind	contin	numeric	What is the maximum amount that women in Liberia pay to pharmacist to induce an abortion? dont know 8888
V95	q211p3	211 c. What is the minimum amount that women in Liberia pay to traditional provi	contin	numeric	What is the minimum amount that women in Liberia pay to traditional provider (anyone without formal training) to induce an abortion? dont know 8888
V96	q211p3b	211 c. What is the maximum amount that women in Liberia pay to traditional provi	contin	numeric	What is the maximum amount that women in Liberia pay to traditional provider (anyone without formal training) to induce an abortion? dont know 8888
V97	q211p5	211 e. What is the minimum amount that women in Liberia pay to web/internet and	contin	numeric	What is the minimum amount that women in Liberia pay to web/internet and street vendor to induce an abortion?
V98	q211p5b	211 e. What is the maximum amount that women in Liberia pay to web/internet and	contin	numeric	What is the maximum amount that women in Liberia pay to web/internet and street vendor to induce an abortion?
V99	q211p6	211 f. What is the minimum amount that women in Liberia pay to pharmacist who pr	contin	numeric	What is the minimum amount that women in Liberia pay to pharmacist who provides induced abortion but not using misoprostol?
V100	q211p6b	211 f. What is the maximum amount that women in Liberia pay to pharmacist who pr	contin	numeric	What is the maximum amount that women in Liberia pay to pharmacist who provides induced abortion but not using misoprostol?
V101	q211p7	211 g. What is the minimum amount that a women in Liberia spends when she induce	contin	numeric	What is the minimum amount that a women in Liberia spends when she induces her own abortion?

V102	q211p7b	211 g. What is the maximum amount that a woman in Liberia spends when she induce	contin	numeric	What is the maximum amount that a women in Liberia spends when she induces her own abortion?
V103	q211p8	211 x. What is the minimum amount that women in Liberia pay to other to induce a	contin	numeric	What is the minimum amount that women in Liberia pay to other to induce an abortion?
V104	q211p8b	211 x. What is the maximum amount that women in Liberia pay to others to induce	contin	numeric	What is the maximum amount that women in Liberia pay to others to induce an abortion?
V105	q212p1	212 a. What percentage of all induced abortions among poor women in urban areas	contin	numeric	What percentage of all induced abortions among poor women in urban areas do you think are done using the surgical method??
V106	q212p2	212 b. What percentage of all induced abortions among poor women in urban areas	contin	numeric	What percentage of all induced abortions among poor women in urban areas do you think are done using misoprostol?
V107	q212p3	212 c. What percentage of all induced abortions among poor women in urban areas	contin	numeric	What percentage of all induced abortions among poor women in urban areas do you think are performed using other methods of abortion?
V108	sumpercentage		discrete	character	N/A
V109	q212p1b	213.a First, What percentage of all induced abortions among non-poor women in ur	contin	numeric	First, What percentage of all induced abortions among non-poor women in urban areas do you think are done using the surgical method?
V110	q212p2b	213 b. What percentage of all induced abortions among non-poor women in urban ar	contin	numeric	What percentage of all induced abortions among non-poor women in urban areas do you think are done with misoprostol?
V111	q212p3b	213 c. What percentage of all induced abortions among non-poor women in urban ar	contin	numeric	What percentage of all induced abortions among non-poor women in urban areas do you think are performed using other methods of abortion?
V112	sumpercentageb		discrete	character	N/A
V113	q214p1	214 a. What percentage of all induced abortions performed using the surgical met	contin	numeric	What percentage of all induced abortions performed using the surgical method to poor women in urban areas do you think are being performed by doctors/physician assistants?
V114	q214p2	214 b .What percentage of all induced abortions performed using the surgical met	contin	numeric	What percentage of all induced abortions performed using the surgical method to poor women in urban areas do you think are being performed by nurses/midwives or other trained providers?
V115	sum14percentage		discrete	character	N/A
V116	q215p1	215 a. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by doctor/physician assistants?

V117	q215p2	215 b. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?
V118	q215p4	215 c. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by a pharmacist?
V119	q215p3	215 d. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by traditional provider (anyone without formal training)?
V120	q215p5	215 e. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by web/street vendors?
V121	sum15percentage		discrete	character	N/A
V122	q216p1	216 a. What percentage of all induced abortions performed using all other method	discrete	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by doctors/physician assistants
V123	q216p2	216 b. What percentage of all induced abortions performed using all other method	contin	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?
V124	q216p3	216 c. What percentage of all induced abortions performed using all other method	contin	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by traditional providers/ (anyone without formal training)?
V125	q216p4	216 d. What percentage of all induced abortions performed using all other method	contin	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by pharmacist?
V126	q216p5	216 e. What percentage of all induced abortions performed using all other method	contin	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by web/street vendors?
V127	q216p6	216 f. What percentage of all induced abortions performed using all other method	contin	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by on-site pharmacist not using misoprostol?
V128	q216p7	216 g. What percentage of all induced abortions performed using all other method	discrete	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by medical students/interns?
V129	q216p8	216 h. What percentage of all induced abortions performed using all other method	contin	numeric	What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by woman herself (self-induced)?
V130	sum16percentage		discrete	character	N/A

V131	q217p1	217 a. What percentage of all induced abortions performed through surgical metho	contin	numeric	What percentage of all induced abortions performed through surgical method to Non poor women in urban areas do you think are being performed by doctor/physician assistants?
V132	q217p2	217 b. What percentage of all induced abortions performed through surgical metho	contin	numeric	What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by nurses midwives or other trained personnel?
V133	q217p3	217 c. What percentage of all induced abortions performed through surgical metho	contin	numeric	What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by medical student/interns?
V134	sum17percentage		discrete	character	N/A
V135	q218p1	218 a. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by doctor/physician assistants?
V136	q218p2	218 b. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by Nurse/midwife or other trained provider
V137	q218p3	218 c. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by Traditional provider (anyone without formal training)?
V138	q218p4	218 d. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by pharmacist?
V139	q218p5	218 e. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by web/street vendors?
V140	q218p6	218 f. What percentage of all induced abortions performed through misoprostol to	contin	numeric	What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by medical student/interns?
V141	sum18percentage		discrete	character	N/A
V142	q219p1	219 a. What percent of all induced abortions through all other methods of aborti	discrete	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by doctors/physician assistant?
V143	q219p2	219 b. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?

V144	q219p3	219 c. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by traditional provider (anyone without formal training)?
V145	q219p4	219 d. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by pharmacist?
V146	q219p5	219 e. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by web/street vendors?
V147	q219p6	219 f. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by on-site Pharmacist without using misoprostol?
V148	q219p7	219 g. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by woman herself (self-induced)?
V149	q219p8	219 h. What percent of all induced abortions through all other methods of aborti	discrete	numeric	What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by medical students/interns?
V150	sum19percentage		discrete	character	N/A
V151	q220p1	220 a. What percentage of all induced abortions among poor women in rural areas	contin	numeric	
V152	q220p2	220 b .What percentage of all induced abortions among poor women in rural areas	contin	numeric	
V153	q220p3	220 c. What percentage of all induced abortions among poor women in rural areas	contin	numeric	
V154	sum220percentage		discrete	character	N/A
V155	q221p1	221 a. What percentage of all induced abortions among non-poor women in rural ar	contin	numeric	What percentage of all induced abortions among non-poor women in rural areas do you think are done using the surgical method?
V156	q221p2	221 b .What percentage of all induced abortions among non poor women in rural ar	contin	numeric	What percentage of all induced abortions among non poor women in rural areas do you think are done using Misoprostol?
V157	q221p3	221 c. What percentage of all induced abortions among non poor women in rural ar	contin	numeric	What percentage of all induced abortions among non poor women in rural areas do you think are done using other methods of abortion?
V158	sum221percentage		discrete	character	N/A

V159	q222p1	222 a. What percent of all induced abortions performed using the surgical method	contin	numeric	What percent of all induced abortions performed using the surgical method to poor women in rural areas are being performed by doctors/physician assistants?
V160	q222p2	222 b. What percent of all induced abortions performed using the surgical method	contin	numeric	What percent of all induced abortions performed using the surgical method to poor women in rural areas are being performed by nurse/midwife or other trained provider?
V161	sum222percentage		discrete	character	N/A
V162	q223p1	223 a. What percent of all induced abortions performed using misoprostol to poor	contin	numeric	What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by doctors/physician assistants?
V163	q223p2	223 b. What percent of all induced abortions performed using misoprostol to poor	contin	numeric	What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a nurse/midwife or other trained provider?
V164	q223p3	223 c. What percent of all induced abortions performed using misoprostol to poor	contin	numeric	What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a traditional provider (anyone without formal training)?
V165	q223p4	223 d. What percent of all induced abortions performed using misoprostol to poor	contin	numeric	What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a pharmacist?
V166	q223p5	223 e. What percent of all induced abortions performed using misoprostol to poor	contin	numeric	What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by web/street vendors?
V167	q223p6	223 f. What percent of all induced abortions performed using misoprostol to poor	contin	numeric	What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by medical students/interns?
V168	sum223percentage		discrete	character	N/A
V169	q224p1	224 a. What percent of all induced abortions through all other methods of aborti	discrete	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by doctor/physician assistants?
V170	q224p2	224 b. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?
V171	q224p3	224 c. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by t provider (anyone without formal training)?
V172	q224p4	224 d. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by pharmacist?

V173	q224p5	224 e. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by web/street vendors?
V174	q224p6	224 f. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by on-site pharmacist provision non-misoprostol?
V175	q224p7	224 g. What percent of all induced abortions through all other methods of aborti	contin	numeric	What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by woman herself (self-induced)?
V176	sum224percentage		discrete	character	N/A
V177	q225p1	225 a. What percent of all induced abortions are performed using the surgical me	contin	numeric	What percent of all induced abortions are performed using the surgical method to non-poor women in rural areas do you think are being performed by doctors/physician assistants?
V178	q225p2	225 b. What percent of all induced abortions are performed using the surgical me	contin	numeric	What percent of all induced abortions are performed using the surgical method to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?
V179	sum225percentage		discrete	character	N/A
V180	q226p1	226 a. What percent of all induced abortions performed using misoprostol to non-	contin	numeric	What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by doctors/physician assistants?
V181	q226p2	226 b. What percent of all induced abortions performed using misoprostol to non-	contin	numeric	What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?
V182	q226p3	226 c. What percent of all induced abortions performed using misoprostol to non-	contin	numeric	What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by traditional provider (anyone without formal training)?
V183	q226p4	226 d. What percent of all induced abortions performed using misoprostol to non-	contin	numeric	What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by a pharmacist?
V184	q226p5	226 e. What percent of all induced abortions performed using misoprostol to non-	contin	numeric	What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by web/street vendors?
V185	q226p6	226 f. What percent of all induced abortions performed using misoprostol to non-	contin	numeric	What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by medical students/interns?
V186	sum226percentage		discrete	character	N/A

V187	q227p1	227 a. What percent of all induced abortions using all other methods of abortion	contin	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by doctors/physician assistants?
V188	q227p2	227 b. What percent of all induced abortions using all other methods of abortion	contin	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?
V189	q227p3	227 c. What percent of all induced abortions using all other methods of abortion	contin	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by traditional provider (anyone without formal training)?
V190	q227p4	227 d. What percent of all induced abortions using all other methods of abortion	contin	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by pharmacist?
V191	q227p5	227 e. What percent of all induced abortions using all other methods of abortion	contin	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by web/street vendors?
V192	q227p6	227 f. What percent of all induced abortions using all other methods of abortion	discrete	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by on-site Pharmacist provision without misoprostol?
V193	q227p7	227 g. What percent of all induced abortions using all other methods of abortion	contin	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by woman herself (self-induced)?
V194	q227p8	227 h. What percent of all induced abortions using all other methods of abortion	discrete	numeric	What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by medical students/interns?
V195	sum227percentage		discrete	character	N/A
V196	q228	228. Out of 100 women living in this region who have an induced abortion, how many	contin	numeric	Out of 100 women living in this region who have an induced abortion, how many do you think obtain their abortion outside of the country? Women
V197	q229a	229 a. Women may also buy or import drugs from neighboring countries to induce a	discrete	numeric	Women may also buy or import drugs from neighboring countries to induce an abortion in Liberia. Have you heard of women importing misoprostol from neighboring countries?
V198	q229b	229 b. Have you heard of women importing mifepristone, a drug that is often used	discrete	numeric	Have you heard of women importing mifepristone, a drug that is often used in combination with misoprostol to induce abortion?
V199	q301	301. Which medical complications resulting from induced abortion are common in L	discrete	character	Which medical complications resulting from induced abortion are common in Liberia?

V200	q301_1		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Incomplete abortion
V201	q301_2		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Excessive loss of blood
V202	q301_3		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Infection of uterus and/or surrounding areas (sepsis)
V203	q301_4		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Septic shock
V204	q301_5		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Injury to the vagina/cervix
V205	q301_6		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Injury to the uterus (i.e. perforation)
V206	q301_7		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Injury to the internal organs
V207	q301_8		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Hysterectomy
V208	q301_9		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Infertility
V209	q301_10		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Death
V210	q301_98		discrete	numeric	Which medical complications resulting from induced abortion are common in Liberia_Other (specify) :
V211	q301spec	specify	discrete	character	specify
V212	q302p1	302 a. Among poor urban women who have a surgical method by doctors/physician as	contin	numeric	Among poor urban women who have a surgical method by doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V213	q302p2	302 b. Among non-poor urban women who have a surgical method by a doctors/physic	contin	numeric	Among non-poor urban women who have a surgical method by a doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V214	q302p3	302 c. Among poor rural women who have a surgical method by a doctors/physician	contin	numeric	Among poor rural women who have a surgical method by a doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V215	q302p4	302 d. Among non-poor rural women who have an surgical method by a doctors/physi	contin	numeric	Among non-poor rural women who have an surgical method by a doctors/physician assistant, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V216	q303p1	303 a Among poor urban women women who have a surgical method by a nurse/midwife	contin	numeric	Among poor urban women women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V217	q303p2	303 b. Among non-poor urban women women who have a surgical method by a nurse/mi	contin	numeric	Among non-poor urban women women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V218	q303p3	303 c. Among poor rural women who have an surgical method by a nurse/midwife or	contin	numeric	Among poor rural women who have an surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V219	q303p4	303 d. Among non-poor rural women who have a surgical method by a nurse/midwife	contin	numeric	Among non-poor rural women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V220	q306a	306 a. Among poor urban women who have an induced abortion using misoprostol by	contin	numeric	Among poor urban women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V221	q306b	306 b. Among non-poor urban women who have an induced abortion using misoprostol	contin	numeric	Among non-poor urban women who have an induced abortion using misoprostol by doctors/physician assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V222	q306c	306 c. Among poor rural women who have an induced abortion using misoprostol by	contin	numeric	Among poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V223	q306d	306 d. Among non-poor rural women who have an induced abortion using misoprostol	contin	numeric	Among non-poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V224	q307a	307 a. Among poor urban women who have an induced abortion using misoprostol by	contin	numeric	Among poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) , what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V225	q307b	307 b. Among non-poor urban women who have an induced abortion using misoprostol	contin	numeric	Among non-poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V226	q307c	307 c. Among poor rural women who have an induced abortion using misoprostol by	contin	numeric	Among poor rural women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V227	q307d	307 d. Among non-poor rural women who have an induced abortion using misoprostol	contin	numeric	Among non-poor rural women who have an induced abortion using misoprostol by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V228	q308a	308 a. Among poor urban women who have an induced abortion using misoprostol by	contin	numeric	Among poor urban women who have an induced abortion using misoprostol by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V229	q308b	308 b. Among non-poor urban women who have an induced abortion using misoprostol	contin	numeric	Among non-poor urban women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V230	q308c	308 c. Among poor rural women who have an induced abortion using misoprostol by	contin	numeric	Among poor rural women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V231	q308d	308 d. Among non-Poor rural women who have an induced abortion using misoprostol	contin	numeric	Among non-Poor rural women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V232	q309a	309 a. Among poor urban women who have an induced abortion using misoprostol by	contin	numeric	Among poor urban women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V233	q309b	309 b. Among non-poor urban women who have an induced abortion using misoprostol	contin	numeric	Among non-poor urban women who have an induced abortion using misoprostol by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V234	q309c	309 c. Among poor rural women who have an induced abortion using misoprostol by	contin	numeric	Among poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V235	q309d	309 d. Among non-poor rural women who have an induced abortion using misoprostol	contin	numeric	Among non-poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V236	q310a	310 a. Among poor urban women who have an induced abortion using misoprostol by	contin	numeric	Among poor urban women who have an induced abortion using misoprostol by web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V237	q310b	310 b. Among non-poor urban women who have an induced abortion using misoprostol	contin	numeric	Among non-poor urban women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V238	q310c	310 c. Among poor rural women who have an induced abortion using misoprostol by	contin	numeric	Among poor rural women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V239	q310d	310 d. Among non-poor rural women who have an induced abortion using misoprostol	contin	numeric	Among non-poor rural women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V240	q311a	311 a. Among Poor urban women who have an induced abortion using misoprostol by	contin	numeric	Among Poor urban women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V241	q311b	311 b. Among Non-poor urban women who have an induced abortion using misoprostol	contin	numeric	Among Non-poor urban women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V242	q311c	311 c. Among Poor rural women who have an induced abortion using misoprostol by	contin	numeric	Among Poor rural women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V243	q311d	311 d. Among Non-Poor rural women who have an induced abortion using misoprostol	contin	numeric	Among Non-Poor rural women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V244	q312a	312 a. Among poor urban women who have an induced abortion using any other metho	contin	numeric	Among poor urban women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V245	q312b	312 b. Among non-poor urban women who have an induced abortion using any other m	contin	numeric	Among non-poor urban women who have an induced abortion using any other method of abortion by doctors/physician assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V246	q312c	312 c. Among poor rural women who have an induced abortion using any other metho	contin	numeric	Among poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V247	q312d	312 d. Among non-poor rural women who have an induced abortion using any other m	contin	numeric	Among non-poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V248	q313a	313 a . Among poor urban women who have an induced abortion using any other meth	contin	numeric	Among poor urban women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V249	q313b	313 b . Among Non-poor urban women who have an induced abortion using any other	contin	numeric	Among Non-poor urban women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V250	q313c	313 c . Among Poor rural women who have an induced abortion using any other meth	contin	numeric	Among Poor rural women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V251	q313d	313 d . Among Non-poor rural women who have an induced abortion using any other	contin	numeric	Among Non-poor rural women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V252	q314a	314 a. Among Poor urban women who have an induced abortion using any other metho	contin	numeric	Among Poor urban women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V253	q314b	314 b. Among Non-poor urban women who have an induced abortion using any other m	contin	numeric	Among Non-poor urban women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V254	q314c	314 c. Among poor rural women who have an induced abortion using any other metho	contin	numeric	Among poor rural women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V255	q314d	314 d. Among Non-poor rural women who have an induced abortion using any other m	contin	numeric	Among Non-poor rural women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V256	q315a	315 a. Among Poor urban women who have an induced abortion using any other metho	contin	numeric	Among Poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V257	q315b	315 b. Among Non-poor urban women who have an induced abortion using any other m	contin	numeric	Among Non-poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V258	q315c	315 c. Among Poor rural women who have an induced abortion using any other metho	contin	numeric	Among Poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V259	q315d	315 d. Among Non-Poor rural women who have an induced abortion using any other m	contin	numeric	Among Non-Poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V260	q316a	316 a. Among Poor urban women who have an induced abortion using any other metho	contin	numeric	Among Poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V261	q316b	316 b. Among Non-poor urban women who have an induced abortion using any other m	contin	numeric	Among Non-poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V262	q316c	316 c Among Poor rural women who have an induced abortion using any other method	contin	numeric	Among Poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V263	q316d	316 d. Among Non-Poor rural women who have an induced abortion using any other m	contin	numeric	Among Non-Poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V264	q317a	317 a. Among Poor urban women who have an induced abortion using any other metho	contin	numeric	Among Poor urban women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V265	q317b	317 b. Among Non-poor urban women who have an induced abortion using any other m	contin	numeric	Among Non-poor urban women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V266	q317c	317 c. Among Poor rural women who have an induced abortion using any other metho	contin	numeric	Among Poor rural women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V267	q317d	317 d. Among Non-Poor rural women who have an induced abortion using any other m	contin	numeric	Among Non-Poor rural women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V268	q318a	318 a. Among Poor urban women who have an induced abortion using any other metho	contin	numeric	Among Poor urban women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V269	q318b	318 b. Among Non-poor urban women who have an induced abortion using any other m	contin	numeric	Among Non-poor urban women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V270	q318c	318 c. Among Poor rural women who have an induced abortion using any other metho	contin	numeric	Among Poor rural women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

V271	q318d	318 d. Among Non-Poor rural women who have an induced abortion using any other m	contin	numeric	Among Non-Poor rural women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?
V272	q319p1	319 a. Among all Poor urban women who experience a medical complication due to a	contin	numeric	Among all Poor urban women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?
V273	q319p2	319 b. Among all Non-Poor urban women who experience a medical complication due	contin	numeric	Among all Non-Poor urban women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?
V274	q319p3	319 c. Among all Poor rural women who experience a medical complication due to a	contin	numeric	Among all Poor rural women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?
V275	q319p4	319 d. Among all non-poor rural women who experience a medical complication due	contin	numeric	Among all non-poor rural women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?
V276	q320p1	320 a. Among all poor urban women who experience a medical complication due to a	contin	numeric	Among all poor urban women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?
V277	q320p2	320 b. Among all non-Poor urban women who experience a medical complication due	contin	numeric	Among all non-Poor urban women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?
V278	q320p3	320 c. Among all poor rural women who experience a medical complication due to a	contin	numeric	Among all poor rural women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?
V279	q320p4	320 d. Among all non-Poor rural women who experience a medical complication due	contin	numeric	Among all non-Poor rural women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?
V280	q321p1	321 a. Among all Poor urban women who experience a medical complication due to a	contin	numeric	Among all Poor urban women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?
V281	q321p2	321 b. Among all Non-Poor urban women who experience a medical complication due	contin	numeric	Among all Non-Poor urban women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?

V282	q321p3	321 c. Among all Poor rural women who experience a medical complication due to a	contin	numeric	Among all Poor rural women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?
V283	q321p4	321 d. Among all Non-Poor rural women who experience a medical complication due	contin	numeric	Among all Non-Poor rural women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?
V284	q322a	322. a. Of all women who have a spontaneous abortion at 13-21 weeks gestation, w	contin	numeric	Of all women who have a spontaneous abortion at 13-21 weeks gestation, what percentage seek treatment in a health facility? a. Second trimester
V285	q322b	322. b. What about women at 6-12 weeks gestation?	contin	numeric	What about women at 6-12 weeks gestation? b. First trimester
V286	q323a	323 a. On a scale of 1 to 10, with 1 being 'not at all sure' and 10 being 'very s	discrete	numeric	On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortions in urban areas?
V287	q323b	323 b. On a scale of 1 to 10, with 1 being 'not at all sure' and 10 being 'very	discrete	numeric	On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortion in rural areas?
V288	q324a	324 a. On a scale of 1 to 10, with 1 being 'not at all sure' and 10 being 'very	discrete	numeric	On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for misoprostol use in urban areas?
V289	q324b	324 b. On the same scale of 1 to 10, with 1 being 'not at all sure' and 10 being	discrete	numeric	On the same scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for misoprostol use in rural areas?
V290	q401	401 A lot of women become pregnant without intending to. Please mention any sugg	discrete	character	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed. .
V291	q401_1		discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed. Increase availability and accessibility of family planning services

V292	q401_2	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Improve the quality of contraceptive counseling and services
V293	q401_3	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Improve the provision of contraceptive counselling post delivery
V294	q401_4	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Improve the provision of contraceptive counselling post- abortion
V295	q401_5	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Implement campaigns to educate public about where to access family planning services
V296	q401_6	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Improve provision of education in schools, universities and communities
V297	q401_7	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Improve provision of reproductive health education in schools, universities, and communities
V298	q401_8	discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_ Improve girls' education and women's empowerment

V299	q401_9		discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_Encourage male involvement in family planning
V300	q401_10		discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_Increasing availability of information about long-acting reversible contraceptives (such as IUDs or implant)
V301	q401_11		discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_Increase access to long-acting reversible contraceptives (such as IUDs or implant)
V302	q401_98		discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_Other (specify ):_____
V303	q401_13		discrete	numeric	A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mistimed_Dont know
V304	q401spec	specify	discrete	character	specify
V305	q402	402 Please mention any suggestions/ recommendations that you feel could be used	discrete	character	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health.
V306	q402_1		discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Improve the coverage and quality of post-abortion care services
V307	q402_2		discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Publicize the health risk involved in unsafe abortion

V308	q402_3	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Liberalize the legal status of abortion
V309	q402_4	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Further restrict the conditions under which abortion is legal
V310	q402_5	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Prosecute unsafe abortions
V311	q402_6	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Improve information and access to contraception
V312	q402_7	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Improve access to safe abortion services
V313	q402_8	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Encourage male involvement in abortion-related services
V314	q402_9	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Discourage premarital sex
V315	q402_10	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Discourage abortion (e.g. through religious teaching)
V316	q402_11	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Provide free reproductive health services
V317	q402_12	discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_No opinion

V318	q402_98		discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Other (specify ):_____
V319	q402_14		discrete	numeric	Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health_Dont know
V320	q402spec	specify	discrete	character	specify
V321	q403	403.Under what conditions in Liberia is abortion legal?	discrete	character	Under what conditions in Liberia is abortion legal?
V322	q403_1		discrete	numeric	Under what conditions in Liberia is abortion legal_If the woman's physical health is at risk
V323	q403_2		discrete	numeric	Under what conditions in Liberia is abortion legal_ If pregnancy is from rape
V324	q403_3		discrete	numeric	Under what conditions in Liberia is abortion legal_ If pregnancy is from incest
V325	q403_4		discrete	numeric	Under what conditions in Liberia is abortion legal_If the foetus would be handicapped/foetal anomaly
V326	q403_5		discrete	numeric	Under what conditions in Liberia is abortion legal_If a girl is under age 16
V327	q403_6		discrete	numeric	Under what conditions in Liberia is abortion legal_Economic reasons (e.g. cannot care for the child)
V328	q403_7		discrete	numeric	Under what conditions in Liberia is abortion legal_ If the girl or woman is unmarried
V329	q403_8		discrete	numeric	Under what conditions in Liberia is abortion legal_If the woman is mentally incapacitated
V330	q403_9		discrete	numeric	Under what conditions in Liberia is abortion legal_ If the woman's mental health is at risk
V331	q403_10		discrete	numeric	Under what conditions in Liberia is abortion legal_If pregnancy is from contraceptive failure
V332	q403_11		discrete	numeric	Under what conditions in Liberia is abortion legal_If the girl or woman is still in primary or secondary school
V333	q403_12		discrete	numeric	Under what conditions in Liberia is abortion legal_ If the woman doesn't want the pregnancy
V334	q404p1	404 A. Do you think abortion should be allowed if the woman's physical health is	discrete	numeric	Do you think abortion should be allowed if the woman's physical health is at risk.
V335	q404p2	404 B. Do you think abortion should be allowed if pregnancy is from rape.	discrete	numeric	Do you think abortion should be allowed if pregnancy is from rape.

V336	q404p3	404 C. Do you think abortion should be allowed if pregnancy is from incest.	discrete	numeric	Do you think abortion should be allowed if pregnancy is from incest.
V337	q404p4	404 D. Do you think abortion should be allowed if the foetus would be handicapped	discrete	numeric	Do you think abortion should be allowed if the foetus would be handicapped/foetal anomaly.
V338	q404p5	404 E. Do you think abortion should be allowed if a girl is under age 16.	discrete	numeric	Do you think abortion should be allowed if a girl is under age 16.
V339	q404p6	404 F. Do you think abortion should be allowed for economic reasons (e.g. cannot	discrete	numeric	Do you think abortion should be allowed for economic reasons (e.g. cannot care for the child).
V340	q404p7	404 G. Do you think abortion should be allowed if the girl or woman is unmarried	discrete	numeric	Do you think abortion should be allowed if the girl or woman is unmarried.
V341	q404p8	404 H. Do you think abortion should be allowed if the woman is mentally incapacitated	discrete	numeric	Do you think abortion should be allowed if the woman is mentally incapacitated.
V342	q404p9	404 I. Do you think abortion should be allowed if the woman's mental health is at risk.	discrete	numeric	Do you think abortion should be allowed if the woman's mental health is at risk.
V343	q404p10	404 J. Do you think abortion should be allowed if pregnancy is from contraceptive failure.	discrete	numeric	Do you think abortion should be allowed if pregnancy is from contraceptive failure.
V344	q404p11	404 K. Do you think abortion should be allowed if the girl or woman is still in primary or secondary school.	discrete	numeric	Do you think abortion should be allowed if the girl or woman is still in primary or secondary school.
V345	q404p12	404 L. Do you think abortion should be allowed if the woman doesn't want the pregnancy.	discrete	numeric	Do you think abortion should be allowed if the woman doesn't want the pregnancy.
V346	q404p13	404 M. Do you think abortion should be allowed if the woman is HIV positive.	discrete	numeric	Do you think abortion should be allowed if the woman is HIV positive.
V347	q404p14	404 N. Do you think abortion should be allowed in any other situation?	discrete	numeric	Do you think abortion should be allowed in any other situation?
V348	q404p14spec	specify	discrete	character	specify
V349	m7p1	M7 INTERVIEW OUTCOME (1ST)	discrete	numeric	INTERVIEW OUTCOME (1ST)
V350	m7p2	M7. INTERVIEW OUTCOME (2ND)	discrete	numeric	INTERVIEW OUTCOME (2ND)
V351	m7p3	M7. INTERVIEW OUTCOME (3RD)	discrete	numeric	INTERVIEW OUTCOME (3RD)
V352	timeend	M9 TIME FINISHED:	discrete	character	TIME FINISHED:

V353	m10p1	a. National level knowledge	discrete	numeric	National level knowledge
V354	m10p2	b. Regional level knowledge	discrete	numeric	Regional level knowledge
V355	m10p3	c. Rural level knowledge	discrete	numeric	Rural level knowledge
V356	m10p4	d. Misoprostol use	discrete	numeric	Misoprostol use
V357	m10observe	Interviewer observations:	discrete	character	Interviewer observations:
V359	formdef_version	Form version used on device	contin	numeric	N/A
V360	key	Unique submission ID	discrete	character	N/A
V361	review_status	Review status	discrete	character	N/A
V362	review_quality		discrete	numeric	N/A
V363	review_comments	Comments made during review	discrete	numeric	N/A
V364	review_corrections	Corrections made during review	discrete	numeric	N/A
V365	submissiondate	Date/time submitted	contin	numeric	N/A
V366	start		contin	numeric	N/A
V367	end		contin	numeric	N/A
V368	today		discrete	character	N/A
V369	m4	M4. DATE OF INTERVIEW	discrete	character	DATE OF INTERVIEW



## M1. RESPONDENT IDENTIFICATION NUMBER (m1)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 89

Invalid: 0

### Description

The identification number of the respondent

### Universe

Field interviewers

### Source of information

Interview

### Pre question

N/A

### Literal question

RESPONDENT IDENTIFICATION NUMBER

### Post question

N/A

### Interviewer instructions

N/A

## M2. REGIONS (m2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete

Format: numeric

Width: 18

Decimals: 0

Range: 1-5

Valid cases: 89

Invalid: 0

### Description

The region of the respondent

### Universe

Field interviewers

### Source of information

Interviewer

### Pre question

N/A

### Literal question

REGIONS

### Post question

N/A

### Interviewer instructions

N/A

## M3. COUNTY (m3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
 Format: numeric  
 Width: 16  
 Decimals: 0  
 Range: 1-15

Valid cases: 89  
 Invalid: 0

**Description**

The county of the respondent

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

N/A

**Literal question**

COUNTY

**Post question**

N/A

**Interviewer instructions**

N/A

## M6 TIME STARTED (m6)

### File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 11

Valid cases: 89  
 Invalid: 0

**Description**

The time the survey started

**Universe**

system generated

**Source of information**

System generated

**Pre question**

N/A

**Literal question**

TIME STARTED

**Post question**

N/A

**Interviewer instructions**

N/A

## 101. Gender of the respondent (q101)

### File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 1-2

Valid cases: 89  
 Invalid: 0

**Description**

The gender of the respondent to the study

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Gender of the respondent

**Post question**

N/A

**Interviewer instructions**

Interviewer: circle the category that applies to the respondent. Do not ask this question aloud

## 102. What is your primary profession? (q102)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 40

Decimals: 0

Range: 1-96

Valid cases: 89

Invalid: 0

**Description**

The primary profession of the respondent

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

What is your primary profession?

**Post question**

N/A

**Interviewer instructions**

[Interviewer: Do not read. Circle only one response. If respondent gives more than one profession, select the one that accounts for the greatest proportion of the  
respondent's time.]

## Specify Other profession (q102spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: character

Width: 48

Valid cases: 28

Invalid: 0

**Description**

Other profession of the respondent

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Specify Other profession

**Post question**

N/A

**Interviewer instructions**

N/A

Specify Other Medical profession (q102specmedicalspec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 0

Invalid: 0

**Description**

Other Medical profession of the respondent

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Specify Other Medical profession

**Post question**

N/A

**Interviewer instructions**

N/A

103. In which sector do you work primarily? (q103)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 30

Decimals: 0

Range: 1-98

Valid cases: 89

Invalid: 0

**Description**

The sector where the respondent works primarily

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Literal question**

In which sector do you work primarily?

Specify (q103spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 18

Valid cases: 7  
 Invalid: 0

**Description**

Other sector where the respondent works primarily

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Specify

**Post question**

N/A

**Interviewer instructions**

N/A

104. How long have you been working in your current profession?

(q104)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 1-21

Valid cases: 89  
 Invalid: 0

**Description**

The number of years the respondent has been working in their current profession

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

How long have you been working in your current profession?

**Post question**

[In completed years]

**Interviewer instructions**

N/A

105 In what year were you born? (q105)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 1955
Decimals: 0	Maximum: 1993
Range: 1955-1993	Mean: 1976.3
	Standard deviation: 8.1

**Description**

The year the respondent was born

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

In what year were you born?  
[Insert the year]

**Post question**

N/A

**Interviewer instructions**

N/A

## REGIONS (q106note2)

### File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 89
Width: 8	
Decimals: 0	
Range: 0-3	

**Description**

The Region of the country that the respondent has worked during the last 5 years and if they worked in the urban areas or rural areas or both in the region

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In which Region of the country have you worked during the last 5 years?  
Did you work in urban areas or rural areas or both?

**Literal question**

REGIONS

**Post question**

N/A

**Interviewer instructions**

N/A

## 1. North Central (q106p1)

### File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-3

Valid cases: 89  
 Invalid: 0

**Description**

The Region of the country that the respondent has worked during the last 5 years and if they worked in the urban areas or rural areas or both in the region

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In which Region of the country have you worked during the last 5 years?  
 Did you work in urban areas or rural areas or both?

**Literal question**

North Central

**Post question**

N/A

**Interviewer instructions**

N/A

## 2. South Central (q106p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-3

Valid cases: 89  
 Invalid: 0

**Description**

The Region of the country that the respondent has worked during the last 5 years and if they worked in the urban areas or rural areas or both in the region

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In which Region of the country have you worked during the last 5 years?  
 Did you work in urban areas or rural areas or both?

**Literal question**

South Central

**Post question**

N/A

**Interviewer instructions**

N/A

## 3. North Western (q106p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-3

Valid cases: 89  
 Invalid: 0

**Description**

The Region of the country that the respondent has worked during the last 5 years and if they worked in the urban areas or rural areas or both in the region

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In which Region of the country have you worked during the last 5 years?  
 Did you work in urban areas or rural areas or both?

**Literal question**

North Western

**Post question**

N/A

**Interviewer instructions**

N/A

## 4. South Eastern A (q106p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-3

Valid cases: 89  
 Invalid: 0

**Description**

The Region of the country that the respondent has worked during the last 5 years and if they worked in the urban areas or rural areas or both in the region

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In which Region of the country have you worked during the last 5 years?  
 Did you work in urban areas or rural areas or both?

**Literal question**

South Eastern A

**Post question**

N/A

**Interviewer instructions**

N/A

## 5. South Eastern B (q106p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-3

Valid cases: 89  
 Invalid: 0

**Description**

The Region of the country that the respondent has worked during the last 5 years and if they worked in the urban areas or rural areas or both in the region

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In which Region of the country have you worked during the last 5 years?  
 Did you work in urban areas or rural areas or both?

**Literal question**

South Eastern B

**Post question**

N/A

**Interviewer instructions**

N/A

107. Please identify the different contexts in which you have encountered the is (q107)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 7

Valid cases: 89  
 Invalid: 0

**Description**

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience?

**Post question**

N/A

**Interviewer instructions**

Multiple responses are allowed

(q107\_1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience\_ In a public health facility framework

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience\_ In a public health facility framework

**Post question**

N/A

**Interviewer instructions**

N/A

(q107\_2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience\_ In a private clinic framework

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience\_ In a private clinic framework

**Post question**

N/A

**Interviewer instructions**

N/A

(q107\_3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience\_Non-medical framework (research, policy-making, counseling, law) (Specify)

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience\_Non-medical framework (research, policy-making, counseling, law) (Specify)

#### Post question

N/A

#### Interviewer instructions

N/A

(q107\_4)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience\_Through colleagues/professional networks

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience\_Through colleagues/professional networks

#### Post question

N/A

#### Interviewer instructions

N/A

(q107\_5)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience\_Through personal networks

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience\_Through personal networks

**Post question**

N/A

**Interviewer instructions**

N/A

(q107\_98)  
 File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The different contexts in which the respondent have encountered on the issue of abortion as part of their professional experience\_Other (specify) :

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please identify the different contexts in which you have encountered the issue of abortion as part of your professional experience\_Other (specify) :

**Post question**

N/A

**Interviewer instructions**

N/A

Specify (q107spec)  
 File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 15

Valid cases: 3  
 Invalid: 0

**Description**

Other contexts the respondent have encountered on the issue of abortion as part of their professional experience

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Specify

**Post question**

N/A

**Interviewer instructions**

N/A

## Specify Non-medical framework (q107specothermedical)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 45

Valid cases: 2  
 Invalid: 0

**Description**

Other non-medical framework contexts in which the respondent have encountered on the issue of abortion as part of their professional experience

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Specify Non-medical framework

**Post question**

N/A

**Interviewer instructions**

N/A

## 108. What is the highest level of education you have completed?

(q108)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 19  
 Decimals: 0  
 Range: 1-98

Valid cases: 89  
 Invalid: 0

**Description**

The highest level of education the respondent have attained

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

What is the highest level of education you have completed?

**Post question**

N/A

**Interviewer instructions**

N/A

Specify (q108spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: character

Width: 32

Valid cases: 11

Invalid: 0

**Description**

Other highest level of education the respondent have attained

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Specify

**Post question**

N/A

**Interviewer instructions**

N/A

a. As far as you are aware, is electric or manual vacuum aspiration (MVA) used t (q201p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, is electric or manual vacuum aspiration (MVA) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

b. As far as you are aware, is uterine evacuation with sharp curette (D&E or D&C (q201p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, is uterine evacuation with sharp curette (D&E or D&C) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

## c1. As far as you are aware, is Misoprostol (Cytotec) alone, taken orally used t (q201p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

### Description

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

### Literal question

As far as you are aware, is Misoprostol (Cytotec) alone, taken orally used to induce an abortion?

### Post question

N/A

### Interviewer instructions

N/A

## c2. As far as you are aware, is decoction, drink, tea, local herbs,RPG used to i (q201p4)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

### Description

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

#### Literal question

As far as you are aware, is decoction, drink, tea, local herbs, RPG used to induce an abortion?

#### Post question

N/A

#### Interviewer instructions

N/A

c3. As far as you are aware, is overdose of pharmaceuticals (e.g. aspirin, chlor (q201p5)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

#### Description

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

#### Literal question

As far as you are aware, is overdose of pharmaceuticals (e.g. aspirin, chloroquine, used to induce an abortion?

#### Post question

N/A

#### Interviewer instructions

N/A

c4. As far as you are aware are other oral methods (specify) used to induce an a (q201p6)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 10  
 Decimals: 0  
 Range: 0-2

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

who may use the method or whether it takes place in a facility.

#### Literal question

As far as you are aware are other oral methods (specify) used to induce an abortion?

#### Post question

N/A

#### Interviewer instructions

N/A

## Specify (q201p6spec) File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: character  
 Width: 61

Valid cases: 18  
 Invalid: 0

#### Description

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

who may use the method or whether it takes place in a facility.

#### Literal question

Specify

#### Post question

N/A

**Interviewer instructions**

N/A

d1. As far as you are aware, is Misoprostol (Cytotec) taken vaginally used to in (q201p8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, is Misoprostol (Cytotec) taken vaginally used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

d2. As far as you are aware are herbs or solutions (using any form of insertion (q201p9)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware are herbs or solutions (using any form of insertion into the vagina) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

d3. As far as you are aware, are foreign objects (e.g. sticks, metal objects) us (q201p10)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, are foreign objects (e.g. sticks, metal objects) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

d4. As far as you are aware, are caustic agent (e.g. washing powder) used to ind (q201p11)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 10  
 Decimals: 0  
 Range: 0-2

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, are caustic agent (e.g. washing powder) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

d5. As far as you are aware, is catheter (with or without solution) used to indu (q201p12)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 10  
 Decimals: 0  
 Range: 0-2

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, is catheter (with or without solution) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

d6. As far as you are aware, are other vaginal methods (specify) used to induce (q201p13)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, are other vaginal methods (specify) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

Specify (q201p13spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: character  
Width: 244

Valid cases: 14

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

Specify

**Post question**

N/A

**Interviewer instructions**

N/A

e. As far as you are aware, are other means (specify any additional method(s) no (q201p14)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion-that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner who may use the method or whether it takes place in a facility.

**Literal question**

As far as you are aware, are other means (specify any additional method(s) not listed above) used to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

Specify (q201p14spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 9

Format: character

Width: 244

**Description**

The respondent's opinion about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In Liberia, very little is known about the provision of induced abortion—that is, steps taken or procedures done to end a pregnancy. Induced abortion may be done at any gestation, and it may be done by both trained and untrained providers in safe and unsafe conditions.

We would like to have your opinion about several aspects of this area of reproductive behavior, to the extent that you are able to give an informed professional opinion. In this questionnaire, by abortion, we will be referring to induced abortion only.

First, I would like to learn about the methods currently used by Liberia women to induce an abortion, regardless of the type of practitioner

who may use the method or whether it takes place in a facility.

**Literal question**

Specify

**Post question**

N/A

**Interviewer instructions**

N/A

203 A. Indicate whether, in your opinion, women in Liberia access misoprostol fr (q203p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 84

Format: numeric

Invalid: 5

Width: 13

Decimals: 0

Range: 1-4

**Description**

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask you perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

**Literal question**

Indicate whether, in your opinion, women in Liberia access misoprostol from doctor's private office or physician assistant's office

**Post question**

N/A

**Interviewer instructions**

N/A

203. B. Indicate whether, in your opinion, women in Liberia access misoprostol f (q203p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 13  
Decimals: 0  
Range: 1-4

Valid cases: 84  
Invalid: 5

**Description**

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

**Literal question**

Indicate whether, in your opinion, women in Liberia access misoprostol from nurse's or midwives private office

**Post question**

N/A

**Interviewer instructions**

N/A

203.C. Indicate whether, in your opinion, women in Liberia access misoprostol fr (q203p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 13  
Decimals: 0  
Range: 1-4

Valid cases: 84  
Invalid: 5

**Description**

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

##### MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

#### Literal question

Indicate whether, in your opinion, women in Liberia access misoprostol from health facilities (public)

#### Post question

N/A

#### Interviewer instructions

N/A

203. D. Indicate whether, in your opinion, women in Liberia access misoprostol f (q203p4)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete

Format: numeric

Width: 13

Decimals: 0

Range: 1-4

Valid cases: 84

Invalid: 5

#### Description

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

##### MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

#### Literal question

Indicate whether, in your opinion, women in Liberia access misoprostol from health facilities (private)

#### Post question

N/A

#### Interviewer instructions

N/A

## 203. E. Indicate whether, in your opinion, women in Liberia access misoprostol f (q203p5)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 13  
Decimals: 0  
Range: 1-4

Valid cases: 84  
Invalid: 5

### Description

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

### Literal question

Indicate whether, in your opinion, women in Liberia access misoprostol from NGOs

### Post question

N/A

### Interviewer instructions

N/A

## 203.F. Indicate whether, in your opinion, women in Liberia access misoprostol fr (q203p7)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 13  
Decimals: 0  
Range: 1-4

Valid cases: 84  
Invalid: 5

### Description

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

## MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

**Literal question**

Indicate whether, in your opinion, women in Liberia access misoprostol from pharmacy

**Post question**

N/A

**Interviewer instructions**

N/A

203.G. Indicate whether, in your opinion, women in Liberia access misoprostol fr (q203p6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 13

Decimals: 0

Range: 1-4

Valid cases: 84

Invalid: 5

**Description**

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

**Literal question**

Indicate whether, in your opinion, women in Liberia access misoprostol from traditional healers

**Post question**

N/A

**Interviewer instructions**

N/A

203. H. Indicate whether, in your opinion, women in Liberia access misoprostol f (q203p8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 13  
 Decimals: 0  
 Range: 1-4

Valid cases: 84  
 Invalid: 5

### Description

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

### Literal question

Indicate whether, in your opinion, women in Liberia access misoprostol from markets or street vendors

### Post question

N/A

### Interviewer instructions

N/A

203 I. Indicate whether, in your opinion, women in Liberia access misoprostol fr (q203p9)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
 Format: numeric  
 Width: 13  
 Decimals: 0  
 Range: 1-4

Valid cases: 84  
 Invalid: 5

### Description

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

### Literal question

Indicate whether, in your opinion, women in Liberia access misoprostol from web (internet)

### Post question

N/A

**Interviewer instructions**

N/A

203 X. Indicate whether, in your opinion, women in Liberia access misoprostol fr (q203p10)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 13  
Decimals: 0  
Range: 1-4

Valid cases: 84  
Invalid: 5

**Description**

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and the main types of places people could go to get misoprostol to induce an abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask your perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

**Literal question**

Indicate whether, in your opinion, women in Liberia access misoprostol from other places (specify)

**Post question**

N/A

**Interviewer instructions**

N/A

Specify other places (q203p10spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: character  
Width: 60

Valid cases: 13  
Invalid: 0

**Description**

The respondent's perceptions about how misoprostol is being used for induced abortion in Liberia and other types of places people could go to get misoprostol to induce an abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

## MISOPROSTOL QUESTIONS

You mentioned earlier that misoprostol (or Cytotec) is sometimes being used in Liberia for induced abortion. I would like to ask you perceptions about how misoprostol is being used for induced abortion in Liberia

Now I want to ask you about the main types of places people could go to get misoprostol to induce an abortion in Liberia. Indicate whether, in your opinion, women in Liberia access misoprostol from these places commonly, sometimes, or rarely/never

**Literal question**

Specify other places

**Post question**

N/A

**Interviewer instructions**

N/A

204 .In your opinion, what is the most common method used to induce abortion by (q204p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 33

Decimals: 0

Range: 1-8

Valid cases: 89

Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by medical doctors/physician assistants

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or metal object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by medical doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

205 a, In your opinion, what is the most common method used to induce abortion b (q205p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-8

Valid cases: 89  
 Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by nurses/midwives

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by nurses/midwives?

**Post question**

N/A

**Interviewer instructions**

N/A

205.b In your opinion, what is the most common method used to induce abortion by (q205p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 33  
 Decimals: 0  
 Range: 1-8

Valid cases: 89  
 Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by medical students/interns

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by medical students/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

206. In your opinion, what is the most common method used to induce abortion by p (q206p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 33  
Decimals: 0  
Range: 1-8

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by pharmacists

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by pharmacists?

**Post question**

N/A

**Interviewer instructions**

N/A

207. In your opinion, what is the most common method used to induce abortion by (q207p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 33  
Decimals: 0  
Range: 1-8

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by traditional providers (anyone without formal training)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by traditional providers (anyone without formal training)?

**Post question**

N/A

**Interviewer instructions**

N/A

208 a. In your opinion, what is the most common method used to induce abortion by (q208p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 28  
Decimals: 0  
Range: 2-8

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by web/internet and street vendor

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by web/internet and street vendor?

**Post question**

N/A

**Interviewer instructions**

N/A

208 b. In your opinion, what is the most common method used to induce abortion b (q208p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 28  
 Decimals: 0  
 Range: 3-8

Valid cases: 89  
 Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by on-site pharmacist provision

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by on-site pharmacist provision

**Post question**

N/A

**Interviewer instructions**

N/A

208 c. In your opinion, what is the most common method used to induce abortion b (q208p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 28  
 Decimals: 0  
 Range: 3-8

Valid cases: 89  
 Invalid: 0

**Description**

The respondent opinion on the most common method of abortion preferred by woman herself -- self-induced

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I will like to ask you about the methods used to induce abortion in Liberia and the type of provider who use the methods. I will ask you about three methods;

1. Surgical method
2. Medication method
3. other methods of abortion.

Abortion by surgical method means termination of pregnancy using MVA, EVA, D&C, D&E. Medication method involves the use of Misoprostol or Combination of Misoprostol and Mifepristone. Other methods of abortion involves substances and material such as herbal concoctions, cocktail of antibiotics, RPG, and stick or mental object, etc.

[Interviewer: Read out the main types of methods, and circle only one response for each provider type.]

**Literal question**

In your opinion, what is the most common method used to induce abortion by woman herself -- self-induced?

**Post question**

N/A

**Interviewer instructions**

N/A

209 a. Indicate whether, in your opinion, poor women who seek abortions go to a (q209p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion on whether poor women who seek abortions go to a doctor

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups – the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for “poor” and “non-poor,” but by “poor” we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, poor women who seek abortions go to a doctor

**Post question**

N/A

**Interviewer instructions**

N/A

209 b. Indicate whether, in your opinion, poor women who seek abortions go to a (q209p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion on whether poor women who seek abortions go to a nurse/midwife/physician assistant (not a doctor)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, poor women who seek abortions go to a nurse/midwife/physician assistant (not a doctor)

**Post question**

N/A

**Interviewer instructions**

N/A

209 c. Indicate whether, in your opinion, poor women who seek abortions go to a (q209p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion on whether poor women who seek abortions go to a traditional provider (anyone without formal medical training)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, poor women who seek abortions go to a traditional provider (anyone without formal medical training)

**Post question**

N/A

**Interviewer instructions**

N/A

209 d. Indicate whether, in your opinion, poor women who seek abortions go to a (q209p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion on whether poor women who seek abortions go to a pharmacist

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b> in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, poor women who seek abortions go to a pharmacist

**Post question**

N/A

**Interviewer instructions**

N/A

209 e. Indicate whether, in your opinion, poor women who seek abortions go to a (q209p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

**Description**

The respondent's opinion on whether poor women who seek abortions go to a web/internet and street vendor

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b> in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, poor women who seek abortions go to a web/internet and street vendor

**Post question**

N/A

**Interviewer instructions**

N/A

209 f. Indicate whether, in your opinion, poor women who seek abortions go to a (q209p6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 14

Decimals: 0

Range: 1-3

Valid cases: 89

Invalid: 0

**Description**

The respondent's opinion on whether poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b> in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol

**Post question**

N/A

**Interviewer instructions**

N/A

## 209 g. Indicate whether, in your opinion, poor women who seek abortions induce t (q209p7)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

### Description

The respondent's opinion on whether poor women who seek abortions induce the abortions themselves

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

### Literal question

Indicate whether, in your opinion, poor women who seek abortions induce the abortions themselves

### Post question

N/A

### Interviewer instructions

N/A

## 209 x. Indicate whether, in your opinion, poor women who seek abortions go to ot (q209p8)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 14  
Decimals: 0  
Range: 1-3

Valid cases: 89  
Invalid: 0

### Description

The respondent's opinion on whether poor women who seek abortions go to other providers

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

#### Literal question

Indicate whether, in your opinion, poor women who seek abortions go to other providers:

#### Post question

N/A

#### Interviewer instructions

N/A

## Specify other providers (q209p8spec)

### File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete

Format: character

Width: 92

Valid cases: 89

Invalid: 0

#### Description

The respondent's opinion on whether poor women who seek abortions go to other providers commonly, sometimes or rarely/never.

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

#### Literal question

Specify other providers

#### Post question

N/A

#### Interviewer instructions

N/A

210 a. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp1)

### File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 14  
 Decimals: 0  
 Range: 1-3

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's opinion on whether non- poor women who seek abortions go to a doctor/physician assistant

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, non-poor women who seek abortions go to a doctor/physician assistant

**Post question**

N/A

**Interviewer instructions**

N/A

210 b. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 14  
 Decimals: 0  
 Range: 1-3

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's opinion on whether non- poor women who seek abortions go to a nurse/midwife (not a doctor)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b> in the first 3 columns. Then ask the next question.]

#### Literal question

Indicate whether, in your opinion, non-poor women who seek abortions go to a nurse/midwife (not a doctor)

#### Post question

N/A

#### Interviewer instructions

N/A

210 c. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp3)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 14

Decimals: 0

Range: 1-3

#### Description

The respondent's opinion on whether non-poor women who seek abortions go to a pharmacist

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b> in the first 3 columns. Then ask the next question.]

#### Literal question

Indicate whether, in your opinion, non-poor women who seek abortions go to a pharmacist

#### Post question

N/A

#### Interviewer instructions

N/A

## 210 d. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp4)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 1-3	
Description	
The respondent's opinion on whether non-poor women who seek abortions go to a traditional provider (anyone without formal medical training)	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia. I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce. [Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.] Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never. [Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]	
Literal question	
Indicate whether, in your opinion, non-poor women who seek abortions go to a traditional provider (anyone without formal medical training)	
Post question	
N/A	
Interviewer instructions	
N/A	

## 210 e. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp5)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 1-3	
Description	
The respondent's opinion on whether non-poor women who seek abortions go to a web/internet and street vendor	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

#### Literal question

Indicate whether, in your opinion, non-poor women who seek abortions go to a web/internet and street vendor

#### Post question

N/A

#### Interviewer instructions

N/A

210 f. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp6)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete

Format: numeric

Width: 14

Decimals: 0

Range: 1-3

Valid cases: 89

Invalid: 0

#### Description

The respondent's opinion on whether non-poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, traditional providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

#### Literal question

Indicate whether, in your opinion, non-poor women who seek abortions go to a pharmacist who provides induced abortion but not using misoprostol

#### Post question

N/A

#### Interviewer instructions

N/A

## 210 g. Indicate whether, in your opinion, non-poor women who seek abortions induce (q210bp7)

File: KIS LIBERIA\_RECAST

<b>Overview</b>	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 1-3	
<b>Description</b>	
The respondent's opinion on whether non- poor women who seek abortions induce the abortions themselves	
<b>Universe</b>	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
<b>Source of information</b>	
Knowledgeable informant participating in the survey	
<b>Pre question</b>	
For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia. I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce. [Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.] Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never. [Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]	
<b>Literal question</b>	
Indicate whether, in your opinion, non-poor women who seek abortions induce the abortions themselves	
<b>Post question</b>	
N/A	
<b>Interviewer instructions</b>	
N/A	

## 210 x. Indicate whether, in your opinion, non-poor women who seek abortions go to (q210bp8)

File: KIS LIBERIA\_RECAST

<b>Overview</b>	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 14	
Decimals: 0	
Range: 1-3	
<b>Description</b>	
The respondent's opinion on whether non- poor women who seek abortions go to other providers	
<b>Universe</b>	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
<b>Source of information</b>	
Knowledgeable informant participating in the survey	
<b>Pre question</b>	

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

**Literal question**

Indicate whether, in your opinion, non-poor women who seek abortions go to other providers

**Post question**

N/A

**Interviewer instructions**

N/A

specify (q210bp8spec)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete Valid cases: 87  
Format: character  
Width: 244

**Description**

The respondent's opinion on whether non- poor women who seek abortions go to other providers

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

For many of the following questions, I want you to consider two income groups - the poor and the relatively well-off (non-poor). Each question will be asked separately about poor and non-poor women who live in Liberia.

I will mention the main types of people who perform induced abortion in Liberia. These include doctors, physician assistants, nurses/midwives, medical students/interns, tradition providers, pharmacists, web/street vendors, and woman herself who self-induce.

[Interviewer: You can mention that there are not exact definitions for "poor" and "non-poor," but by "poor" we mean women with lower income levels.]

Now indicate whether, in your opinion, poor women who seek abortions go to the following types of providers commonly, sometimes or rarely/never.

[Interviewer: Read each type of provider and circle the respondent's answers for <b>Poor urban women </b>in the first 3 columns. Then ask the next question.]

**Literal question**

specify

**Post question**

N/A

**Interviewer instructions**

N/A

211 a. What is the minimum amount that women in Liberia pay to doctors/physician (q211p1)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 20-11250

Valid cases: 76  
 Invalid: 13  
 Minimum: 20  
 Maximum: 11250  
 Mean: 1692.9  
 Standard deviation: 3439.3

### Description

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions to doctors/physician assistants

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the minimum amount that women in Liberia pay to doctors/physician assistants to induce an abortion?  
 dont know 8888

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 a. What is the maximum amount that women in Liberia pay to doctor to induce (q211p1b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 50-22500

Valid cases: 76  
 Invalid: 13  
 Minimum: 50  
 Maximum: 22500  
 Mean: 2297.7  
 Standard deviation: 4740.3

### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from doctors/physician assistants

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the maximum amount that women in Liberia pay to doctor to induce an abortion?  
 dont know 8888

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 b. What is the minimum amount that women in Liberia pay to Nurse/midwife or (q211p2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 10-8888

Valid cases: 76  
 Invalid: 13  
 Minimum: 10  
 Maximum: 8888  
 Mean: 1754.1  
 Standard deviation: 3362

### Description

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions from Nurse/midwife or other trained provider (not a doctor)

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the minimum amount that women in Liberia pay to Nurse/midwife or other trained provider (not a doctor) to induce an abortion?  
 dont know 8888

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 b. What is the maximum amount that women in Liberia pay to Nurse /midwife ma (q211p2b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 20-17000

Valid cases: 76  
 Invalid: 13  
 Minimum: 20  
 Maximum: 17000  
 Mean: 2246.8  
 Standard deviation: 3962.9

### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from Nurse/midwife or other trained provider (not a doctor)

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

**Pre question**

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

**Literal question**

What is the maximum amount that women in Liberia pay to Nurse /midwife maximum to induce an abortion?  
dont know 8888

**Post question**

N/A

**Interviewer instructions**

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

211 d. What is the minimum amount that women in Liberia pay to pharmacist to ind (q211p4)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 61
Format: numeric	Invalid: 28
Width: 8	Minimum: 10
Decimals: 0	Maximum: 8888
Range: 10-8888	Mean: 1807.3
	Standard deviation: 3495.3

**Description**

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions from pharmacist

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

**Literal question**

What is the minimum amount that women in Liberia pay to pharmacist to induce an abortion  
dont know 8888

**Post question**

N/A

**Interviewer instructions**

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

211 d. What is the maximum amount that women in Liberia pay to pharmacist to ind (q211p4b)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 15-88888

Valid cases: 61  
 Invalid: 28  
 Minimum: 15  
 Maximum: 88888  
 Mean: 3234  
 Standard deviation: 11689.2

### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from pharmacist

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the maximum amount that women in Liberia pay to pharmacist to induce an abortion?  
 dont know 8888

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 c. What is the minimum amount that women in Liberia pay to traditional provi (q211p3) File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 5-88888

Valid cases: 74  
 Invalid: 15  
 Minimum: 5  
 Maximum: 88888  
 Mean: 4025.6  
 Standard deviation: 10807.2

### Description

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions from traditional provider (anyone without formal training)

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the minimum amount that women in Liberia pay to traditional provider (anyone without formal training) to induce an abortion?  
 dont know 8888

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 c. What is the maximum amount that women in Liberia pay to traditional provi (q211p3b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 74
Format: numeric	Invalid: 15
Width: 8	Minimum: 10
Decimals: 0	Maximum: 8888
Range: 10-8888	Mean: 3001.9
	Standard deviation: 4151.7

### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from traditional provider (anyone without formal training)

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the maximum amount that women in Liberia pay to traditional provider (anyone without formal training) to induce an abortion?

dont know 8888

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 e. What is the minimum amount that women in Liberia pay to web/internet and (q211p5)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 60
Format: numeric	Invalid: 29
Width: 8	Minimum: 3
Decimals: 0	Maximum: 8888
Range: 3-8888	Mean: 2031.8
	Standard deviation: 3667.4

### Description

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions from web/internet and street vendor

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

#### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

#### Literal question

What is the minimum amount that women in Liberia pay to web/internet and street vendor to induce an abortion?

#### Post question

N/A

#### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

211 e. What is the maximum amount that women in Liberia pay to web/internet and (q211p5b)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 10-8888

Valid cases: 60  
Invalid: 29  
Minimum: 10  
Maximum: 8888  
Mean: 2082.4  
Standard deviation: 3666.9

#### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from web/internet and street vendor

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

#### Literal question

What is the maximum amount that women in Liberia pay to web/internet and street vendor to induce an abortion?

#### Post question

N/A

#### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

211 f. What is the minimum amount that women in Liberia pay to pharmacist who pr (q211p6)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 5-8888

Valid cases: 41  
 Invalid: 48  
 Minimum: 5  
 Maximum: 8888  
 Mean: 5358.5  
 Standard deviation: 4202.6

### Description

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions from pharmacist who provides induced abortion but not using misoprostol

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the minimum amount that women in Liberia pay to pharmacist who provides induced abortion but not using misoprostol?

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

211 f. What is the maximum amount that women in Liberia pay to pharmacist who pr (q211p6b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 10-17000

Valid cases: 41  
 Invalid: 48  
 Minimum: 10  
 Maximum: 17000  
 Mean: 6172.6  
 Standard deviation: 4568.5

### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from pharmacist who provides induced abortion but not using misoprostol

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the maximum amount that women in Liberia pay to pharmacist who provides induced abortion but not using misoprostol?

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 g. What is the minimum amount that a women in Liberia spends when she induce (q211p7)

File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 83
Format: numeric	Invalid: 6
Width: 8	Minimum: 2
Decimals: 0	Maximum: 8888
Range: 2-8888	Mean: 2143.8
	Standard deviation: 3727.1
Description	
The respondent's opinion on the minimum amount the women living in Liberia pay for abortions when she induces her own abortion	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.	
Literal question	
What is the minimum amount that a women in Liberia spends when she induces her own abortion?	
Post question	
N/A	
Interviewer instructions	
[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]	

## 211 g. What is the maximum amount that a woman in Liberia spends when she induce (q211p7b)

File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 83
Format: numeric	Invalid: 6
Width: 8	Minimum: 5
Decimals: 0	Maximum: 8888
Range: 5-8888	Mean: 2316.9
	Standard deviation: 3788.5
Description	
The respondent's opinion on the maximum amount the women living in Liberia pay for abortions when she induces her own abortion	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

#### Literal question

What is the maximum amount that a women in Liberia spends when she induces her own abortion?

#### Post question

N/A

#### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 x. What is the minimum amount that women in Liberia pay to other to induce a (q211p8)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 12  
Decimals: 0  
Range: 5-88888

Valid cases: 43  
Invalid: 46  
Minimum: 5  
Maximum: 88888  
Mean: 10392.4  
Standard deviation: 18035.8

### Description

The respondent's opinion on the minimum amount the women living in Liberia pay for abortions from other of the providers

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

### Literal question

What is the minimum amount that women in Liberia pay to other to induce an abortion?

### Post question

N/A

### Interviewer instructions

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

## 211 x. What is the maximum amount that women in Liberia pay to others to induce (q211p8b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 12  
Decimals: 0  
Range: 10-88888

Valid cases: 43  
Invalid: 46  
Minimum: 10  
Maximum: 88888  
Mean: 9345  
Standard deviation: 13359.4

### Description

The respondent's opinion on the maximum amount the women living in Liberia pay for abortions from other of the providers

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

In your opinion, how much do women living in Liberia pay for abortions from each of the providers we just discussed? It can be difficult to estimate because costs can vary widely. Can you provide what you think is the minimum and maximum paid by women in Liberia? I will read out each type of provider.

**Literal question**

What is the maximum amount that women in Liberia pay to others to induce an abortion?

**Post question**

N/A

**Interviewer instructions**

[Interviewer : Only ask this question about providers that are used commonly or used sometimes (Q.209 =1 or 2 OR Q.210 = 1 or 2). The cost should include the cost of services without transportation If Don't know, put 8888 in minimum and maximum boxes ]

212 a. What percentage of all induced abortions among poor women in urban areas (q212p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 60
Range: 0-60	Mean: 11.5
	Standard deviation: 11.4

**Description**

The percentage of poor women in urban areas procure each of the 3 methods of abortion explained,

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now, I am going to ask you what percentage of poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.

The sum of women in the 3 categories MUST add up to 100%.

**Literal question**

What percentage of all induced abortions among poor women in urban areas do you think are done using the surgical method??

**Post question**

N/A

**Interviewer instructions**

N/A

212 b. What percentage of all induced abortions among poor women in urban areas (q212p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 84
Format: numeric	Invalid: 5
Width: 8	Minimum: 5
Decimals: 0	Maximum: 80
Range: 5-80	Mean: 38.1
	Standard deviation: 18.5

**Description**

The percentage of poor women in urban areas procure each of the 3 methods of abortion explained,

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now, I am going to ask you what percentage of poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.

The sum of women in the 3 categories MUST add up to 100%.

**Literal question**

What percentage of all induced abortions among poor women in urban areas do you think are done using misoprostol?

**Post question**

N/A

**Interviewer instructions**

N/A

## 212 c. What percentage of all induced abortions among poor women in urban areas (q212p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 10
Decimals: 0	Maximum: 100
Range: 10-100	Mean: 52.5
	Standard deviation: 23.8

**Description**

The percentage of poor women in urban areas procure each of the 3 methods of abortion explained,

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now, I am going to ask you what percentage of poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.

The sum of women in the 3 categories MUST add up to 100%.

**Literal question**

What percentage of all induced abortions among poor women in urban areas do you think are performed using other methods of abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

(sumpercentage)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

213.a First, What percentage of all induced abortions among non-poor women in ur (q212p1b)

File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 5
Decimals: 0	Maximum: 100
Range: 5-100	Mean: 42.2
	Standard deviation: 20.5
Description	
The percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained,	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
Now, I am going to ask you what percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.	
The sum of women in the 3 categories MUST add up to 100%.	
Literal question	
First, What percentage of all induced abortions among non-poor women in urban areas do you think are done using the surgical method?	
Post question	
N/A	
Interviewer instructions	
N/A	

## 213 b. What percentage of all induced abortions among non-poor women in urban ar (q212p2b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-95

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 95  
Mean: 43.4  
Standard deviation: 17.1

### Description

The percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained,

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now, I am going to ask you what percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.

The sum of women in the 3 categories MUST add up to 100%.

### Literal question

What percentage of all induced abortions among non-poor women in urban areas do you think are done with misoprostol?

### Post question

N/A

### Interviewer instructions

N/A

## 213 c. What percentage of all induced abortions among non-poor women in urban ar (q212p3b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-80

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 80  
Mean: 16.8  
Standard deviation: 12

### Description

The percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained,

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now, I am going to ask you what percentage of non-poor women in urban areas procure each of the 3 methods of abortion explained, that is, surgical method, medication method, and all other types.

The sum of women in the 3 categories MUST add up to 100%.

### Literal question

What percentage of all induced abortions among non-poor women in urban areas do you think are performed using other methods of abortion?

### Post question

N/A

**Interviewer instructions**

N/A

(sumpercentageb)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 89

Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

214 a. What percentage of all induced abortions performed using the surgical met (q214p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 32.2

Standard deviation: 28

**Description**

The percentage of poor urban women who have each method of abortion go to each type of provider discussed

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Among poor urban women who have each method of abortion , I now want to ask you what percentage of them go to each type of provider we discussed earlier.

There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using the surgical method to poor women in urban areas do you think are being performed by doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

214 b .What percentage of all induced abortions performed using the surgical met (q214p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 67.8
	Standard deviation: 28

**Description**

The percentage of poor urban women who have each method of abortion go to each type of provider discussed

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Literal question**

What percentage of all induced abortions performed using the surgical method to poor women in urban areas do you think are being performed by nurses/midwives or other trained providers?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum14percentage)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

## 215 a. What percentage of all induced abortions performed through misoprostol to (q215p1)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-40

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 40  
Mean: 14.1  
Standard deviation: 11.7

### Description

The percentage of all induced abortions performed through misoprostol to poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by each type of provider?

If the misoprostol has been prescribed by a doctor, the doctor is the provider. If the woman gets the misoprostol from a pharmacist without a prescription, the pharmacist is the provider. Self-inducing using misoprostol includes them accessing misoprostol on the black market or from other sources other than the providers.

### Literal question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by doctor/physician assistants?

### Post question

N/A

### Interviewer instructions

N/A

## 215 b. What percentage of all induced abortions performed through misoprostol to (q215p2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-75

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 75  
Mean: 39  
Standard deviation: 16.7

### Description

The percentage of all induced abortions performed through misoprostol to poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by each type of provider?

If the misoprostol has been prescribed by a doctor, the doctor is the provider. If the woman gets the misoprostol from a pharmacist without a prescription, the pharmacist is the provider. Self-inducing using misoprostol includes them accessing misoprostol on the black market or from other sources other than the providers.

#### Literal question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?

#### Post question

N/A

#### Interviewer instructions

N/A

## 215 c. What percentage of all induced abortions performed through misoprostol to (q215p4)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-90

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 90  
Mean: 23.5  
Standard deviation: 17.7

#### Description

The percentage of all induced abortions performed through misoprostol to poor women in urban areas performed by each type of provider

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by each type of provider?

If the misoprostol has been prescribed by a doctor, the doctor is the provider. If the woman gets the misoprostol from a pharmacist without a prescription, the pharmacist is the provider. Self-inducing using misoprostol includes them accessing misoprostol on the black market or from other sources other than the providers.

#### Literal question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by a pharmacist?

#### Post question

N/A

#### Interviewer instructions

N/A

## 215 d. What percentage of all induced abortions performed through misoprostol to (q215p3)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-50

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 50  
 Mean: 3.9  
 Standard deviation: 10

### Description

The percentage of all induced abortions performed through misoprostol to poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by each type of provider?

If the misoprostol has been prescribed by a doctor, the doctor is the provider. If the woman gets the misoprostol from a pharmacist without a prescription, the pharmacist is the provider. Self-inducing using misoprostol includes them accessing misoprostol on the black market or from other sources other than the providers.

### Literal question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by traditional provider (anyone without formal training)?

### Post question

N/A

### Interviewer instructions

N/A

## 215 e. What percentage of all induced abortions performed through misoprostol to (q215p5) File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-50

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 50  
 Mean: 18.3  
 Standard deviation: 13

### Description

The percentage of all induced abortions performed through misoprostol to poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by each type of provider?

If the misoprostol has been prescribed by a doctor, the doctor is the provider. If the woman gets the misoprostol from a pharmacist without a prescription, the pharmacist is the provider. Self-inducing using misoprostol includes them accessing misoprostol on the black market or from other sources other than the providers.

### Literal question

What percentage of all induced abortions performed through misoprostol to poor women in urban areas do you think are being performed by web/street vendors?

### Post question

N/A

**Interviewer instructions**

N/A

(sum15percentage)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 84

Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

216 a. What percentage of all induced abortions performed using all other method (q216p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-20

Valid cases: 89

Invalid: 0

**Description**

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by doctors/physician assistants

**Post question**

N/A

**Interviewer instructions**

N/A

## 216 b. What percentage of all induced abortions performed using all other method (q216p2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 3.2
	Standard deviation: 7.3

### Description

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

### Literal question

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?

### Post question

N/A

### Interviewer instructions

N/A

## 216 c. What percentage of all induced abortions performed using all other method (q216p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 42.9
	Standard deviation: 21.1

### Description

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by traditional providers/ (anyone without formal training)?

**Post question**

N/A

**Interviewer instructions**

N/A

216 d. What percentage of all induced abortions performed using all other method (q216p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-60

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 60

Mean: 4.8

Standard deviation: 10.9

**Description**

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by pharmacist?

**Post question**

N/A

**Interviewer instructions**

N/A

216 e. What percentage of all induced abortions performed using all other method (q216p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-50

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 50

Mean: 7.4

Standard deviation: 11.7

**Description**

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by web/street vendors?

**Post question**

N/A

**Interviewer instructions**

N/A

216 f. What percentage of all induced abortions performed using all other method (q216p6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 3
	Standard deviation: 6.6

**Description**

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by on-site pharmacist not using misoprostol?

**Post question**

N/A

**Interviewer instructions**

N/A

216 g. What percentage of all induced abortions performed using all other method (q216p7)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-20

Valid cases: 89  
 Invalid: 0

**Description**

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by medical students/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

216 h. What percentage of all induced abortions performed using all other method (q216p8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-80

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 80  
 Mean: 37.1  
 Standard deviation: 21.2

**Description**

The percentage of all induced abortions performed using all other methods to poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percentage of all induced abortions performed using all other methods to poor women in urban areas do you think are being performed by woman herself (self-induced)?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum16percentage)

File: KIS LIBERIA\_RECAST

<b>Overview</b>	
Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	
<b>Description</b>	
N/A	
<b>Universe</b>	
N/A	
<b>Source of information</b>	
N/A	
<b>Pre question</b>	
N/A	
<b>Literal question</b>	
N/A	
<b>Post question</b>	
N/A	
<b>Interviewer instructions</b>	
N/A	

217 a. What percentage of all induced abortions performed through surgical metho (q217p1)

File: KIS LIBERIA\_RECAST

<b>Overview</b>	
Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 85
Range: 0-85	Mean: 48.7
	Standard deviation: 20.1
<b>Description</b>	
The percentage of all induced abortions performed through surgical method to non-poor women in urban areas performed by each type of provider	
<b>Universe</b>	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
<b>Source of information</b>	
Knowledgeable informant participating in the survey	
<b>Pre question</b>	
What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by each type of provider? There are 3 categories: doctors/physician assistants, nurses/midwives or other trained providers, and medical student/interns. The sum of the 3 categories should add up to 100%	
<b>Literal question</b>	
What percentage of all induced abortions performed through surgical method to Non poor women in urban areas do you think are being performed by doctor/physician assistants?	
<b>Post question</b>	
N/A	
<b>Interviewer instructions</b>	
N/A	

## 217 b. What percentage of all induced abortions performed through surgical metho (q217p2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-80

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 80  
Mean: 28.3  
Standard deviation: 16.6

### Description

The percentage of all induced abortions performed through surgical method to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by each type of provider?

There are 3 categories: doctors/physician assistants, nurses/midwives or other trained providers, and medical student/interns. The sum of the 3 categories should add up to 100%

### Literal question

What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by nurses midwives or other trained personnel?

### Post question

N/A

### Interviewer instructions

N/A

## 217 c. What percentage of all induced abortions performed through surgical metho (q217p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-80

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 80  
Mean: 22.9  
Standard deviation: 18.3

### Description

The percentage of all induced abortions performed through surgical method to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by each type of provider?

There are 3 categories: doctors/physician assistants, nurses/midwives or other trained providers, and medical student/interns. The sum of the 3 categories should add up to 100%

### Literal question

What percentage of all induced abortions performed through surgical method to non-poor women in urban areas do you think are being performed by medical student/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum17percentage)  
File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

218 a. What percentage of all induced abortions performed through misoprostol to (q218p1)  
File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 84
Format: numeric	Invalid: 5
Width: 8	Minimum: 0
Decimals: 0	Maximum: 80
Range: 0-80	Mean: 25.8
	Standard deviation: 17.9
Description	
The percent of all induced abortions performed through misoprostol to non-poor women in urban areas performed by each type of provider	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas	
Literal question	

What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by doctor/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

## 218 b. What percentage of all induced abortions performed through misoprostol to (q218p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 5-60

Valid cases: 84  
Invalid: 5  
Minimum: 5  
Maximum: 60  
Mean: 37.1  
Standard deviation: 13.9

**Description**

The percent of all induced abortions performed through misoprostol to non-poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas

**Literal question**

What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by Nurse/midwife or other trained provider

**Post question**

N/A

**Interviewer instructions**

N/A

## 218 c. What percentage of all induced abortions performed through misoprostol to (q218p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-30

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 30  
Mean: 1.7  
Standard deviation: 5.8

**Description**

The percent of all induced abortions performed through misoprostol to non-poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas

**Literal question**

What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by Traditional provider (anyone without formal training)?

**Post question**

N/A

**Interviewer instructions**

N/A

218 d. What percentage of all induced abortions performed through misoprostol to (q218p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-85

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 85  
Mean: 19.3  
Standard deviation: 16.1

**Description**

The percent of all induced abortions performed through misoprostol to non-poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas

**Literal question**

What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by pharmacist?

**Post question**

N/A

**Interviewer instructions**

N/A

218 e. What percentage of all induced abortions performed through misoprostol to (q218p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-30

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 30  
 Mean: 9  
 Standard deviation: 8.4

### Description

The percent of all induced abortions performed through misoprostol to non-poor women in urban areas performed by each type of provider

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas

### Literal question

What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by web/street vendors?

### Post question

N/A

### Interviewer instructions

N/A

218 f. What percentage of all induced abortions performed through misoprostol to (q218p6)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-30

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 30  
 Mean: 7.1  
 Standard deviation: 6.5

### Description

The percent of all induced abortions performed through misoprostol to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 6 categories: doctor/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%. We want to know the percent of all induced abortions performed through misoprostol to non-poor women in urban areas

### Literal question

What percentage of all induced abortions performed through misoprostol to non-poor women in urban areas do you think are being performed by medical student/interns?

### Post question

N/A

### Interviewer instructions

N/A

(sum18percentage)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 84
Format: character	Invalid: 0
Width: 3	
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

219 a. What percent of all induced abortions through all other methods of aborti (q219p1)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-10	
Description	
The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol,self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.	
Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.	
Literal question	
What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by doctors/physician assistant?	
Post question	
N/A	
Interviewer instructions	

N/A

## 219 b. What percent of all induced abortions through all other methods of aborti (q219p2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 50
Range: 0-50	Mean: 5
	Standard deviation: 11.4

### Description

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

### Literal question

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by nurse/midwife or other trained provider?

### Post question

N/A

### Interviewer instructions

N/A

## 219 c. What percent of all induced abortions through all other methods of aborti (q219p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 32.6
	Standard deviation: 25.6

### Description

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

#### Pre question

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

#### Literal question

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by traditional provider (anyone without formal training)?

#### Post question

N/A

#### Interviewer instructions

N/A

## 219 d. What percent of all induced abortions through all other methods of aborti (q219p4)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 9.3  
Standard deviation: 18.5

#### Description

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

#### Literal question

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by pharmacist?

#### Post question

N/A

#### Interviewer instructions

N/A

## 219 e. What percent of all induced abortions through all other methods of aborti (q219p5)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-25

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 25  
Mean: 2.7  
Standard deviation: 6

### Description

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

### Literal question

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by web/street vendors?

### Post question

N/A

### Interviewer instructions

N/A

## 219 f. What percent of all induced abortions through all other methods of aborti (q219p6)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-40

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 40  
Mean: 4.3  
Standard deviation: 7.7

### Description

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

#### Literal question

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by on-site Pharmacist without using misoprostol?

#### Post question

N/A

#### Interviewer instructions

N/A

## 219 g. What percent of all induced abortions through all other methods of aborti (q219p7)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-95

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 95  
Mean: 43.9  
Standard deviation: 26.2

### Description

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

#### Literal question

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by woman herself (self-induced)?

#### Post question

N/A

#### Interviewer instructions

N/A

## 219 h. What percent of all induced abortions through all other methods of aborti (q219p8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-20

Valid cases: 89  
 Invalid: 0

**Description**

The percent of all induced abortions through all other methods of abortion to non-poor women in urban areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 8 categories: , nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, onsite pharmacist not using misoprostol, self induced and the web/street vendors. The sum should add up to 100% . Next, we want to know the percent of all induced abortions through all other methods of abortion to non-poor women in urban areas are being performed by each type of provider.

Next, what percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by each type of provider? Give an approximate percentage keeping in mind that all providers must sum to 100%.

**Literal question**

What percent of all induced abortions through all other methods of abortion to non-poor women in urban areas do you think are being performed by medical students/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum19percentage)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

Valid cases: 89  
 Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

## 220 a. What percentage of all induced abortions among poor women in rural areas (q220p1)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-45

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 45  
Mean: 4.3  
Standard deviation: 7.6

### Description

The percentage of poor women in rural areas receiving each of the 3 methods of abortions explained

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I am going to ask you the same questions as above, but this time for rural areas.

Now we want to understand what methods both poor and non-poor women in rural areas in Liberia use to obtain an induced abortion. When we were talking about urban areas, we were talking about three methods: surgical, medical, and all other methods of abortion. Now when we talk about rural areas, I'd like to talk about the same three methods. Again, each question will be asked separately about poor and non-poor women who live in rural areas.

I am going to ask you what percentage of poor women in rural areas receives each of the 3 methods of abortions explained: surgical method, abortion through misoprostol, and all other types. The sum of women in each of the 3 categories should add up to 100%.

[Interviewer: Please ensure all percentages total to 100%. If not, please ask respondent to adjust percentages. If the respondent says that no women to any of the categories, fill in "00".

### Post question

N/A

### Interviewer instructions

N/A

## 220 b .What percentage of all induced abortions among poor women in rural areas (q220p2)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-75

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 75  
Mean: 30.2  
Standard deviation: 18

### Description

The percentage of poor women in rural areas receiving each of the 3 methods of abortions explained

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I am going to ask you the same questions as above, but this time for rural areas.

Now we want to understand what methods both poor and non-poor women in rural areas in Liberia use to obtain an induced abortion. When we were talking about urban areas, we were talking about three methods: surgical, medical, and all other methods of abortion. Now when we talk about rural areas, I'd like to talk about the same three methods. Again, each question will be asked separately about poor and non-poor women who live in rural areas.

I am going to ask you what percentage of poor women in rural areas receives each of the 3 methods of abortions explained: surgical method, abortion through misoprostol, and all other types. The sum of women in each of the 3 categories should add up to 100%.

[Interviewer: Please ensure all percentages total to 100%. If not, please ask respondent to adjust percentages. If the respondent says that no women to any of the categories, fill in "00".

#### Post question

N/A

#### Interviewer instructions

N/A

## 220 c. What percentage of all induced abortions among poor women in rural areas (q220p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 20-100

Valid cases: 89

Invalid: 0

Minimum: 20

Maximum: 100

Mean: 67.1

Standard deviation: 21

### Description

The percentage of poor women in rural areas receiving each of the 3 methods of abortions explained

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I am going to ask you the same questions as above, but this time for rural areas.

Now we want to understand what methods both poor and non-poor women in rural areas in Liberia use to obtain an induced abortion. When we were talking about urban areas, we were talking about three methods: surgical, medical, and all other methods of abortion. Now when we talk about rural areas, I'd like to talk about the same three methods. Again, each question will be asked separately about poor and non-poor women who live in rural areas.

I am going to ask you what percentage of poor women in rural areas receives each of the 3 methods of abortions explained: surgical method, abortion through misoprostol, and all other types. The sum of women in each of the 3 categories should add up to 100%.

[Interviewer: Please ensure all percentages total to 100%. If not, please ask respondent to adjust percentages. If the respondent says that no women to any of the categories, fill in "00".

#### Post question

N/A

#### Interviewer instructions

N/A

(sum220percentage)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: character  
Width: 3

Valid cases: 89  
Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

221 a. What percentage of all induced abortions among non-poor women in rural ar (q221p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-90

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 90  
Mean: 26.3  
Standard deviation: 20.1

**Description**

The percentage of non-poor women in rural areas receiving each of the 3 methods of abortions explained

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

I am going to ask you what percentage of non-poor women in rural areas receives each of the 3 methods of abortions explained: surgical method, through misoprostol, and all other methods. The sum of women in each of the 3 categories should add up to 100%.

**Literal question**

What percentage of all induced abortions among non-poor women in rural areas do you think are done using the surgical method?

**Post question**

N/A

**Interviewer instructions**

N/A

221 b .What percentage of all induced abortions among non poor women in rural ar (q221p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 10-90

Valid cases: 84  
 Invalid: 5  
 Minimum: 10  
 Maximum: 90  
 Mean: 47.1  
 Standard deviation: 15.6

**Description**

The percentage of non-poor women in rural areas receiving each of the 3 methods of abortions explained

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Literal question**

What percentage of all induced abortions among non poor women in rural areas do you think are done using Misoprostol?

**Post question**

N/A

**Interviewer instructions**

N/A

221 c. What percentage of all induced abortions among non poor women in rural ar (q221p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 100  
 Mean: 29.3  
 Standard deviation: 19.8

**Description**

The percentage of non-poor women in rural areas receiving each of the 3 methods of abortions explained

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Literal question**

What percentage of all induced abortions among non poor women in rural areas do you think are done using other methods of abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum221percentage)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

Valid cases: 89  
 Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

222 a. What percent of all induced abortions performed using the surgical method (q222p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 21.2  
Standard deviation: 22.4

**Description**

The percent of all induced abortions performed through misoprostol to poor women in rural areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Among Poor rural women who have abortions using each method of abortion, I want to know what percentage of them go to each type of provider we discussed earlier.

What percent of all induced abortions performed through misoprostol to poor women in rural areas do you think are being performed by each type of provider?

There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%

**Literal question**

What percent of all induced abortions performed using the surgical method to poor women in rural areas are being performed by doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

222 b. What percent of all induced abortions performed using the surgical method (q222p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 78.8
	Standard deviation: 22.4

**Description**

The percent of all induced abortions performed through misoprostol to poor women in rural areas performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Among Poor rural women who have abortions using each method of abortion, I want to know what percentage of them go to each type of provider we discussed earlier.

What percent of all induced abortions performed through misoprostol to poor women in rural areas do you think are being performed by each type of provider?

There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%

**Literal question**

What percent of all induced abortions performed using the surgical method to poor women in rural areas are being performed by nurse/midwife or other trained provider?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum222percentage)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

223 a. What percent of all induced abortions performed using misoprostol to poor (q223p1)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-65

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 65  
 Mean: 12.2  
 Standard deviation: 12.3

**Description**

The percentage of all induced abortions performed using misoprostol provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%

**Literal question**

What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

## 223 b. What percent of all induced abortions performed using misoprostol to poor (q223p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-85

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 85  
 Mean: 38.2  
 Standard deviation: 17.9

**Description**

The percentage of all induced abortions performed using misoprostol provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%

**Literal question**

What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a nurse/midwife or other trained provider?

**Post question**

N/A

**Interviewer instructions**

N/A

## 223 c. What percent of all induced abortions performed using misoprostol to poor (q223p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-60

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 60  
Mean: 5.3  
Standard deviation: 12.9

### Description

The percentage of all induced abortions performed using misoprostol provided to poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%

### Literal question

What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a traditional provider (anyone without formal training)?

### Post question

N/A

### Interviewer instructions

N/A

## 223 d. What percent of all induced abortions performed using misoprostol to poor (q223p4)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-70

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 70  
Mean: 17.5  
Standard deviation: 13.7

### Description

The percentage of all induced abortions performed using misoprostol provided to poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%

### Literal question

What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by a pharmacist?

**Post question**

N/A

**Interviewer instructions**

N/A

## 223 e. What percent of all induced abortions performed using misoprostol to poor (q223p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 20.3  
Standard deviation: 16.7

**Description**

The percentage of all induced abortions performed using misoprostol provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%

**Literal question**

What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by web/street vendors?

**Post question**

N/A

**Interviewer instructions**

N/A

## 223 f. What percent of all induced abortions performed using misoprostol to poor (q223p6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-70

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 70  
Mean: 6.6  
Standard deviation: 9.7

**Description**

The percentage of all induced abortions performed using misoprostol provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using misoprostol are provided to poor women in rural areas by each type of provider? There are 5 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, and the web/street vendors. The sum of the 5 categories should add up to 100%

**Literal question**

What percent of all induced abortions performed using misoprostol to poor women in rural areas do you think are being performed by medical students/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum223percentage)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: character  
Width: 3

Valid cases: 84  
Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

224 a. What percent of all induced abortions through all other methods of aborti (q224p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-10

Valid cases: 89  
Invalid: 0

**Description**

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

#### Literal question

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by doctor/physician assistants?

#### Post question

N/A

#### Interviewer instructions

N/A

## 224 b. What percent of all induced abortions through all other methods of aborti (q224p2)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-60

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 60  
Mean: 3.1  
Standard deviation: 8.9

#### Description

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

#### Literal question

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?

#### Post question

N/A

#### Interviewer instructions

N/A

## 224 c. What percent of all induced abortions through all other methods of aborti (q224p3)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 48.4  
Standard deviation: 22.1

**Description**

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by t provider (anyone without formal training)?

**Post question**

N/A

**Interviewer instructions**

N/A

## 224 d. What percent of all induced abortions through all other methods of aborti (q224p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-40

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 40  
Mean: 3.4  
Standard deviation: 7.4

**Description**

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by pharmacist?

**Post question**

N/A

**Interviewer instructions**

N/A

## 224 e. What percent of all induced abortions through all other methods of aborti (q224p5)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-45

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 45  
Mean: 7.2  
Standard deviation: 11.7

### Description

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

### Literal question

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by web/street vendors?

### Post question

N/A

### Interviewer instructions

N/A

## 224 f. What percent of all induced abortions through all other methods of aborti (q224p6)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-25

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 25  
Mean: 2.2  
Standard deviation: 5.7

### Description

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

### Literal question

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by on-site pharmacist provision non-misoprostol?

**Post question**

N/A

**Interviewer instructions**

N/A

224 g. What percent of all induced abortions through all other methods of aborti (q224p7)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-90

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 90  
Mean: 35.3  
Standard deviation: 21.1

**Description**

The percentage of all induced abortions performed through all other methods of abortion provided to poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed through all other methods of abortion are provided to poor women in rural areas by each type of provider? There are 7 categories: doctors/physician assistants, nurses/midwives or other trained providers, traditional providers, pharmacists, the web/street vendors, on-site pharmacists providing non-misoprostol methods, and women self-inducing. The sum of the 7 categories should add up to 100%

**Literal question**

What percent of all induced abortions through all other methods of abortion to poor women in rural areas do you think are being performed by woman herself (self-induced)?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum224percentage)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: character  
Width: 3

Valid cases: 89  
Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

225 a. What percent of all induced abortions are performed using the surgical me (q225p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 42.8  
Standard deviation: 26.1

**Description**

The percent of all induced abortions using other methods of abortion to non-poor women in rural performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%

Next, what percent of all induced abortions are performed using other methods of abortion to non-poor women in rural areas do you think are being performed by each type of provider?

**Literal question**

What percent of all induced abortions are performed using the surgical method to non-poor women in rural areas do you think are being performed by doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

225 b. What percent of all induced abortions are performed using the surgical me (q225p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 57.2  
Standard deviation: 26.1

**Description**

The percent of all induced abortions using other methods of abortion to non-poor women in rural performed by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

There are 2 categories: doctors/physician assistants and nurses/midwives or other trained providers. The sum of the 2 categories should add up to 100%

Next, what percent of all induced abortions are performed using other methods of abortion to non-poor women in rural areas do you think are being performed by each type of provider?

**Literal question**

What percent of all induced abortions are performed using the surgical method to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum225percentage)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

226 a. What percent of all induced abortions performed using misoprostol to non- (q226p1)

File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 84
Format: numeric	Invalid: 5
Width: 8	Minimum: 0
Decimals: 0	Maximum: 75
Range: 0-75	Mean: 20.7
	Standard deviation: 14.8
Description	
The percentage of all induced abortions performed through misoprostol provided to non-poor women in rural areas by each type of provider	

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?

There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.

**Literal question**

What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

## 226 b. What percent of all induced abortions performed using misoprostol to non- (q226p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-80

Valid cases: 84

Invalid: 5

Minimum: 0

Maximum: 80

Mean: 40.6

Standard deviation: 14.8

**Description**

The percentage of all induced abortions performed through misoprostol provided to non-poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?

There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.

**Literal question**

What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?

**Post question**

N/A

**Interviewer instructions**

N/A

## 226 c. What percent of all induced abortions performed using misoprostol to non- (q226p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-30

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 30  
 Mean: 1.7  
 Standard deviation: 5.3

### Description

The percentage of all induced abortions performed through misoprostol provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?

There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.

### Literal question

What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by traditional provider (anyone without formal training)?

### Post question

N/A

### Interviewer instructions

N/A

## 226 d. What percent of all induced abortions performed using misoprostol to non- (q226p4) File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-85

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 85  
 Mean: 20  
 Standard deviation: 14.2

### Description

The percentage of all induced abortions performed through misoprostol provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?

There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.

### Literal question

What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by a pharmacist?

### Post question

N/A

### Interviewer instructions

N/A

## 226 e. What percent of all induced abortions performed using misoprostol to non- (q226p5)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-30

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 30  
Mean: 10.7  
Standard deviation: 8.4

### Description

The percentage of all induced abortions performed through misoprostol provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?

There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.

### Literal question

What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by web/street vendors?

### Post question

N/A

### Interviewer instructions

N/A

## 226 f. What percent of all induced abortions performed using misoprostol to non- (q226p6)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-30

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 30  
Mean: 6.4  
Standard deviation: 5.9

### Description

The percentage of all induced abortions performed through misoprostol provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed through misoprostol are provided to non-poor women in rural areas by each type of provider?

There are 6 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors. The sum of the 6 categories should add up to 100%.

### Literal question

What percent of all induced abortions performed using misoprostol to non-poor women in rural areas do you think are being performed by medical students/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum226percentage)  
File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 84
Format: character	Invalid: 0
Width: 3	
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

227 a. What percent of all induced abortions using all other methods of abortion (q227p1)

File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 1.3
	Standard deviation: 5.5
Description	
The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%	
Literal question	

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by doctors/physician assistants?

**Post question**

N/A

**Interviewer instructions**

N/A

## 227 b. What percent of all induced abortions using all other methods of abortion (q227p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 4.5
	Standard deviation: 9.6

**Description**

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

**Literal question**

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by nurse/midwife or other trained provider?

**Post question**

N/A

**Interviewer instructions**

N/A

## 227 c. What percent of all induced abortions using all other methods of abortion (q227p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 100
Range: 0-100	Mean: 39.3
	Standard deviation: 28.6

**Description**

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

**Literal question**

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by traditional provider (anyone without formal training)?

**Post question**

N/A

**Interviewer instructions**

N/A

227 d. What percent of all induced abortions using all other methods of abortion (q227p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-80

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 80

Mean: 6.7

Standard deviation: 12

**Description**

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

**Literal question**

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by pharmacist?

**Post question**

N/A

**Interviewer instructions**

N/A

227 e. What percent of all induced abortions using all other methods of abortion (q227p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-30

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 30  
 Mean: 3  
 Standard deviation: 6.8

### Description

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

### Literal question

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by web/street vendors?

### Post question

N/A

### Interviewer instructions

N/A

227 f. What percent of all induced abortions using all other methods of abortion (q227p6)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-20

Valid cases: 89  
 Invalid: 0

### Description

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

### Literal question

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by on-site Pharmacist provision without misoprostol?

### Post question

N/A

### Interviewer instructions

N/A

## 227 g. What percent of all induced abortions using all other methods of abortion (q227p7)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-85

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 85  
Mean: 39.9  
Standard deviation: 23.5

### Description

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

### Literal question

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by woman herself (self-induced)?

### Post question

N/A

### Interviewer instructions

N/A

## 227 h. What percent of all induced abortions using all other methods of abortion (q227p8)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-15

Valid cases: 89  
Invalid: 0

### Description

The percentage of all induced abortions performed using all other methods of abortion provided to non-poor women in rural areas by each type of provider

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

What percentage of all induced abortions performed using all other methods of abortion are provided to non-poor women in rural areas by each type of provider? There are 8 categories: doctors/physician assistants, nurses/midwives or other trained providers, medical students/interns, traditional providers, pharmacists, and the web/street vendors, On-site Pharmacist provision-non-misoprostol, Woman (self-induced). The sum of the 8 categories should add up to 100%

### Literal question

What percent of all induced abortions using all other methods of abortion to non-poor women in rural areas do you think are being performed by medical students/interns?

**Post question**

N/A

**Interviewer instructions**

N/A

(sum227percentage)  
File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: character	Invalid: 0
Width: 3	
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

228. Out of 100 women living in this region who have an induced abortion, how many (q228)  
File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 3.3
	Standard deviation: 5.8
Description	
The number out of 100 women that have abortion outside Liberia living in the region	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
N/A	
Literal question	
Out of 100 women living in this region who have an induced abortion, how many do you think obtain their abortion outside of the country? Women	

**Post question**

N/A

**Interviewer instructions**

N/A

229 a. Women may also buy or import drugs from neighboring countries to induce a (q229a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

If the respondent heard of women importing misoprostol from neighboring countries

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Women may also buy or import drugs from neighboring countries to induce an abortion in Liberia. Have you heard of women importing misoprostol from neighboring countries?

**Post question**

N/A

**Interviewer instructions**

N/A

229 b. Have you heard of women importing mifepristone, a drug that is often used (q229b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

If the respondent heard of women importing mifepristone, a drug that is often used in combination with misoprostol to induce abortion

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Have you heard of women importing mifepristone, a drug that is often used in combination with misoprostol to induce abortion?

**Post question**

N/A

**Interviewer instructions**

N/A

301. Which medical complications resulting from induced abortion are common in L (q301)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: character

Width: 21

Valid cases: 89

Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now, I will talk to you about complications from induced abortion, meaning an abortion that the woman does something end a pregnancy. As you know, complications that result from induced abortion range in severity. When we speak of abortion complications, we are referring to those consequences that are severe enough to need treatment in a health facility, whether or not the woman actually obtains health care.

Abortion complications, as defined here, include both the extremely serious cases like sepsis or a perforated uterus and less serious cases like incomplete abortions, heavy bleeding and abdominal pain.

In answering the following set of questions concerning abortion complications, please keep this definition in mind. We are interested in abortion complications that occur to women residing in Liberia, whether they obtained the abortion in or outside of the country.

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia?

**Post question**

N/A

**Interviewer instructions**

[Interviewer: Please circle all that apply. Do not prompt.]

(q301\_1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 8

Decimals: 0

Range: 0-1

Valid cases: 89

Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Incomplete abortion

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Incomplete abortion

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Excessive loss of blood

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Excessive loss of blood

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Infection of uterus and/or surrounding areas (sepsis)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Infection of uterus and/or surrounding areas (sepsis)

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

**Description**

The common medical complications resulting from induced abortion in Liberia\_Septic shock

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Septic shock

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

**Description**

The common medical complications resulting from induced abortion in Liberia\_Injury to the vagina/cervix

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Injury to the vagina/cervix

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Injury to the uterus (i.e. perforation)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Injury to the uterus (i.e. perforation)

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_7)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Injury to the internal organs

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Injury to the internal organs

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Hysterectomy

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Hysterectomy

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_9)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Infertility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Infertility

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_10)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Death

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Death

**Post question**

N/A

**Interviewer instructions**

N/A

(q301\_98)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The common medical complications resulting from induced abortion in Liberia\_Other (specify) :

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Which medical complications resulting from induced abortion are common in Liberia\_Other (specify) :

**Post question**

N/A

**Interviewer instructions**

N/A

specify (q301spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 52

Valid cases: 5  
 Invalid: 0

**Description**

Other medical complications resulting from induced abortion in Liberia

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

specify

**Post question**

N/A

**Interviewer instructions**

N/A

302 a. Among poor urban women who have a surgical method by doctors/physician as (q302p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 13.8

Standard deviation: 17.5

**Description**

The percent of poor urban women who have a surgical method by doctors/physician assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."

**Literal question**

Among poor urban women who have a surgical method by doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

302 b. Among non-poor urban women who have a surgical method by a doctors/physic (q302p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 100  
 Mean: 10.4  
 Standard deviation: 14.4

### Description

The percent of non-poor urban women who have a surgical method by doctors/physician assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

#### COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."]

### Literal question

Among non-poor urban women who have a surgical method by a doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 302 c. Among poor rural women who have a surgical method by a doctors/physician (q302p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-95

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 95  
 Mean: 20.4  
 Standard deviation: 20.9

### Description

The percent of poor rural women who have a surgical method by doctors/physician assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

#### COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."]

### Literal question

Among poor rural women who have a surgical method by a doctors/physician assistants, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 302 d. Among non-poor rural women who have an surgical method by a doctors/physi (q302p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 100  
 Mean: 15.8  
 Standard deviation: 18

**Description**

The percent of non-poor rural women who have a surgical method by doctors/physician assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."

**Literal question**

Among non-poor rural women who have an surgical method by a doctors/physician assistant, what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 303 a Among poor urban women women who have a surgical method by a nurse/midwife (q303p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-75

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 75  
 Mean: 23.8  
 Standard deviation: 15.2

**Description**

The percent of poor urban women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

## COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."]

**Literal question**

Among poor urban women women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 303 b. Among non-poor urban women women who have a surgical method by a nurse/mi (q303p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 100

Mean: 19.3

Standard deviation: 14.6

**Description**

The percent of non-poor urban women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

## COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."]

**Literal question**

Among non-poor urban women women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 303 c. Among poor rural women who have an surgical method by a nurse/midwife or (q303p3)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-85

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 85  
Mean: 28.6  
Standard deviation: 19.2

#### Description

The percent of poor rural women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

##### COMPLICATIONS

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."]

#### Literal question

Among poor rural women who have an surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

#### Post question

N/A

#### Interviewer instructions

N/A

### 303 d. Among non-poor rural women who have a surgical method by a nurse/midwife (q303p4)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-65

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 65  
Mean: 23.2  
Standard deviation: 14.2

#### Description

The percent of non- poor rural women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

**COMPLICATIONS**

I want to know about how likely complications are among women across each of the three methods of abortion we discussed earlier (surgical, misoprostol and all other types) and with each type of provider.

Think first about women who have surgical methods.

[Interviewer: Ask for each type of provider and subgroup of women separately; insert the respondent's answer, even though it might be "00."

**Literal question**

Among non-poor rural women who have a surgical method by a nurse/midwife or other trained provider (not a doctor), what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 306 a. Among poor urban women who have an induced abortion using misoprostol by (q306a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 22.8  
Standard deviation: 21.9

**Description**

The percent of poor urban women who have an induced abortion using misoprostol by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among poor urban women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 306 b. Among non-poor urban women who have an induced abortion using misoprostol (q306b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 20.1  
 Standard deviation: 21.2

### Description

The percent of non-poor urban women who have an induced abortion using misoprostol by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among non-poor urban women who have an induced abortion using misoprostol by doctors/physician assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 306 c. Among poor rural women who have an induced abortion using misoprostol by (q306c) File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 31.6  
 Standard deviation: 30.1

### Description

The percent of poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 306 d. Among non-poor rural women who have an induced abortion using misoprostol (q306d)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 28  
Standard deviation: 28.3

### Description

The percent of non-poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among non-poor rural women who have an induced abortion using misoprostol by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 307 a. Among poor urban women who have an induced abortion using misoprostol by (q307a)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 39.3  
Standard deviation: 26.1

### Description

The percent of poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) , what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 307 b. Among non-poor urban women who have an induced abortion using misoprostol (q307b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 32.5  
 Standard deviation: 23.3

**Description**

The percent of non-poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among non-poor urban women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 307 c. Among poor rural women who have an induced abortion using misoprostol by (q307c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 47.6  
 Standard deviation: 32.8

**Description**

The percent of poor rural women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among poor rural women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 307 d. Among non-poor rural women who have an induced abortion using misoprostol (q307d)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 38.5  
Standard deviation: 27.8

**Description**

The percent of non-poor rural women who have an induced abortion using misoprostol by nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among non-poor rural women who have an induced abortion using misoprostol by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 308 a. Among poor urban women who have an induced abortion using misoprostol by (q308a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 49.9  
Standard deviation: 30.2

**Description**

The percent of poor urban women who have an induced abortion using misoprostol by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among poor urban women who have an induced abortion using misoprostol by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 308 b. Among non-poor urban women who have an induced abortion using misoprostol (q308b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 43.9  
Standard deviation: 28.5

**Description**

The percent of non-poor urban women who have an induced abortion using misoprostol by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among non-poor urban women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 308 c. Among poor rural women who have an induced abortion using misoprostol by (q308c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 56.2  
 Standard deviation: 34.6

### Description

The percent of poor rural women who have an induced abortion using misoprostol by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among poor rural women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 308 d. Among non-Poor rural women who have an induced abortion using misoprostol (q308d)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 49.7  
 Standard deviation: 31.4

### Description

The percent of non-poor rural women who have an induced abortion using misoprostol by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among non-Poor rural women who have an induced abortion using misoprostol by pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 309 a. Among poor urban women who have an induced abortion using misoprostol by (q309a)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 34.2  
Standard deviation: 41.4

### Description

The percent of poor urban women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among poor urban women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 309 b. Among non-poor urban women who have an induced abortion using misoprostol (q309b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 26.3  
Standard deviation: 37.4

### Description

The percent of non-poor urban women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among non-poor urban

women who have an induced abortion using misoprostol by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 309 c. Among poor rural women who have an induced abortion using misoprostol by (q309c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 84

Invalid: 5

Minimum: 0

Maximum: 100

Mean: 36.9

Standard deviation: 43.6

**Description**

The percent of poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 309 d. Among non-poor rural women who have an induced abortion using misoprostol (q309d)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-100

Valid cases: 84

Invalid: 5

Minimum: 0

Maximum: 100

Mean: 28.1

Standard deviation: 39.6

**Description**

The percent of non-poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among non-poor rural women who have an induced abortion using misoprostol by traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 310 a. Among poor urban women who have an induced abortion using misoprostol by (q310a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 59  
Standard deviation: 37.1

**Description**

The percent of poor urban women who have an induced abortion using misoprostol by web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among poor urban women who have an induced abortion using misoprostol by web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 310 b. Among non-poor urban women who have an induced abortion using misoprostol (q310b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 46.1  
 Standard deviation: 41

### Description

The percent of non-poor urban women who have an induced abortion using misoprostol by web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among non-poor urban women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 310 c. Among poor rural women who have an induced abortion using misoprostol by (q310c) File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-100

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 100  
 Mean: 60.9  
 Standard deviation: 39.7

### Description

The percent of poor rural women who have an induced abortion using misoprostol by web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among poor rural women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 310 d. Among non-poor rural women who have an induced abortion using misoprostol (q310d)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 52.1  
Standard deviation: 41.3

### Description

The percent of non-poor rural women who have an induced abortion using misoprostol by web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among non-poor rural women who have an induced abortion using misoprostol by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 311 a. Among Poor urban women who have an induced abortion using misoprostol by (q311a)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 36  
Standard deviation: 33.5

### Description

The percent of poor urban women who have an induced abortion using misoprostol by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using misoprostol.

### Literal question

Among Poor urban women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

**Interviewer instructions**

N/A

## 311 b. Among Non-poor urban women who have an induced abortion using misoprostol (q311b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-98

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 98  
Mean: 31.1  
Standard deviation: 28.2

**Description**

The percent of non-poor urban women who have an induced abortion using misoprostol by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among Non-poor urban women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 311 c. Among Poor rural women who have an induced abortion using misoprostol by (q311c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 42.4  
Standard deviation: 39

**Description**

The percent of poor rural women who have an induced abortion using misoprostol by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among Poor rural women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 311 d. Among Non-Poor rural women who have an induced abortion using misoprostol (q311d)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 84  
Invalid: 5  
Minimum: 0  
Maximum: 100  
Mean: 37.1  
Standard deviation: 33.4

**Description**

The percent of non-poor rural women who have an induced abortion using misoprostol by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using misoprostol.

**Literal question**

Among Non-Poor rural women who have an induced abortion using misoprostol by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

### 312 a. Among poor urban women who have an induced abortion using any other metho (q312a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 1009.5  
Standard deviation: 2819.1

**Description**

The percent of poor urban women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among poor urban women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 312 b. Among non-poor urban women who have an induced abortion using any other m (q312b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-8888

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 8888

Mean: 1007.8

Standard deviation: 2819.6

**Description**

The percent of non-poor urban women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among non-poor urban women who have an induced abortion using any other method of abortion by doctors/physician assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 312 c. Among poor rural women who have an induced abortion using any other metho (q312c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 8888  
 Mean: 1012.2  
 Standard deviation: 2818.1

#### Description

The percent of poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

#### Literal question

Among poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

#### Post question

N/A

#### Interviewer instructions

N/A

## 312 d. Among non-poor rural women who have an induced abortion using any other m (q312d) File: KIS LIBERIA\_RECAST

#### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 8888  
 Mean: 1009.6  
 Standard deviation: 2819

#### Description

The percent of non-poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

#### Literal question

Among non-poor rural women who have an induced abortion using any other method of abortion by Doctors/Physician Assistants what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

#### Post question

N/A

#### Interviewer instructions

N/A

## 313 a . Among poor urban women who have an induced abortion using any other meth (q313a)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 913.1  
Standard deviation: 2690.1

### Description

The percent of poor urban women who have an induced abortion using any other method of abortion by Nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among poor urban women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 313 b . Among Non-poor urban women who have an induced abortion using any other (q313b)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 910.6  
Standard deviation: 2691

### Description

The percent of non-poor urban women who have an induced abortion using any other method of abortion by Nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Non-poor urban

women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

313 c . Among Poor rural women who have an induced abortion using any other meth (q313c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 916.6  
Standard deviation: 2689

**Description**

The percent of poor rural women who have an induced abortion using any other method of abortion by Nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor rural women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

313 d . Among Non-poor rural women who have an induced abortion using any other (q313d)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 912.2  
Standard deviation: 2690.5

**Description**

The percent of non-poor rural women who have an induced abortion using any other method of abortion by Nurse/midwife or other trained provider (not a doctor) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-poor rural women who have an induced abortion using any other method of abortion by b. Nurse/midwife or other trained provider (not a doctor) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 314 a. Among Poor urban women who have an induced abortion using any other metho (q314a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 820.8  
Standard deviation: 2549.8

**Description**

The percent of poor urban women who have an induced abortion using any other method of abortion by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor urban women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 314 b. Among Non-poor urban women who have an induced abortion using any other m (q314b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 8888  
 Mean: 915.2  
 Standard deviation: 2689.4

### Description

The percent of non-poor urban women who have an induced abortion using any other method of abortion by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Non-poor urban women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 314 c. Among poor rural women who have an induced abortion using any other metho (q314c) File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 8888  
 Mean: 923.6  
 Standard deviation: 2686.7

### Description

The percent of poor rural women who have an induced abortion using any other method of abortion by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among poor rural women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 314 d. Among Non-poor rural women who have an induced abortion using any other method (q314d)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 917.8  
Standard deviation: 2688.6

### Description

The percent of non-poor rural women who have an induced abortion using any other method of abortion by Pharmacist experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Non-poor rural women who have an induced abortion using any other method of abortion by Pharmacist what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 315 a. Among Poor urban women who have an induced abortion using any other method (q315a)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 264.7  
Standard deviation: 1315.2

### Description

The percent of poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 315 b. Among Non-poor urban women who have an induced abortion using any other m (q315b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 247.4  
Standard deviation: 1318.1

**Description**

The percent of non-poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-poor urban women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 315 c. Among Poor rural women who have an induced abortion using any other metho (q315c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 272.6  
Standard deviation: 1314

**Description**

The percent of poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 315 d. Among Non-Poor rural women who have an induced abortion using any other m (q315d)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 253.5  
Standard deviation: 1317.2

**Description**

The percent of non-poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-Poor rural women who have an induced abortion using any other method of abortion by Traditional provider (anyone without formal training) what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 316 a. Among Poor urban women who have an induced abortion using any other metho (q316a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 632.8  
Standard deviation: 2232.4

**Description**

The percent of poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 316 b. Among Non-poor urban women who have an induced abortion using any other m (q316b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 620.4
	Standard deviation: 2235.7

**Description**

The percent of non-poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-poor urban women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 316 c Among Poor rural women who have an induced abortion using any other method (q316c)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 636.7  
Standard deviation: 2231.4

### Description

The percent of poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 316 d. Among Non-Poor rural women who have an induced abortion using any other m (q316d)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 624.6  
Standard deviation: 2234.6

### Description

The percent of non-poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Non-Poor rural women who have an induced abortion using any other method of abortion by Web (internet) or street vendor what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 317 a. Among Poor urban women who have an induced abortion using any other metho (q317a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 66.8  
Standard deviation: 28.6

**Description**

The percent of poor urban women who have an induced abortion using any other method of abortion induced by the woman herself experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor urban women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 317 b. Among Non-poor urban women who have an induced abortion using any other m (q317b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 1-100

Valid cases: 89  
Invalid: 0  
Minimum: 1  
Maximum: 100  
Mean: 54.7  
Standard deviation: 32.7

**Description**

The percent of non-poor urban women who have an induced abortion using any other method of abortion induced by the woman herself experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-poor urban women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 317 c. Among Poor rural women who have an induced abortion using any other metho (q317c)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 5-100

Valid cases: 89  
Invalid: 0  
Minimum: 5  
Maximum: 100  
Mean: 74.4  
Standard deviation: 28

**Description**

The percent of poor rural women who have an induced abortion using any other method of abortion induced by the woman herself experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor rural women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 317 d. Among Non-Poor rural women who have an induced abortion using any other m (q317d)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-100

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 100  
Mean: 59.8  
Standard deviation: 35.6

**Description**

The percent of non-poor rural women who have an induced abortion using any other method of abortion induced by the woman herself experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-Poor rural women who have an induced abortion using any other method of abortion by herself/self induced what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

318 a. Among Poor urban women who have an induced abortion using any other metho (q318a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-8888

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 8888

Mean: 811.2

Standard deviation: 2552.8

**Description**

The percent of poor urban women who have an induced abortion using any other method of abortion by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor urban women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

318 b. Among Non-poor urban women who have an induced abortion using any other m (q318b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 811.6
	Standard deviation: 2552.6

**Description**

The percent of non-poor urban women who have an induced abortion using any other method of abortion by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Non-poor urban women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

318 c. Among Poor rural women who have an induced abortion using any other metho (q318c)  
File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 912.3
	Standard deviation: 2690.4

**Description**

The percent of poor rural women who have an induced abortion using any other method of abortion by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I want you to think about women who obtain abortions using any other method of abortions.

**Literal question**

Among Poor rural women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

**Post question**

N/A

**Interviewer instructions**

N/A

## 318 d. Among Non-Poor rural women who have an induced abortion using any other m (q318d)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 913.1
	Standard deviation: 2690.2

### Description

The percent of non-poor rural women who have an induced abortion using any other method of abortion by medical students/interns experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I want you to think about women who obtain abortions using any other method of abortions.

### Literal question

Among Non-Poor rural women who have an induced abortion using any other method of abortion by medical students/interns what percent would experience a complication that needs medical treatment in a facility, regardless of whether or not they actually receive treatment?

### Post question

N/A

### Interviewer instructions

N/A

## 319 a. Among all Poor urban women who experience a medical complication due to a (q319p1)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 131
	Standard deviation: 939.3

### Description

The percentage of Poor urban women who experience a medical complication due to a surgical method that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

**TREATMENT**

Now I'd like you to think about whether or not women seek medical treatment in a health facility for complications from abortion.

Women may be more or less likely to seek treatment in a health facility based on what method of abortion procedure they may have had. I will ask you separately about the three types of methods (surgical, medical, and other methods of abortion) for each of the four sub-groups of women we have been discussing.

First, think about women who had surgical methods.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had surgical methods].

**Literal question**

Among all Poor urban women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

## 319 b. Among all Non-Poor urban women who experience a medical complication due (q319p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 0-8888

Valid cases: 89

Invalid: 0

Minimum: 0

Maximum: 8888

Mean: 139.1

Standard deviation: 938.8

**Description**

The percentage of non-Poor urban women who experience a medical complication due to a surgical method that are treated in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question****TREATMENT**

Now I'd like you to think about whether or not women seek medical treatment in a health facility for complications from abortion.

Women may be more or less likely to seek treatment in a health facility based on what method of abortion procedure they may have had. I will ask you separately about the three types of methods (surgical, medical, and other methods of abortion) for each of the four sub-groups of women we have been discussing.

First, think about women who had surgical methods.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had surgical methods].

**Literal question**

Among all Non-Poor urban women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

## 319 c. Among all Poor rural women who experience a medical complication due to a (q319p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 133.9  
Standard deviation: 939

### Description

The percentage of Poor rural women who experience a medical complication due to a surgical method that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

#### TREATMENT

Now I'd like you to think about whether or not women seek medical treatment in a health facility for complications from abortion.

Women may be more or less likely to seek treatment in a health facility based on what method of abortion procedure they may have had. I will ask you separately about the three types of methods (surgical, medical, and other methods of abortion) for each of the four sub-groups of women we have been discussing.

First, think about women who had surgical methods.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had surgical methods].

### Literal question

Among all Poor rural women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?

### Post question

N/A

### Interviewer instructions

N/A

## 319 d. Among all non-poor rural women who experience a medical complication due (q319p4)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 142.5  
Standard deviation: 938.1

### Description

The percentage of non-Poor rural women who experience a medical complication due to a surgical method that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

**TREATMENT**

Now I'd like you to think about whether or not women seek medical treatment in a health facility for complications from abortion.

Women may be more or less likely to seek treatment in a health facility based on what method of abortion procedure they may have had. I will ask you separately about the three types of methods (surgical, medical, and other methods of abortion) for each of the four sub-groups of women we have been discussing.

First, think about women who had surgical methods.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had surgical methods].

**Literal question**

Among all non-poor rural women who experience a medical complication due to a surgical method, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

## 320 a. Among all poor urban women who experience a medical complication due to a (q320p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Format: numeric

Width: 8

Decimals: 0

Range: 2-8888

Valid cases: 84

Invalid: 5

Minimum: 2

Maximum: 8888

Mean: 162.4

Standard deviation: 964

**Description**

The percentage of poor urban women who experience a medical complication due to an abortion using misoprostol that are treated in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now think about women who had abortions using misoprostol.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had abortions with misoprostol].

**Literal question**

Among all poor urban women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

## 320 b. Among all non-Poor urban women who experience a medical complication due (q320p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 5-8888

Valid cases: 84  
 Invalid: 5  
 Minimum: 5  
 Maximum: 8888  
 Mean: 167.7  
 Standard deviation: 963.4

### Description

The percentage of non-poor urban women who experience a medical complication due to an abortion using misoprostol that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now think about women who had abortions using misoprostol.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had abortions with misoprostol].

### Literal question

Among all non-Poor urban women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?

### Post question

N/A

### Interviewer instructions

N/A

## 320 c. Among all poor rural women who experience a medical complication due to a (q320p3)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 84  
 Invalid: 5  
 Minimum: 0  
 Maximum: 8888  
 Mean: 168.2  
 Standard deviation: 963.6

### Description

The percentage of poor rural women who experience a medical complication due to an abortion using misoprostol that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now think about women who had abortions using misoprostol.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had abortions with misoprostol].

### Literal question

Among all poor rural women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?

### Post question

N/A

### Interviewer instructions

N/A

## 320 d. Among all non-Poor rural women who experience a medical complication due (q320p4)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 10-8888

Valid cases: 84  
Invalid: 5  
Minimum: 10  
Maximum: 8888  
Mean: 175.3  
Standard deviation: 962.5

### Description

The percentage of non-poor rural women who experience a medical complication due to an abortion using misoprostol that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now think about women who had abortions using misoprostol.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had abortions with misoprostol].

### Literal question

Among all non-Poor rural women who experience a medical complication due to an abortion using misoprostol, what percentage do you think would be treated in a health facility?

### Post question

N/A

### Interviewer instructions

N/A

## 321 a. Among all Poor urban women who experience a medical complication due to a (q321p1)

File: KIS LIBERIA\_RECAST

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-8888

Valid cases: 89  
Invalid: 0  
Minimum: 0  
Maximum: 8888  
Mean: 161.1  
Standard deviation: 936.2

### Description

The percentage of Poor urban women who experience a medical complication due to any other method of abortion that are treated in a health facility

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

Now I'd like you to think about women who had any other type of abortion.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had any other method of abortion ].

### Literal question

Among all Poor urban women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

## 321 b. Among all Non-Poor urban women who experience a medical complication due (q321p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 8888  
 Mean: 164.2  
 Standard deviation: 935.8

**Description**

The percentage of non-Poor urban women who experience a medical complication due to any other method of abortion that are treated in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I'd like you to think about women who had any other type of abortion.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had any other method of abortion ].

**Literal question**

Among all Non-Poor urban women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

## 321 c. Among all Poor rural women who experience a medical complication due to a (q321p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-8888

Valid cases: 89  
 Invalid: 0  
 Minimum: 0  
 Maximum: 8888  
 Mean: 164.1  
 Standard deviation: 936

**Description**

The percentage of Poor rural women who experience a medical complication due to any other method of abortion that are treated in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I'd like you to think about women who had any other type of abortion.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had any other method of abortion ].

**Literal question**

Among all Poor rural women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

321 d. Among all Non-Poor rural women who experience a medical complication due (q321p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 5-8888

Valid cases: 89  
Invalid: 0  
Minimum: 5  
Maximum: 8888  
Mean: 170.6  
Standard deviation: 935

**Description**

The percentage of non-Poor rural women who experience a medical complication due to any other method of abortion that are treated in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now I'd like you to think about women who had any other type of abortion.

[Interviewer: Ask this question for each of the four sub-groups of women, making it clear which sub-group you are referring to and that this is only for women who had any other method of abortion ].

**Literal question**

Among all Non-Poor rural women who experience a medical complication due to any other method of abortion, what percentage do you think would be treated in a health facility?

**Post question**

N/A

**Interviewer instructions**

N/A

322. a. Of all women who have a spontaneous abortion at 13-21 weeks gestation, w (q322a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 5-100

Valid cases: 89  
Invalid: 0  
Minimum: 5  
Maximum: 100  
Mean: 78.5  
Standard deviation: 26.3

**Description**

The percentage of all women who have a spontaneous abortion at 13-21 weeks gestation seek treatment in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now, I will ask you questions about all women. I will start by asking about miscarriages, also called spontaneous abortions, where a pregnancy ends by itself without anyone doing anything to end it.

**Literal question**

Of all women who have a spontaneous abortion at 13-21 weeks gestation, what percentage seek treatment in a health facility?

a. Second trimester

**Post question**

N/A

**Interviewer instructions**

N/A

### 322. b. What about women at 6-12 weeks gestation? (q322b)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	Minimum: 5
Decimals: 0	Maximum: 100
Range: 5-100	Mean: 54
	Standard deviation: 25

**Description**

The percentage of all women who have a spontaneous abortion at 6-12 weeks gestation seek treatment in a health facility

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Now, I will ask you questions about all women. I will start by asking about miscarriages, also called spontaneous abortions, where a pregnancy ends by itself without anyone doing anything to end it.

**Literal question**

What about women at 6-12 weeks gestation?

b. First trimester

**Post question**

N/A

**Interviewer instructions**

N/A

### 323 a. On a scale of 1 to 10, with 1 being 'not at all sure' and 10 being 'very s (q323a)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 1-10

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's level of certainty that the answers the respondent has given reflect the real situation encountered in their region for abortions in urban areas

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

The preceding sections included questions that required you to give your opinion on concepts that are not easily measured. On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortions in urban areas?

#### Literal question

On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortions in urban areas?

#### Post question

N/A

#### Interviewer instructions

N/A

323 b. On a scale of 1 to 10, with 1 being 'not at all sure' and 10 being 'very (q323b)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 12  
 Decimals: 0  
 Range: 1-10

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's level of certainty that the answers the respondent has given reflect the real situation encountered in their region for abortions in rural areas

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

The preceding sections included questions that required you to give your opinion on concepts that are not easily measured. On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortions in urban areas?

#### Literal question

On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for abortion in rural areas?

#### Post question

N/A

#### Interviewer instructions

N/A

324 a. On a scale of 1 to 10, with 1 being 'not at all sure' and 10 being 'very (q324a)

File: KIS LIBERIA\_RECAST

<b>Overview</b>	
Type: Discrete	Valid cases: 84
Format: numeric	Invalid: 5
Width: 12	
Decimals: 0	
Range: 1-10	
<b>Description</b>	
The respondent's level of certainty that the answers the respondent has given reflect the real situation encountered in their region for misoprostol use in urban areas	
<b>Universe</b>	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
<b>Source of information</b>	
Knowledgeable informant participating in the survey	
<b>Pre question</b>	
N/A	
<b>Literal question</b>	
On a scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for misoprostol use in urban areas?	
<b>Post question</b>	
N/A	
<b>Interviewer instructions</b>	
N/A	

324 b. On the same scale of 1 to 10, with 1 being 'not at all sure' and 10 being (q324b)

File: KIS LIBERIA\_RECAST

<b>Overview</b>	
Type: Discrete	Valid cases: 84
Format: numeric	Invalid: 5
Width: 12	
Decimals: 0	
Range: 1-10	
<b>Description</b>	
The respondent's level of certainty that the answers the respondent has given reflect the real situation encountered in their region for misoprostol use in rural areas	
<b>Universe</b>	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
<b>Source of information</b>	
Knowledgeable informant participating in the survey	
<b>Pre question</b>	
N/A	
<b>Literal question</b>	
On the same scale of 1 to 10, with 1 being "not at all sure" and 10 being "very sure", what is your degree of certainty that the answers you've given reflect the real situation encountered in your region for misoprostol use in rural areas?	
<b>Post question</b>	
N/A	
<b>Interviewer instructions</b>	
N/A	

## 401 A lot of women become pregnant without intending to. Please mention any sugg (q401)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: character  
Width: 26

Valid cases: 89  
Invalid: 0

### Description

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

N/A

### Literal question

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed.

### Post question

N/A

### Interviewer instructions

[Interviewer: Do not read. Multiple responses are allowed.]

(q401\_1)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 0-1

Valid cases: 89  
Invalid: 0

### Description

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Increase availability and accessibility of family planning services

### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

### Source of information

Knowledgeable informant participating in the survey

### Pre question

N/A

### Literal question

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Increase availability and accessibility of family planning services

### Post question

N/A

### Interviewer instructions

N/A

(q401\_2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Improve the quality of contraceptive counseling and services

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Improve the quality of contraceptive counseling and services

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Improve the provision of contraceptive counselling post delivery

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Improve the provision of contraceptive counselling post delivery

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_4)

## File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	
Description	
The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies_ Improve the provision of contraceptive counselling post- abortion	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
N/A	
Literal question	
A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed_ Improve the provision of contraceptive counselling post- abortion	
Post question	
N/A	
Interviewer instructions	
N/A	

(q401\_5)

## File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: numeric	Invalid: 0
Width: 8	
Decimals: 0	
Range: 0-1	
Description	
The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies_ Implement campaigns to educate public about where to access family planning services	
Universe	
professionals who are well informed about abortion provision and post-abortion care in the public and private sectors	
Source of information	
Knowledgeable informant participating in the survey	
Pre question	
N/A	
Literal question	
A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed_ Implement campaigns to educate public about where to access family planning services	
Post question	
N/A	
Interviewer instructions	
N/A	

(q401\_6)

## File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Improve provision of education in schools, universities and communities

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Improve provision of education in schools, universities and communities

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_7)

## File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Improve provision of reproductive health education in schools, universities, and communities

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Improve provision of reproductive health education in schools, universities, and communities

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_8)

## File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Improve girls' education and women's empowerment

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Improve girls' education and women's empowerment

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_9)

## File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Encourage male involvement in family planning

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Encourage male involvement in family planning

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_10)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Increasing availability of information about long-acting reversible contraceptives (such as IUDs or implant)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Increasing availability of information about long-acting reversible contraceptives (such as IUDs or implant)

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_11)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Increase access to long-acting reversible contraceptives (such as IUDs or implant)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Increase access to long-acting reversible contraceptives (such as IUDs or implant)

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_98)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Other (specify ): \_\_\_\_\_

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Other (specify ): \_\_\_\_\_

**Post question**

N/A

**Interviewer instructions**

N/A

(q401\_13)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-0

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies\_Dont know

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

A lot of women become pregnant without intending to. Please mention any suggestions or recommendations that you feel could be used in Liberia to lower the level of unintended pregnancies, that is pregnancies that were unwanted or mis-timed\_Dont know

**Post question**

N/A

**Interviewer instructions**

N/A

specify (q401spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 11

Format: character

Width: 244

**Description**

Other respondent's suggestions and recommendations that could be used in Liberia to lower the level of unintended pregnancies

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

specify

**Post question**

N/A

**Interviewer instructions**

N/A

402 Please mention any suggestions/ recommendations that you feel could be used (q402)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: character

Invalid: 0

Width: 21

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health.

**Post question**

N/A

**Interviewer instructions**

[Interviewer: Do not read. Multiple responses are allowed.]

(q402\_1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Improve the coverage and quality of post-abortion care services

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Improve the coverage and quality of post-abortion care services

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Publicize the health risk involved in unsafe abortion

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Publicize the health risk involved in unsafe abortion

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Liberalize the legal status of abortion

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Liberalize the legal status of abortion

#### Post question

N/A

#### Interviewer instructions

N/A

(q402\_4)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Further restrict the conditions under which abortion is legal

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Further restrict the conditions under which abortion is legal

#### Post question

N/A

#### Interviewer instructions

N/A

(q402\_5)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Prosecute unsafe abortions

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Prosecute unsafe abortions

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Improve information and access to contraception

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Improve information and access to contraception

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_7)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Improve access to safe abortion services

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Improve access to safe abortion services

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Encourage male involvement in abortion-related services

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Encourage male involvement in abortion-related services

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_9)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Discourage premarital sex

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Discourage premarital sex

#### Post question

N/A

#### Interviewer instructions

N/A

(q402\_10)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Discourage abortion (e.g. through religious teaching)

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Discourage abortion (e.g. through religious teaching)

#### Post question

N/A

#### Interviewer instructions

N/A

(q402\_11)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Provide free reproductive health services

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Provide free reproductive health services

#### Post question

N/A

#### Interviewer instructions

N/A

(q402\_12)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-0

Valid cases: 89  
 Invalid: 0

#### Description

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_No opinion

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

N/A

#### Literal question

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_No opinion

#### Post question

N/A

#### Interviewer instructions

N/A

(q402\_98)

File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Other (specify ): \_\_\_\_\_

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Other (specify ): \_\_\_\_\_

**Post question**

N/A

**Interviewer instructions**

N/A

(q402\_14)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The respondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Dont know

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Please mention any suggestions/ recommendations that you feel could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health\_Dont know

**Post question**

N/A

**Interviewer instructions**

N/A

specify (q402spec)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 7

Format: character

Width: 244

**Description**

Otherrespondent's suggestions and recommendations that could be used in Liberia to reduce the number of unsafe abortions and their consequences for women's health

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

specify

**Post question**

N/A

**Interviewer instructions**

N/A

## 403.Under what conditions in Liberia is abortion legal? (q403)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: character

Invalid: 0

Width: 16

**Description**

The conditions in Liberia under which abortion is legal

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal?

**Post question**

N/A

**Interviewer instructions**

[Interviewer: Do not read. Multiple responses are allowed.]

(q403\_1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

**Description**

The conditions in Liberia under which abortion is legal\_If the woman's physical health is at risk

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_If the woman's physical health is at risk

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

**Description**

The conditions in Liberia under which abortion is legal\_If pregnancy is from rape

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If pregnancy is from rape

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 8

Decimals: 0

Range: 0-1

**Description**

The conditions in Liberia under which abortion is legal\_If pregnancy is from incest

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If pregnancy is from incest

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_ If the foetus would be handicapped/foetal anomaly

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If the foetus would be handicapped/foetal anomaly

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_ If a girl is under age 16

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If a girl is under age 16

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-0

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_Economic reasons (e.g. cannot care for the child)

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_Economic reasons (e.g. cannot care for the child)

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_7)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-0

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_If the girl or woman is unmarried

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If the girl or woman is unmarried

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_If the woman is mentally incapacitated

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_If the woman is mentally incapacitated

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_9)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_If the woman's mental health is at risk

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If the woman's mental health is at risk

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_10)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-0

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_If pregnancy is from contraceptive failure

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_If pregnancy is from contraceptive failure

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_11)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-0

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_If the girl or woman is still in primary or secondary school

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_If the girl or woman is still in primary or secondary school

**Post question**

N/A

**Interviewer instructions**

N/A

(q403\_12)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0  
 Range: 0-1

Valid cases: 89  
 Invalid: 0

**Description**

The conditions in Liberia under which abortion is legal\_ If the woman doesn't want the pregnancy

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

N/A

**Literal question**

Under what conditions in Liberia is abortion legal\_ If the woman doesn't want the pregnancy

**Post question**

N/A

**Interviewer instructions**

N/A

404 A. Do you think abortion should be allowed if the woman's physical health is (q404p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 10

Decimals: 0

Range: 0-2

**Description**

The respondent opinion on allowing abortion if the woman's physical health is at risk

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the woman's physical health is at risk.

**Post question**

N/A

**Interviewer instructions**

N/A

404 B. Do you think abortion should be allowed if pregnancy is from rape. (q404p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: numeric

Invalid: 0

Width: 10

Decimals: 0

Range: 0-2

**Description**

The respondent opinion on allowing abortion if pregnancy is from rape.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if pregnancy is from rape.

**Post question**

N/A

**Interviewer instructions**

N/A

404 C. Do you think abortion should be allowed if pregnancy is from incest. (q404p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent opinion on allowing abortion if the pregnancy is from incest.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if pregnancy is from incest.

**Post question**

N/A

**Interviewer instructions**

N/A

404 D. Do you think abortion should be allowed if the foetus would be handicapped (q404p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent opinion on allowing abortion if the foetus would be handicapped/foetal anomaly.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the foetus would be handicapped/foetal anomaly.

**Post question**

N/A

**Interviewer instructions**

N/A

## 404 E. Do you think abortion should be allowed if a girl is under age 16. (q404p5)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent opinion on allowing abortion if a girl is under age 16.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if a girl is under age 16.

**Post question**

N/A

**Interviewer instructions**

N/A

## 404 F. Do you think abortion should be allowed for economic reasons (e.g. cannot (q404p6)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 10

Decimals: 0

Range: 0-2

Valid cases: 89

Invalid: 0

**Description**

The respondent opinion on allowing abortion for economic reasons (e.g. cannot care for the child).

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed for economic reasons (e.g. cannot care for the child).

**Post question**

N/A

**Interviewer instructions**

N/A

404 G. Do you think abortion should be allowed if the girl or woman is unmarried (q404p7)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if the girl or woman is unmarried.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the girl or woman is unmarried.

**Post question**

N/A

**Interviewer instructions**

N/A

404 H. Do you think abortion should be allowed if the woman is mentally incapacitated (q404p8)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if the woman is mentally incapacitated.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the woman is mentally incapacitated.

**Post question**

N/A

**Interviewer instructions**

N/A

404 I. Do you think abortion should be allowed if the woman's mental health is a (q404p9)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if the woman's mental health is at risk.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the woman's mental health is at risk.

**Post question**

N/A

**Interviewer instructions**

N/A

404 J. Do you think abortion should be allowed if pregnancy is from contraceptive (q404p10)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if pregnancy is from contraceptive failure.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if pregnancy is from contraceptive failure.

**Post question**

N/A

**Interviewer instructions**

N/A

404 K. Do you think abortion should be allowed if the girl or woman is still in (q404p11)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if the girl or woman is still in primary or secondary school.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the girl or woman is still in primary or secondary school.

**Post question**

N/A

**Interviewer instructions**

N/A

404 L. Do you think abortion should be allowed if the woman doesn't want the pre (q404p12)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if the woman doesn't want the pregnancy.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the woman doesn't want the pregnancy.

**Post question**

N/A

**Interviewer instructions**

N/A

404 M. Do you think abortion should be allowed if the woman is HIV positive. (q404p13)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion if the woman is HIV positive.

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed if the woman is HIV positive.

**Post question**

N/A

**Interviewer instructions**

N/A

404 N. Do you think abortion should be allowed in any other situation? (q404p14)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
Format: numeric  
Width: 10  
Decimals: 0  
Range: 0-2

Valid cases: 89  
Invalid: 0

**Description**

The respondent opinion on allowing abortion in any other situation

**Universe**

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

**Source of information**

Knowledgeable informant participating in the survey

**Pre question**

Do you think abortion should be allowed in the following situations?

**Literal question**

Do you think abortion should be allowed in any other situation?

**Post question**

N/A

**Interviewer instructions**

N/A

## specify (q404p14spec)

### File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
Format: character  
Width: 244

Valid cases: 6

#### Description

Other situation that abortion should be allowed based on the respondent opinion

#### Universe

professionals who are well informed about abortion provision and post-abortion care in the public and private sectors

#### Source of information

Knowledgeable informant participating in the survey

#### Pre question

Do you think abortion should be allowed in the following situations?

#### Literal question

specify

#### Post question

N/A

#### Interviewer instructions

N/A

## M7 INTERVIEW OUTCOME (1ST) (m7p1)

### File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
Format: numeric  
Width: 27  
Decimals: 0  
Range: 1-4

Valid cases: 89  
Invalid: 0

#### Description

The interview outcome

#### Universe

Field interviewers

#### Source of information

Interviewer

#### Pre question

N/A

#### Literal question

INTERVIEW OUTCOME (1ST)

#### Post question

N/A

#### Interviewer instructions

N/A

## IM7. NTERVIEW OUTCOME (2ND) (m7p2)

### File: KIS LIBERIA\_RECAST

#### Overview

Type: Discrete  
 Format: numeric  
 Width: 27  
 Decimals: 0  
 Range: 1-4

Valid cases: 1  
 Invalid: 88

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

N/A

**Literal question**

INTERVIEW OUTCOME (2ND)

**Post question**

N/A

**Interviewer instructions**

N/A

## M7. INTERVIEW OUTCOME (3RD) (m7p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 27  
 Decimals: 0  
 Range: 1-4

Valid cases: 0  
 Invalid: 89

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

N/A

**Literal question**

INTERVIEW OUTCOME (3RD)

**Post question**

N/A

**Interviewer instructions**

N/A

## M9 TIME FINISHED: (timeend)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 11

Valid cases: 89  
 Invalid: 0

**Description**

The end time of the survey

**Universe**

System generated

**Source of information**

System generated

**Pre question**

N/A

**Literal question**

TIME FINISHED:

**Post question**

N/A

**Interviewer instructions**

N/A

## a. National level knowledge (m10p1)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 26

Decimals: 0

Range: 1-4

Valid cases: 89

Invalid: 0

**Description**

Classification of the respondents's knowledge on the topic of induced abortion in Liberia nationwide

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

How would you classify the respondents's knowledge on the topic of induced abortion in Liberia?

**Literal question**

National level knowledge

**Post question**

N/A

**Interviewer instructions**

N/A

## b. Regional level knowledge (m10p2)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Format: numeric

Width: 26

Decimals: 0

Range: 1-4

Valid cases: 89

Invalid: 0

**Description**

Classification of the respondents's knowledge on the topic of induced abortion in Liberia based on the regional level

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

How would you classify the respondents's knowledge on the topic of induced abortion in Liberia?

**Literal question**

Regional level knowledge

**Post question**

N/A

**Interviewer instructions**

N/A

## c. Rural level knowledge (m10p3)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 26  
 Decimals: 0  
 Range: 1-4

Valid cases: 89  
 Invalid: 0

**Description**

Classification of the respondents's knowledge on the topic of induced abortion in Liberia based on the rural level

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

How would you classify the respondents's knowledge on the topic of induced abortion in Liberia?

**Literal question**

Rural level knowledge

**Post question**

N/A

**Interviewer instructions**

N/A

## d. Misoprostol use (m10p4)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 26  
 Decimals: 0  
 Range: 1-4

Valid cases: 89  
 Invalid: 0

**Description**

Classification of the respondents's knowledge on the topic of induced abortion using misoprostol in Liberia

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

How would you classify the respondents's knowledge on the topic of induced abortion in Liberia?

**Literal question**

Misoprostol use

**Post question**

N/A

**Interviewer instructions**

N/A

## Interviewer observations: (m10observe)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete

Valid cases: 89

Format: character

Width: 244

**Description**

Interviewer's observations from the survey

**Universe**

Field interviewers

**Source of information**

Interviewer

**Pre question**

N/A

**Literal question**

Interviewer observations:

**Post question**

N/A

**Interviewer instructions**

N/A

## Form version used on device (formdef\_version)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous

Valid cases: 89

Format: numeric

Invalid: 0

Width: 12

Minimum: 2111041606

Decimals: 0

Maximum: 2111081944

Range: 2111041606-2111081944

Mean: 2111075598.7

Standard deviation: 14769.9

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

## Unique submission ID (key)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 41

Valid cases: 89  
 Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

Review status (review\_status)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: character  
 Width: 15

Valid cases: 89  
 Invalid: 0

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

(review\_quality)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 89

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

## Comments made during review (review\_comments)

## File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 89

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

## Corrections made during review (review\_corrections)

## File: KIS LIBERIA\_RECAST

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 8  
 Decimals: 0

Valid cases: 0  
 Invalid: 89

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

Date/time submitted (submissiondate)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 11	Minimum: 1952007974000
Decimals: 0	Maximum: 1965898299000
Range: 1952007974000-1965898299000	Mean: 1956433122752.8
	Standard deviation: 5391403030.1

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

(start)

File: KIS LIBERIA\_RECAST

**Overview**

Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 11	Minimum: 1951751313000
Decimals: 0	Maximum: 1965037659000
Range: 1951751313000-1965037659000	Mean: 1955887057539.3
	Standard deviation: 5058335497.5

**Description**

N/A

**Universe**

N/A

**Source of information**

N/A

**Pre question**

N/A

**Literal question**

N/A

**Post question**

N/A

**Interviewer instructions**

N/A

(end)

File: KIS LIBERIA\_RECAST

Overview	
Type: Continuous	Valid cases: 89
Format: numeric	Invalid: 0
Width: 11	Minimum: 1952007935000
Decimals: 0	Maximum: 1965046477000
Range: 1952007935000-1965046477000	Mean: 1956380209303.4
	Standard deviation: 5371302054.3
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

(today)

File: KIS LIBERIA\_RECAST

Overview	
Type: Discrete	Valid cases: 89
Format: character	Minimum: NaN
Width: 11	Maximum: NaN
Description	
N/A	
Universe	
N/A	
Source of information	
N/A	
Pre question	
N/A	
Literal question	
N/A	
Post question	
N/A	
Interviewer instructions	
N/A	

## M4. DATE OF INTERVIEW (m4)

File: KIS LIBERIA\_RECAST

### Overview

Type: Discrete

Format: character

Width: 11

Valid cases: 89

Minimum: NaN

Maximum: NaN

### Description

The data the interview was conducted

### Universe

system generated

### Source of information

system generated

### Pre question

N/A

### Literal question

DATE OF INTERVIEW

### Post question

N/A

### Interviewer instructions

N/A

## Documentation

### Questionnaires

#### Liberia\_AICM\_KIS\_2021\_QUESTIONNAIRE.pdf

Title Liberia\_AICM\_KIS\_2021\_QUESTIONNAIRE.pdf  
 Author(s) African Population and Health Research Center  
 Date 0711/2025  
 Country LIBERIA  
 Language ENGLISH  
 Contributor(s) Kenneth Juma, Boniface Ushie  
 Publisher(s) African Population and Health Research Center (APHRC)

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

#### Abstract

Objectives: The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

Methodology: A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

Filename Liberia\_AICM\_KIS\_2021\_QUESTIONNAIRE.pdf

### Reports

#### Abortion-Incidence-Liberia-\_Final.pdf

Title Abortion-Incidence-Liberia-\_Final.pdf  
 Author(s) African Population and Health Research Center  
 Date 0711/2025  
 Country LIBERIA

Language ENGLISH

Contributor(s) Kenneth Juma, Boniface Ushie

Publisher(s) African Population and Health Research Center (APHRC)

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

**Abstract**  
**Objectives:** The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

**Methodology:** A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

Filename Abortion-Incidence-Liberia\_Final.pdf

## Other materials

### Protocol - Abortion in Liberia\_Final 21.docx

Title Protocol - Abortion in Liberia\_Final 21.docx

Author(s) African Population and Health Research Center

Date 0711/2025

Country LIBERIA

Language ENGLISH

Contributor(s) Kenneth Juma, Boniface Ushie

Publisher(s) African Population and Health Research Center (APHRC)

Unsafe abortion was one of the major causes of complications, leading to Liberia's high maternal mortality ratio (1,072 deaths per 100,000 live births). The Ministry of Health highly prioritized reducing the high rates of maternal and neonatal deaths in the country. Among national efforts to improve access to and quality of reproductive, maternal, neonatal, child, and adolescent health (RMNCAH) services was the prevention of unsafe abortion and morbidity and mortality from unsafe abortions because nearly 6 out of 10 girls were mothers before age 19. In addition, adolescent pregnancy contributed to high maternal mortality and high neonatal mortality. Nevertheless, there was little information available on abortion incidence, burden and costs of managing complications from unsafe abortions, and the quality of post-abortion care. Data were critical for government and civil society stakeholders to design effective policies and guidance to reduce maternal morbidity and mortality from unsafe abortions and to advocate for increased access to comprehensive abortion care (inclusive of safe abortion for legal indications and post-abortion care) in Liberia.

**Objectives:** The overall aim of the study was to determine the incidence of induced abortions, severity and magnitude of abortion-related complications, quality of PAC, and cost burden of unsafe abortion on the health systems in Liberia.

Abstract

**Methodology:** A mixed-method cross-sectional design was applied to determine the incidence of abortion in Liberia. This research design was employed using the Abortion Incidence Complication Method (AICM). This widely applied indirect method had produced robust estimates of abortion incidence in a range of contexts. The study comprised five (5) different surveys, namely: 1) Health Facility Survey (HFS), 2) Prospective Morbidity Survey, 3) Knowledgeable Informant Survey, 4) Quality of PAC survey, and 5) Post Abortion Care (PAC) Costing Survey. The Health Facility Survey was implemented at sampled public facilities using a nationally representative, stratified, random sampling approach to determine the incidence of induced abortion and abortion complications in Liberia. The Health Facility Survey also included a quality survey to assess the quality of post-abortion care. The Prospective Morbidity Survey was about women seeking PAC in health facilities and providers, including a patient chart review to assess the severity of complications. It also collected data on decision-making, care-seeking pathways, and awareness of the country's abortion law. For the Knowledgeable Informant Survey, a sample of health sector stakeholders who were knowledgeable about abortion/PAC in Liberia were interviewed. Data from this component generated the multiplier to inform the incidence of abortion. The PAC costing study targeted health facility administrators to estimate the costs of PAC at facilities and the national level.

Filename

Protocol - Abortion in Liberia\_Final 21.docx