

Liberia Abortion Study 2021 QoPAC Signal Functions

Field	Question	Answer
note0	Measuring Abortion Incidence, Cost, and Quality of Post-Abortion Care in Liberia - Quality of PAC - Signal Functions	
Module 1 - General Information		
surveydate (required)	Date of data collection visit	
Module 1 - General Information > Facility Identification Details		
module1_note	Directions: Discuss the following general questions with the officer-in-charge, medical director, or head of nursing services	
region (required)	Region	region_key region
county (required)	County	county_key county
district (required)	District	district_key district
facility (required)	Facility	facility_key facility
staffname (required)	G10. Name of person interviewed <i>The focal person must be the officer-in-charge (OIC), Medical Director, Head of Nursing Services, or an acting focal person</i>	1 OIC proper 2 Medical Director proper 3 Head of Nursing Services proper 4 Acting focal person 99 Other (specify)
staffposition (required)	G14. Position of focal person present on day of data collection	
staffposition_sp (required)	Please specify the position of the focal person present on day of data collection. <i>Question relevant when: selected(\${staffposition} , '99')</i>	
Module 1 - General Information > Facility Hours		
g16 (required)	G16. Is this facility accessible for emergency cases during the weekends	1 Yes 0 No
Module 1 - General Information > Electricity		

Field	Question	Answer
g17 (required)	G.17 Does your facility have electricity from any source (e.g. electricity grid, generator, solar, or other) throughout the facility as well as for stand-alone devices (EPI cold chain)?	1 Yes 0 No
g18 (required)	G.18 What is the facility's PRIMARY source of electricity? <i>Question relevant when: selected(\${g17} , '1')</i>	Central supply of electricity 1 (e.g. national or community grid) Generator (fuel or battery operated generator) 2 3 Solar system 98 Don't know 99 Other, Specify
electricity1sp (required)	If other, specify source of electricity <i>Question relevant when: selected(\${g18} , '99')</i>	
Module 1 - General Information > Communication		
g19 (required)	G19. Does this facility have a cell phone (private or facility-supported) that is functional TODAY?	1 Available and Functional 2 Available but not Functional 3 Not available
g20 (required)	G20. When you are on the facility premises, is there cellular network coverage?	1 Yes 0 No
Module 1 - General Information > Emergency Transport		
g21 (required)	G21. Does this facility have an ambulance or other vehicle that is functional today for emergency transportation for clients, that is stationed at THIS facility? <i>Observe that the vehicle is on the facility premise, or check the day's dispatch records</i>	1 Yes 0 No
g21_1 (required)	IF YES, does this vehicle have fuel today? <i>Question relevant when: selected(\${g21} , '1')</i>	1 Yes 0 No
Module 1 - General Information > Emergency Transport > IF YES: <i>Group relevant when: selected(\${g21} , '1')</i>		
g21_2	IF YES, are the following available in the facility's vehicle:	1 Yes

Field	Question	Answer
		0 No
<input type="checkbox"/> g21_3 (required)	Ambu bag	1 Yes
		0 No
<input type="checkbox"/> g21_4 (required)	Bandage	1 Yes
		0 No
<input type="checkbox"/> g21_5 (required)	Delivery set	1 Yes
		0 No
<input type="checkbox"/> g21_6 (required)	Gloves	1 Yes
		0 No
<input type="checkbox"/> g21_7 (required)	Sphygmomanometer (blood pressure meter)	1 Yes
		0 No
<input type="checkbox"/> g21_8 (required)	Stethoscope	1 Yes
		0 No
<input type="checkbox"/> g21_9 (required)	Tourniquet	1 Yes
		0 No
<input type="checkbox"/> g22 (required)	G22. Does this facility have an ambulance or other vehicle that is functional today for emergency transportation for clients, that is stationed at or attached to ANOTHER facility?	1 Yes
		0 No
<input type="checkbox"/> g23 (required)	G23. Is there a staff who has been trained to provide emergency ambulance care, either at this facility, or at the facility where your ambulance is attached?	1 Yes
		0 No
<input type="checkbox"/> g24 (required)	G24. If you have a reproductive health-related emergency, which facility do you refer the emergency to?	

Module 1 - General Information > Basic Client Amenities

		1 Auditory privacy only
<input type="checkbox"/> g25 (required)	G25. Is there at least one room with auditory and visual privacy for patient consultations? <i>Observe auditory and visual privacy, and ask OIC regarding measures taken to ensure privacy (e.g. if room is open concept, do they bring in a divider?)</i>	2 Visual privacy only
		3 Both auditory and visual privacy
		4 No privacy

Module 2 - Signal Function Procedure

Field	Question	Answer
module2_note	Find the person most knowledgeable about sexual & reproductive health in the facility. Introduce yourself, explain the purpose of the survey and ask the following questions.	
Module 2 - Signal Function Procedure > Procedures Available in the Facility		
available_label	SF1. Which of the below EmONC procedures are performed in this facility? <i>Please interview the health workers in the gynaecology ward/emergency room/family planning clinic and other departments; reviewing facility registers; and observation (as much as possible).</i>	1 Yes 0 No
available_pregtesting (required)	Pregnancy testing	1 Yes 0 No
available_antibiotics (required)	Parenteral administration of antibiotics to women	1 Yes 0 No
available_uterotonics (required)	Administration of uterotonics/oxytocics	1 Yes 0 No
available_ivfluids (required)	Administration of IV fluids to woman	1 Yes 0 No
available_placenta (required)	Perform manual removal of placenta	1 Yes 0 No
available_medpac (required)	Medical post-abortion care (i.e. removal of retained products of conception by medications)	1 Yes 0 No
available_surgpac (required)	Surgical post-abortion care (i.e. removal of retained products of conception by surgery)	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months		
sf_6months_note	For this section, please indicate whether the following EmONC signal functions were performed at this facility in the last 6 months. If not performed, please indicate why it as not been performed.	
sf_pregtest (required)	SF2_1. Was pregnancy testing performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting pregnancy testing <i>Group relevant when: selected(\${sf_pregtest} , '0')</i>		
sf_pregtest_reasons_label	SF2_1b. Please select the following reasons for why pregnancy testing was not performed at this facility in the last 6 months.	1 Yes 0 No

Field	Question	Answer
<input type="checkbox"/> sf_pregtest_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
<input type="checkbox"/> sf_pregtest_reasons_sp <i>(required)</i>	Please specify the other reasons why pregnancy testing was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_pregtest_reasons_other} , '1')</i>	
<input type="checkbox"/> sf_antibiotics <i>(required)</i>	SF2_2. Was parenteral administration of antibiotics to women performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting parenteral administration of antibiotics to women <i>Group relevant when: selected(\${sf_antibiotics} , '0')</i>		
<input type="checkbox"/> sf_antibiotics_reasons_label	SF2_2b. Please select the following reasons for why parenteral administration of antibiotics to women was not performed at this facility in the last 6 months.	1 Yes 0 No
<input type="checkbox"/> sf_antibiotics_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
<input type="checkbox"/> sf_antibiotics_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No

Field	Question	Answer
sf_antibiotics_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes
		0 No
sf_antibiotics_reasons_nosupplies (required)	No commodities or supplies	1 Yes
		0 No
sf_antibiotics_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes
		0 No
sf_antibiotics_reasons_nocases (required)	No cases requiring the procedure	1 Yes
		0 No
sf_antibiotics_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes
		0 No
sf_antibiotics_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes
		0 No
sf_antibiotics_reasons_other (required)	Others, please specify	1 Yes
		0 No
sf_antibiotics_reasons_sp (required)	Please specify the other reasons why parenteral administration of antibiotics to women was not performed at this facility in the last 6 months. Question relevant when: selected(\${sf_antibiotics_reasons_other} , '1')	
sf_uterotonic (required)	SF2_3. Was administration of uterotonic/oxytocics performed at this facility in the last 6 months?	1 Yes
		0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting administration of uterotonic/oxytocics Group relevant when: selected(\${sf_uterotonic} , '0')		
sf_uterotonic_reasons_label	SF2_3b. Please select the following reasons for why administration of uterotonic/oxytocics was not performed at this facility in the last 6 months.	1 Yes
		0 No
sf_uterotonic_reasons_nohcw (required)	No health workers available	1 Yes
		0 No
sf_uterotonic_reasons_notrain (required)	No trained health workers	1 Yes
		0 No
sf_uterotonic_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes
		0 No
sf_uterotonic_reasons_nosupplies (required)	No commodities or supplies	1 Yes
		0 No
sf_uterotonic_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes

Field	Question	Answer
		0 No
<input type="checkbox"/> sf_uterotonic_reasons_nocases (required)	No cases requiring the procedure	1 Yes
		0 No
<input type="checkbox"/> sf_uterotonic_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes
		0 No
<input type="checkbox"/> sf_uterotonic_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes
		0 No
<input type="checkbox"/> sf_uterotonic_reasons_other (required)	Others, please specify	1 Yes
		0 No
<input type="checkbox"/> sf_uterotonic_reasons_sp (required)	Please specify the other reasons why administration of uterotonic/oxytocics was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_uterotonic_reasons_other} , '1')</i>	
<input type="checkbox"/> sf_iv (required)	SF2_4. Was administration of IV fluids to women performed at this facility in the last 6 months?	1 Yes
		0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting administration of IV fluids to women <i>Group relevant when: selected(\${sf_iv} , '0')</i>		
<input type="checkbox"/> sf_iv_reasons_label	SF2_4b. Please select the following reasons for why administration of IV fluids to women was not performed at this facility in the last 6 months.	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_nohcw (required)	No health workers available	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_notrain (required)	No trained health workers	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_nosupplies (required)	No commodities or supplies	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_nocases (required)	No cases requiring the procedure	1 Yes
		0 No
<input type="checkbox"/> sf_iv_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes
		0 No

Field	Question	Answer
<input type="checkbox"/> sf_iv_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/> sf_iv_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
<input type="checkbox"/> sf_iv_reasons_sp <i>(required)</i>	Please specify the other reasons why administration of IV fluids to women was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_iv_reasons_other} , '1')</i>	
<input type="checkbox"/> sf_placenta <i>(required)</i>	SF2_5. Was the manual removal of placenta performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting the manual removal of placenta <i>Group relevant when: selected(\${sf_placenta} , '0')</i>		
<input type="checkbox"/> sf_placenta_reasons_label	SF2_5b. Please select the following reasons for why the manual removal of placenta was not performed at this facility in the last 6 months.	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/> sf_placenta_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No

Field	Question	Answer
sf_placenta_reasons_sp (required)	Please specify the other reasons why the manual removal of placenta was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_placenta_reasons_other} , '1')</i>	
sf_medpac (required)	SF2_6. Was medical post-abortion care performed at this facility in the last 6 months? <i>i.e. removal of retained products of conception by medications</i>	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting medical post-abortion care <i>Group relevant when: selected(\${sf_medpac} , '0')</i>		
sf_medpac_reasons_label	SF2_6b. Please select the following reasons for why medical post-abortion care was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_medpac_reasons_nohcw (required)	No health workers available	1 Yes 0 No
sf_medpac_reasons_notrain (required)	No trained health workers	1 Yes 0 No
sf_medpac_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes 0 No
sf_medpac_reasons_nosupplies (required)	No commodities or supplies	1 Yes 0 No
sf_medpac_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes 0 No
sf_medpac_reasons_nocases (required)	No cases requiring the procedure	1 Yes 0 No
sf_medpac_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes 0 No
sf_medpac_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes 0 No
sf_medpac_reasons_other (required)	Others, please specify	1 Yes 0 No
sf_medpac_reasons_sp (required)	Please specify the other reasons why medical post-abortion care was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_medpac_reasons_other} , '1')</i>	

Field	Question	Answer
sf_surgpac (required)	SF2_7. Was surgical post-abortion care performed at this facility in the last 6 months? <i>i.e. removal of retained products of conception by surgery</i>	1 Yes 0 No
	Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting surgical post-abortion care <i>Group relevant when: selected(\${sf_surgpac} , '0')</i>	
sf_surgpac_reasons_label	SF2_7b. Please select the following reasons for why surgical post-abortion care was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_surgpac_reasons_nohcw (required)	No health workers available	1 Yes 0 No
sf_surgpac_reasons_notrain (required)	No trained health workers	1 Yes 0 No
sf_surgpac_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes 0 No
sf_surgpac_reasons_nosupplies (required)	No commodities or supplies	1 Yes 0 No
sf_surgpac_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes 0 No
sf_surgpac_reasons_nocases (required)	No cases requiring the procedure	1 Yes 0 No
sf_surgpac_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes 0 No
sf_surgpac_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes 0 No
sf_surgpac_reasons_other (required)	Others, please specify	1 Yes 0 No
sf_surgpac_reasons_sp (required)	Please specify the other reasons why surgical post-abortion care was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_surgpac_reasons_other} , '1')</i>	
sf_medtop1 (required)	SF2_8. Was medical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies by medications performed at this facility in the last 6 months?	1 Yes 0 No

Field	Question	Answer
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting medical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies by medications <i>Group relevant when: selected(\${sf_medtop1} , '0')</i>		
sf_medtop1_reasons_label	SF2_8b. Please select the following reasons for why medical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies by medications was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_medtop1_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
sf_medtop1_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
sf_medtop1_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
sf_medtop1_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
sf_medtop1_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
sf_medtop1_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
sf_medtop1_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
sf_medtop1_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
sf_medtop1_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
sf_medtop1_reasons_sp <i>(required)</i>	Please specify the other reasons why medical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies by medications was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_medtop1_reasons_other} , '1')</i>	
sf_medtop2 <i>(required)</i>	SF2_9. Was medical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER	1 Yes 0 No

Field

Question

Answer

pregnancies by medications performed at this facility in the last 6 months?

Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting medical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER pregnancies by medications
Group relevant when: selected(\${sf_medtop2} , '0')

<input type="checkbox"/>	sf_medtop2_reasons_label	SF2_9b. Please select the following reasons for why medical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER pregnancies by medications was not performed at this facility in the last 6 months.	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
<input type="checkbox"/>	sf_medtop2_reasons_sp <i>(required)</i>	Please specify the other reasons why medical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER pregnancies by medications was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_medtop2_reasons_other} , '1')</i>	

Field	Question	Answer
sf_surgtop1 <i>(required)</i>	SF2_10. Was surgical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting surgical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies <i>Group relevant when: selected(\${sf_surgtop1} , '0')</i>		
sf_surgtop1_reasons_label	SF2_10b. Please select the following reasons for why surgical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_surgtop1_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
sf_surgtop1_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
sf_surgtop1_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
sf_surgtop1_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
sf_surgtop1_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
sf_surgtop1_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
sf_surgtop1_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
sf_surgtop1_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
sf_surgtop1_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
sf_surgtop1_reasons_sp <i>(required)</i>	Please specify the other reasons why surgical legal termination of pregnancy (TOP) for uterine size LESS THAN 12 WEEKS OR FIRST TRIMESTER pregnancies was not performed at this facility in the last 6 months.	

Field	Question	Answer
	<i>Question relevant when: selected(\${sf_surgtop1_reasons_other} , '1')</i>	
sf_surgtop2 (required)	SF2_11. Was surgical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER pregnancies performed at this facility in the last 6 months?	1 Yes 0 No

Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting surgical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER pregnancies

Group relevant when: selected(\${sf_surgtop2} , '0')

sf_surgtop2_reasons_label	SF2_11b. Please select the following reasons for why surgical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND TRIMESTER pregnancies was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_surgtop2_reasons_nohcw (required)	No health workers available	1 Yes 0 No
sf_surgtop2_reasons_notrain (required)	No trained health workers	1 Yes 0 No
sf_surgtop2_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes 0 No
sf_surgtop2_reasons_nosupplies (required)	No commodities or supplies	1 Yes 0 No
sf_surgtop2_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes 0 No
sf_surgtop2_reasons_nocases (required)	No cases requiring the procedure	1 Yes 0 No
sf_surgtop2_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes 0 No
sf_surgtop2_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes 0 No
sf_surgtop2_reasons_other (required)	Others, please specify	1 Yes 0 No
sf_surgtop2_reasons_sp (required)	Please specify the other reasons why surgical legal termination of pregnancy (TOP) for uterine size GREATER THAN 12 WEEKS OR SECOND	

Field	Question	Answer
	TRIMESTER pregnancies was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_surgtop2_reasons_other} , '1')</i>	
<input type="checkbox"/> sf_fp (required)	SF2_12. Was provision of contraceptives after PAC or legal termination of pregnancy (TOP) performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting provision of contraceptives after PAC or legal termination of pregnancy (TOP) <i>Group relevant when: selected(\${sf_fp} , '0')</i>		
<input type="checkbox"/> sf_fp_reasons_label	SF2_12b. Please select the following reasons for why provision of contraceptives after PAC or legal termination of pregnancy (TOP) was not performed at this facility in the last 6 months.	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_nohcw (required)	No health workers available	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_notrain (required)	No trained health workers	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_nosupplies (required)	No commodities or supplies	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_nocases (required)	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_other (required)	Others, please specify	1 Yes 0 No
<input type="checkbox"/> sf_fp_reasons_sp (required)	Please specify the other reasons why provision of contraceptives after PAC or legal termination of pregnancy (TOP) was not performed at this facility in the last 6 months.	

Field	Question	Answer
<p>Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Provision of Contraceptive Methods</p> <p>Group relevant when: selected(\${sf_fp} , '1')</p>		
prov_fp_label	SF2_13. Where does provision of contraceptive methods take place after PAC or TOP?	1 Yes 0 No
prov_fp_sameroom_sameprov (required)	Same room where they have PAC/TOP with the same provider	1 Yes 0 No
prov_fp_sameroom_diffprov (required)	Same room where they have PAC/TOP with a different provider	1 Yes 0 No
prov_fp_diffroom_sameprov (required)	Another place within the health facility compound with the same provider	1 Yes 0 No
prov_fp_diffroom_diffprov (required)	Another place within the health facility compound with a different provider	1 Yes 0 No
prov_fp_diffplace_outfac (required)	Another place outside this health facility	1 Yes 0 No
prov_fp_other (required)	Others (including commercial pharmacy)	1 Yes 0 No
prov_fp_sp (required)	Please specify the other places where contraceptives are provided after PAC or TOP. Question relevant when: selected(\${prov_fp_other} , '1')	
sf_blood (required)	SF2_14. Was a blood transfusion performed at this facility in the last 6 months?	1 Yes 0 No
<p>Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting blood transfusions</p> <p>Group relevant when: selected(\${sf_blood} , '0')</p>		
sf_blood_reasons_label	SF2_14b. Please select the following reasons for why a blood transfusion was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_blood_reasons_nohcw (required)	No health workers available	1 Yes 0 No
sf_blood_reasons_notrain (required)	No trained health workers	1 Yes 0 No
sf_blood_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes 0 No

Field	Question	Answer
<input type="checkbox"/> sf_blood_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
<input type="checkbox"/> sf_blood_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/> sf_blood_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/> sf_blood_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
<input type="checkbox"/> sf_blood_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/> sf_blood_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
<input type="checkbox"/> sf_blood_reasons_sp <i>(required)</i>	Please specify the other reasons why a blood transfusion was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_blood_reasons_other} , '1')</i>	
<input type="checkbox"/> sf_surgery <i>(required)</i>	SF2_15. Was a surgical procedure to manage abortion complications performed at this facility in the last 6 months? <i>e.g. exploratory laparotomy, definitive surgery (hysterectomy/hysterotomy/hysteroplasty) or laparoscopy</i>	1 Yes 0 No
<p>Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting a surgical procedure to manage abortion complications</p> <p><i>Group relevant when: selected(\${sf_surgery} , '0')</i></p>		
<input type="checkbox"/> sf_surgery_reasons_label	SF2_15b. Please select the following reasons for why a surgical procedure to manage abortion complications was not performed at this facility in the last 6 months.	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No

Field	Question	Answer
<input type="checkbox"/> sf_surgery_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_other <i>(required)</i>	Others, please specify	1 Yes 0 No
<input type="checkbox"/> sf_surgery_reasons_sp <i>(required)</i>	Please specify the other reasons why a surgical procedure to manage abortion complications was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_surgery_reasons_other}, '1')</i>	
<input type="checkbox"/> sf_hiv <i>(required)</i>	SF2_16. Was HIV counseling and testing performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting HIV counseling and testing <i>Group relevant when: selected(\${sf_hiv}, '0')</i>		
<input type="checkbox"/> sf_hiv_reasons_label <i>(required)</i>	SF2_16b. Please select the following reasons for why HIV counseling and testing was not performed at this facility in the last 6 months.	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes 0 No
<input type="checkbox"/> sf_hiv_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes

Field	Question	Answer
		0 No
<input type="checkbox"/> sf_hiv_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes
		0 No
<input type="checkbox"/> sf_hiv_reasons_other <i>(required)</i>	Others, please specify	1 Yes
		0 No
<input type="checkbox"/> sf_hiv_reasons_sp <i>(required)</i>	Please specify the other reasons why HIV counseling and testing was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_hiv_reasons_other}, '1')</i>	
<input type="checkbox"/> sf_hepb <i>(required)</i>	SF2_17. Was Hepatitis B screening performed at this facility in the last 6 months?	1 Yes
		0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting Hepatitis B screening <i>Group relevant when: selected(\${sf_hepb}, '0')</i>		
<input type="checkbox"/> sf_hepb_reasons_label	SF2_17b. Please select the following reasons for why Hepatitis B screening was not performed at this facility in the last 6 months.	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_nohcw <i>(required)</i>	No health workers available	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_notrain <i>(required)</i>	No trained health workers	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_noequip <i>(required)</i>	No equipment e.g. machines or beds	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_nosupplies <i>(required)</i>	No commodities or supplies	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_againstpolicy <i>(required)</i>	Against hospital or management policies	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_nocases <i>(required)</i>	No cases requiring the procedure	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_againstmoral <i>(required)</i>	Against the workers' morals/ethics	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_na <i>(required)</i>	Not available at this level (Ministry policy)	1 Yes
		0 No
<input type="checkbox"/> sf_hepb_reasons_other <i>(required)</i>	Others, please specify	1 Yes
		0 No

Field	Question	Answer
sf_hepb_reasons_sp (required)	Please specify the other reasons why Hepatitis B screening was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_hepb_reasons_other} , '1')</i>	
sf_sti (required)	SF2_18. Was STI (e.g. Chlamydia, Gonorrhoea, Trichomoniasis, Genital Herpes, Syphilis) testing performed at this facility in the last 6 months?	1 Yes 0 No
Module 2 - Signal Function Procedure > EmONC Signal Functions Performed in the Last 6 Months > Reasons for not conducting STI testing <i>Group relevant when: selected(\${sf_sti} , '0')</i>		
sf_sti_reasons_label	SF2_18b. Please select the following reasons for why STI testing was not performed at this facility in the last 6 months.	1 Yes 0 No
sf_sti_reasons_nohcw (required)	No health workers available	1 Yes 0 No
sf_sti_reasons_notrain (required)	No trained health workers	1 Yes 0 No
sf_sti_reasons_noequip (required)	No equipment e.g. machines or beds	1 Yes 0 No
sf_sti_reasons_nosupplies (required)	No commodities or supplies	1 Yes 0 No
sf_sti_reasons_againstpolicy (required)	Against hospital or management policies	1 Yes 0 No
sf_sti_reasons_nocases (required)	No cases requiring the procedure	1 Yes 0 No
sf_sti_reasons_againstmoral (required)	Against the workers' morals/ethics	1 Yes 0 No
sf_sti_reasons_na (required)	Not available at this level (Ministry policy)	1 Yes 0 No
sf_sti_reasons_other (required)	Others, please specify	1 Yes 0 No
sf_sti_reasons_sp (required)	Please specify the other reasons why STI testing was not performed at this facility in the last 6 months. <i>Question relevant when: selected(\${sf_sti_reasons_other} , '1')</i>	

Field	Question	Answer
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES		
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > IPC1		
ipc1_label	IPC1. Observe whether following items are available and functional in this facility today.	<p>1 Available and functional today</p> <p>2 Available but non-functional today</p> <p>0 Not available</p>
autoclave_elec <i>(required)</i>	Electric autoclave (pressure & wet heat)	<p>1 Available and functional today</p> <p>2 Available but non-functional today</p> <p>0 Not available</p>
autoclave_nonelec <i>(required)</i>	Non-electric autoclave	<p>1 Available and functional today</p> <p>2 Available but non-functional today</p> <p>0 Not available</p>
sterilizer <i>(required)</i>	Electric dry heat sterilizer	<p>1 Available and functional today</p> <p>2 Available but non-functional today</p> <p>0 Not available</p>
boiler <i>(required)</i>	Electric boiler or steamer (no pressure)	<p>1 Available and functional today</p> <p>2 Available but non-functional today</p> <p>0 Not available</p>
pot <i>(required)</i>	Non-electric pot with cover for boiling/steam	<p>1 Available and functional today</p> <p>2 Available but non-functional today</p> <p>0 Not available</p>

Field	Question	Answer
heat <i>(required)</i>	Heat source for non-electric equipment (e.g. dry wood, gas burner, charcoal)	1 Available and functional today 2 Available but non-functional today 0 Not available
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > IPC2		
ipc2_label	IPC2. Observe whether following items are available and functional in this facility today.	1 Available and functional today 2 Available but non-functional today 0 Not available
water <i>(required)</i>	Clean running water (piped, bucket with tap or pour pitcher)	1 Available and functional today 2 Available but non-functional today 0 Not available
latrine <i>(required)</i>	A functional toilet or latrine on the facility premises for general outpatient client use	1 Available and functional today 2 Available but non-functional today 0 Not available
soap <i>(required)</i>	Handwashing soap/liquid soap	1 Available and functional today 2 Available but non-functional today 0 Not available
alcoholhand <i>(required)</i>	Alcohol-based hand rub	1 Available and functional today 2 Available but non-functional today 0 Not available

MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > IPC3

Field	Question	Answer
ipc3_label	IPC3. Observe whether following items are available and functional in this facility today.	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
wastebin <i>(required)</i>	Waste bin with plastic and cover	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
sharpbox <i>(required)</i>	Sharps boxes	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
bleach <i>(required)</i>	Clorox solution for disinfection	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
mask_surgical <i>(required)</i>	Surgical masks	<p>1 Available and in-stock today</p>

Field	Question	Answer
mask_n95 (required)	N95 masks	Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock 1 Available and in-stock today
gloves (required)	Gloves (sterile)	Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock 1 Available and in-stock today
gown (required)	Surgical gown	Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > Medical Equipment 1		
med1_label	ME1. Observe whether following items are available and functional in this facility today.	1 Available and functional today

Field	Question	Answer
scalpel <i>(required)</i>	Surgical scalpel (handle and blades)	Available but 2 non-functional today 0 Not available 1 Available and functional today
scissors <i>(required)</i>	Scissors (sterile)	Available but 2 non-functional today 0 Not available 1 Available and functional today
speculum <i>(required)</i>	Speculum (vaginal)	Available but 2 non-functional today 0 Not available 1 Available and functional today
uterinesound <i>(required)</i>	Uterine sound	Available but 2 non-functional today 0 Not available 1 Available and functional today
tenaculum <i>(required)</i>	Tenaculum	Available but 2 non-functional today 0 Not available 1 Available and functional today
needlesyringe <i>(required)</i>	Needle & syringe	1 Available and functional today

Field	Question	Answer
dish <i>(required)</i>	Kidney dish	Available but 2 non-functional today 0 Not available 1 Available and functional today
tray <i>(required)</i>	Instrument tray with cover	Available but 2 non-functional today 0 Not available 1 Available and functional today
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > Medical Equipment 2		
med2_label	ME2. Observe whether following items are available and functional in this facility today.	Available and 1 functional today Available but 2 non-functional today 0 Not available 1 Available and functional today
placentaforceps <i>(required)</i>	Kelly placenta forceps (long-handled)	Available but 2 non-functional today 0 Not available 1 Available and functional today
ringedforceps <i>(required)</i>	Ringed forceps (long-handled)	Available but 2 non-functional today 0 Not available 1 Available and functional today
spongeforceps <i>(required)</i>	Sponge-holding/Foerster forceps	Available and 1 functional today

Field	Question	Answer
		Available but 2 non-functional today 0 Not available
<input type="checkbox"/> hemoforceps <i>(required)</i>	Hemostatic/Mosquito forceps	1 Available and functional today Available but 2 non-functional today 0 Not available
<input type="checkbox"/> needleholder <i>(required)</i>	Needle holder	1 Available and functional today Available but 2 non-functional today 0 Not available
<input type="checkbox"/> abretractor <i>(required)</i>	Abdominal retractors	1 Available and functional today Available but 2 non-functional today 0 Not available
<input type="checkbox"/> clamps <i>(required)</i>	Intestinal clamps	1 Available and functional today Available but 2 non-functional today 0 Not available
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > Respiratory Equipment		
<input type="checkbox"/> respiratory_label	RE1. Observe whether following items are available and functional in this facility today.	1 Available and functional today Available but 2 non-functional today 0 Not available
<input type="checkbox"/> ventilator <i>(required)</i>	Ventilator	1 Available and functional today

Field	Question	Answer
<input type="checkbox"/> concentrator <i>(required)</i>	Oxygen concentrators	Available but 2 non-functional today 0 Not available 1 Available and functional today
<input type="checkbox"/> cylinder <i>(required)</i>	Oxygen cylinders	Available but 2 non-functional today 0 Not available 1 Available and functional today
<input type="checkbox"/> ambu <i>(required)</i>	Ambu bag	Available but 2 non-functional today 0 Not available 1 Available and functional today
<input type="checkbox"/> airway <i>(required)</i>	Oropharyngeal or nasopharyngeal airways	Available but 2 non-functional today 0 Not available 1 Available and functional today
<input type="checkbox"/> laryngoscope <i>(required)</i>	Laryngoscopes	Available but 2 non-functional today 0 Not available 1 Available and functional today
<input type="checkbox"/> suction <i>(required)</i>	Suction machine	1 Available and functional today





Field	Question	Answer
endotrachel <i>(required)</i>	Endotracheal tubes	Available but 2 non-functional today 0 Not available 1 Available and functional today Available but 2 non-functional today 0 Not available
MODULE 3. MEDICAL EQUIPMENT & SUPPLIES > Other Equipment		
other_label	OE1. Observe whether following items are available and functional in this facility today.	1 Available and functional today Available but 2 non-functional today 0 Not available
mva <i>(required)</i>	Manual vaccum aspiration (MVA) set (at least 1 aspirator and at least 3 sizes of cannulae)	1 Available and functional today Available but 2 non-functional today 0 Not available
nasg <i>(required)</i>	Non-pneumatic Anti-Shock Garment (NASG)	1 Available and functional today Available but 2 non-functional today 0 Not available
us <i>(required)</i>	Ultrasound equipment	1 Available and functional today Available but 2 non-functional today 0 Not available
stethoscope <i>(required)</i>	Stethoscope	1 Available and functional today

Field	Question	Answer
examlight <i>(required)</i>	Examination light or other light source such as flash light	Available but 2 non-functional today 0 Not available 1 Available and functional today
exambed <i>(required)</i>	Examination bed	Available but 2 non-functional today 0 Not available 1 Available and functional today
bpmachine <i>(required)</i>	Blood presure machines (digital or manual sphygmomanometer)	Available but 2 non-functional today 0 Not available 1 Available and functional today
ivset <i>(required)</i>	IV fluid set (adult)	Available but 2 non-functional today 0 Not available
MODULE 4. MEDICINES & COMMODITIES		
MODULE 4. MEDICINES & COMMODITIES > Family Planning		
fp_label	FP1. Go to the facility's storeroom and observe whether the following medicines & commodities are available at this facility today.	Available and in-stock today 1 Available but out-of-stock 2 today (if expired, consider out-of-stock)

Field	Question	Answer
condomsm <i>(required)</i>	Condom - Male	<p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p>
condomsf <i>(required)</i>	Condom - Female	<p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p>
dmpa_im <i>(required)</i>	Injectable - Medroxyprogesterone acetate 150 mg/mL Injection (DMPA-IM e.g. Triclofem, Depo-Provera)	<p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p>
dmpa_sc <i>(required)</i>	Injectable - Medroxyprogesterone acetate 104 mg/0.65 mL Injection (DMPA-SC e.g. Sayana Press)	<p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p>

Field	Question	Answer
implant <i>(required)</i>	Implant - 2-rod - Levonorgestrel 2x75 mg (e.g. Jadelle)	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
iucd <i>(required)</i>	Intrauterine contraceptive device (IUCD)	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
coc <i>(required)</i>	Oral contraceptive pills - COCs - Ethinylestradiol 30 micrograms + Levonorgestrel 150 micrograms Tablet (e.g. Microgynon)	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
pop <i>(required)</i>	Oral contraceptive pills - POPs - Levonorgestrel 30 micrograms	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
ec <i>(required)</i>	Emergency contraceptive pills (either levonorgestrel [LNG] or ulipristal acetate [UPA])	<p>1 Available and in-stock today</p>

Field	Question	Answer
		Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock
MODULE 4. MEDICINES & COMMODITIES > Uterotonics & Others		
utero_other_label	U1. Go to the facility's storeroom and observe whether the following medicines & commodities are available at this facility today.	1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock
oxytocin (required)	Oxytocin 10 IU/ml Injection	1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock
ergometrine (required)	Ergometrine 200 mcg/ml Injection	1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock
txa (required)	Tranexamic acid (TXA)	1 Available and in-stock today 2 Available but out-of-stock

Field	Question	Answer
 mifepristone <i>(required)</i>	Mifepristone 200 mg Tablet	<p>today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p>
 combipack <i>(required)</i>	Misoprostol + Mifepristone combipack	<p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p>
 misoprostol <i>(required)</i>	Misoprostol 200 micrograms Tablets	<p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p>
 mgs <i>(required)</i>	Magnesium sulfate 0.5 g/ml Injection	<p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p>

Field	Question	Answer
blood <i>(required)</i>	Blood (for transfusion)	<p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
MODULE 4. MEDICINES & COMMODITIES > Antibiotics		
antibiotics_label	AB1. Go to the facility's storeroom and observe whether the following medicines & commodities are available at this facility today.	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
amoxicillin <i>(required)</i>	Amoxicillin	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
amapicillin <i>(required)</i>	Ampicillin	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>

Field	Question	Answer
<input type="checkbox"/> cefri <i>(required)</i>	Ceftriaxone	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
<input type="checkbox"/> cipro <i>(required)</i>	Ciprofloxacin	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
<input type="checkbox"/> genta <i>(required)</i>	Gentamicin	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
<input type="checkbox"/> metronidazole <i>(required)</i>	Metronidazole	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>

Field	Question	Answer
tests_label	TV1. Go to the facility's storeroom and observe whether the following medicines & commodities are available at this facility today.	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
test_pregnancy <i>(required)</i>	Urine dipsticks for pregnancy tests	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
rdt_hiv <i>(required)</i>	HIV rapid tests	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
rdt_malaria <i>(required)</i>	Malaria rapid tests	<p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p>
rdt_syphilis <i>(required)</i>	Syphilis rapid tests	<p>1 Available and in-stock today</p>

Field	Question	Answer
■ tetanus <i>(required)</i>	Tetanus toxoid vaccine 0.5 ml Injection	Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock 1 Available and in-stock today
■ bloodtype <i>(required)</i>	Blood-typing	Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock 1 Available and in-stock today
■ hemoglobin <i>(required)</i>	Hemoglobin test	Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock
MODULE 4. MEDICINES & COMMODITIES > Antiseptics		
■ antiseptics_label	AS1. Go to the facility's storeroom and observe whether the following medicines & commodities are available at this facility today.	1 Available and in-stock today 2 Available but out-of-stock

Field	Question	Answer
iodine <i>(required)</i>	Betadine/Povidone-iodine	<p>today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p>
alcohol <i>(required)</i>	Alcohol	<p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p>
cotton <i>(required)</i>	Cotton balls or cotton wool or tissue paper or toilet tissue	<p>2 today (if expired, consider out-of-stock)</p> <p>0 Has never been in stock</p> <p>1 Available and in-stock today</p> <p>Available but out-of-stock</p>
drape <i>(required)</i>	Fenestrated drape (sterile) or sterilized lappa or sterilized cotton drape	<p>Available but out-of-stock</p> <p>2 today (if expired, consider out-of-stock)</p>

Field	Question	Answer
		0 Has never been in stock
MODULE 4. MEDICINES & COMMODITIES > Pain Management		
■ painmgt_label	PM1. Go to the facility's storeroom and observe whether the following medicines & commodities are available at this facility today.	1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock)
■ paracetamol <i>(required)</i>	Paracetamol/Acetaminophen	0 Has never been in stock 1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock)
■ ibuprofen <i>(required)</i>	Ibuprofen	0 Has never been in stock 1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock)
■ lidocaine <i>(required)</i>	Lidocaine/Lignocaine	0 Has never been in stock 1 Available and in-stock today Available but out-of-stock 2 today (if expired, consider out-of-stock) 0 Has never been in stock

Field	Question	Answer
note_end	This is the end of the Quality of PAC - Signal Functions Survey. Thank you very much for your time. Your responses are very important and will help make health services better for women and girls.	